Ine

Version Number 1.0 Revision Date 12/30/2014 Page 1 of 15 Print Date 01/09/2015

SAFETY DATA SHEET

GRAY 69893

Section 1. Identification		
GHS product identifier	:	GRAY 69893
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10210464
Product type	:	solid
Relevant identified uses of the substa	nce	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
Supplemental label elements	:	None known.



Version Number 1.0 Revision Date 12/30/2014 Page 2 of 15 Print Date 01/09/2015

Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10210464

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	10 - 30	13463-67-7
Carbon black	1 - 5	1333-86-4
Chrome yellow (Lead chromate pigment)	1 - 5	1344-37-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of
Skin contact	 inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.



SAFETY DATA SHEET **GRAY 69893**

Version Number 1.0 Revision Date 12/30/2014	Page 3 of 15 Print Date 01/09/2015
Ingestion :	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, acute	e and delayed
Potential acute health effects	
Eye contact :	No known significant effects or critical hazards.
Inhalation :	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact :	No known significant effects or critical hazards.
Ingestion :	No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact :	No specific data.
Inhalation :	No specific data.
Skin contact :	I I I I I I I I I I I I I I I I I I I
Ingestion :	No specific data.
Indication of immediate medical attent	tion and special treatment needed, if necessary
Notes to physician :	may be delayed. The exposed person may need to be kept under
Specific treatments :	medical surveillance for 48 hours. No specific treatment.
Specific treatments :	No specific treatment.
Protection of first-aiders :	No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Section	11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.

PolyOne.

SAFETY DATA SHEET **GRAY 69893**

Version Number 1.0 Revision Date 12/30/2014	Page 4 of 1 Print Date 01/09/201	
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides	
Special protective actions for fire- fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling



SAFETY DATA SHEET **GRAY 69893**

Version Number 1.0	Page 5 of 15
Revision Date 12/30/2014	Print Date 01/09/2015

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 10 mg/m3
Carbon black	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 3.5 mg/m3
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 3.5 mg/m3
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 3.5 mg/m3
	Time Weighted Average (TWA)
	ACGIH TLV (2010-12-06)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction



SAFETY DATA SHEET **GRAY 69893**

Version Number 1.0 Revision Date 12/30/2014

Page 6 of 15 Print Date 01/09/2015

Chrome yellow (Lead chromate pigment)	OSHA PEL (2006-11-27) Calculated as Cr PEL: Permissible Exposure Level 0.005 mg/m3 NIOSH REL (2010-09-01) Calculated as Cr Time Weighted Average (TWA) 0.0002 mg/m3 OSHA PEL 1989 (1989-03-01) Calculated as Pb PEL: Permissible Exposure Level 0.075 mg/m3 ACGIH TLV (1995-05-23) Calculated as Pb TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.05 mg/m3 ACGIH TLV (1994-09-01) Calculated as Cr TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.05 mg/m3
Appropriate engineering controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls :	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures : Eye/face protection :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection :	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection :	Appropriate footwear and any additional skin protection measures

Respiratory protection



SAFETY DATA SHEET **GRAY 69893**

Version Number 1.0	Page 7 of 15
Revision Date 12/30/2014	Print Date 01/09/2015
	should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	GREY
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
•		Kinematic: Not available.

Section 10. Stability and reactivity

:

Reactivity

No specific test data related to reactivity available for this product or



SAFETY DATA SHEET **GRAY 69893**

Version Numbe	er 1.0	
Revision Date	12/30/2014	

Page 8 of 15 Print Date 01/09/2015

		its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black	•	· -	·	· -
	LD50 Oral	Rat	15,400 mg/kg	-
Chrome yellow (Lead chroma	te pigment)			
Conclusion/Summary	: M	ixture.Not fully tested		
T '' '' '' '' '' ''				
Irritation/Corrosion				
Conclusion/Summary				
Skin	: M	ixture.Not fully tested		
Eyes		ixture.Not fully tested		
Respiratory				
Sensitization				
Conclusion/Summary				
Skin	: M	ixture.Not fully tested		
Respiratory		ixture.Not fully tested		
Mutagenicity				
Conclusion/Summary	: M	ixture.Not fully tested		
Carcinogenicity				



Version Number 1.0 Revision Date 12/30/2014 Page 9 of 15 Print Date 01/09/2015

Conclusion/Summary		Mintuna No	t fully tooted	
Conclusion/Summary Classification	:	Mixture.No	t fully tested.	
	SHA		IARC	NTP
Titanium dioxide	5111		2B	
Carbon black			2B	
Chrome yellow (Lead +			1	Proven.Reasonably
chromate pigment)			1	anticipated to be a human
cinomate premient)				carcinogen.
Reproductive toxicity				
Conclusion/Summary	:	Mixture.No	t fully tested.	
<u>Teratogenicity</u>				
Conclusion/Summary	:	Mixture.No	t fully tested.	
Specific target organ toxicity (s Not available.	ingle ex <u>r</u>	<u>posure)</u>		
Specific target organ toxicity (r Not available.	epeated	<u>exposure)</u>		
Aspiration hazard Not available.				
Information on the likely routes exposure	of :	Not availab	le.	
Potential acute health effects				
Eye contact	:	No known s	significant effect	s or critical hazards.
Inhalation	-			products may cause a health hazard.
				yed following exposure.
Skin contact	:			s or critical hazards.
Ingestion	:			
Symptoms related to the physica	al, chemi	ical and toxic	ological charac	<u>teristics</u>
Eye contact	:	No specific	data.	
Inhalation		No specific		
Skin contact	:	No specific		
Ingestion		No specific No specific		
ingestion	•	rio specific	autu.	

Delayed and immediate effects and also chronic effects from short and long term exposure



SAFETY DATA SHEET **GRAY 69893**

Version Number 1.0 Revision Date 12/30/2014

Page 10 of 15 Print Date 01/09/2015

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	::	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			
	Acute LC50 1,000,000 µg/l Marine water	Fish - Mummichog	96 h
	Acute LC50 1,000 mg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 5.5 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 10 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h



Version Number	er 1.0
Revision Date	12/30/2014

Page 11 of 15 Print Date 01/09/2015

	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h	
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h	
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h	
	Acute EC50 35.9 mg/l Fresh water	Aquatic plants - Green algae	72 h	
	Acute EC50 5.83 mg/l Fresh water	Aquatic plants - Green algae	72 h	
GRAY 69893				
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available	as they are bound within the	e polymer matrix.	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.			
Persistence and degradability	<u>r</u>			
Conclusion/Summary	: Chemicals are not read	lily available as they are bou	nd within the	
Conclusion/Summary	polymer matrix.			
Conclusion/Summary	polymer matrix.	lily available as they are bou		

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low
Chrome yellow (Lead		3,600.00	high
chromate pigment)			

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable



Version Number 1.0 Revision Date 12/30/2014 Page 12 of 15 Print Date 01/09/2015

products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not classified as dangerous good under transport regulations.
IMO/IMDG (maritime)	:	Not classified as dangerous good under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: The following components are listed: Chrome yellow (Lead chromate pigment)
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Listed Chrome yellow (Lead chromate pigment)
		United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined



SAFETY DATA SHEET **GRAY 69893**

Version Number 1.0 Revision Date 12/30/2014		Page 13 of 15 Print Date 01/09/2015
		United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Chrome yellow (Lead chromate pigment) Phthalocyanine green
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

Name	%	Classification
Titanium dioxide	10 - 30	СН
Carbon black	1 - 5	СН
Chrome yellow (Lead chromate pigment)	1 - 5	СН



Version Number 1.0 Revision Date 12/30/2014

Page 14 of 15 Print Date 01/09/2015

SARA 313

	Product name	CAS number	%
Form R - Reporting	Chrome yellow (Lead	1344-37-2	0
requirements	chromate pigment)		
Supplier notification	Chrome yellow (Lead	1344-37-2	0
	chromate pigment)		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: Titanium dioxide
		Carbon black
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		2-Propenenitrile, polymer with Ethenylbenzene
		Titanium dioxide Carbon black
		Chrome yellow (Lead chromate pigment)
Pennsylvania	:	The following components are listed:
1 emisyivama	•	Titanium dioxide
		Carbon black
		Chrome yellow (Lead chromate pigment)
<u>California Prop. 65</u> WARNING: This product contains a c other reproductive harm.	hemi	ical known to the State of California to cause cancer and birth defects or
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
T () 11 (
International lists	:	Australia inventory (AICS): All components are listed or exempted. Taiwan inventory (CSNN): Not determined.
		Malaysia Inventory (EHS Register): Not determined.
		EINECS: All components are listed or exempted.
		Japan inventory: Not determined.
		China inventory (IECSC): All components are listed or exempted.
4 4 / 4 5		
14/15		

Version Number 1.0 Revision Date 12/30/2014

Chemical Weapons Convention

List Schedule III Chemicals

Page 15 of 15 Print Date 01/09/2015

Korea inventory: All components are listed or exempted.
New Zealand Inventory of Chemicals (NZIoC): All components
are listed or exempted.Chemical Weapons Convention
List Schedule I Chemicals
Chemical Weapons Convention
List Schedule II Chemicals:Not listed
::

Section 16. Other information

<u>History</u>		
Date of printing	:	01/09/2015
Date of issue/Date of revision	:	12/30/2014
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL $73/78$ = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Not listed

•

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.