)ne

Version Number 1.1 Revision Date 03/18/2015 Page 1 of 14 Print Date 03/19/2015

SAFETY DATA SHEET

CANTEEN STEEL

Section 1. Identification		
GHS product identifier	:	CANTEEN STEEL
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10215173
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
Supplemental label elements Hazards not otherwise classified	:	None known. None known.

ne

Version Number 1.1 Revision Date 03/18/2015 Page 2 of 14 Print Date 03/19/2015

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10215173

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	1 - 5	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects



SAFETY DATA SHEET CANTEEN STEEL

Version Number 1.1 Revision Date 03/18/2015 Page 3 of 14 Print Date 03/19/2015

Over-exposure signs/symptoms

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures



Version Number 1.1 Revision Date 03/18/2015 Page 4 of 14 Print Date 03/19/2015

Personal precautions, protective equipment and emergency procedures

:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
: nt ai	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
	: : :

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use



Version Number 1.1 Revision Date 03/18/2015 Page 5 of 14 Print Date 03/19/2015

appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits	
Titanium dioxide		OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3	
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual protection measures			
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the	
Skin protection		following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.	
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products	
5/14			



SAFETY DATA SHEET CANTEEN STEEL

Version Number 1.1	Page 6 of 14
Revision Date 03/18/2015	Print Date 03/19/2015

	if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based
	on the task being performed and the risks involved and should be
	approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures
	should be selected based on the task being performed and the risks
	involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.
	Respirator selection must be based on known or anticipated exposure
	levels, the hazards of the product and the safe working limits of the
	selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	GREY
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.



Version Number 1.1 Revision Date 03/18/2015

Page 7 of 14 Print Date 03/19/2015

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully tested.		
Irritation/Corrosion				
Conclusion/Summary				
Skin	: Mixtu	re.Not fully tested.		
Eyes	: Mixture.Not fully tested.			
Respiratory	: Mixtu	re.Not fully tested.		
<u>Sensitization</u>				
Conclusion/Summary				
Skin		re.Not fully tested.		
Respiratory	: Mixtu	re.Not fully tested.		



Version Number 1.1 Revision Date 03/18/2015 Page 8 of 14 Print Date 03/19/2015

Mutagenicity					
Conclusion/Summary	:	Mi	xture.Not fully	tested.	
Carcinogenicity					
Conclusion/Summary Classification	:	Mi	xture.Not fully	tested.	
Product/ingredient	OSHA		IARC	NTP	٦
name					
Titanium dioxide			2B		
<u>Reproductive toxicity</u>					
Conclusion/Summary	:	Mi	xture.Not fully	tested.	
Teratogenicity					
Conclusion/Summary	:	Mi	xture.Not fully	tested.	
Specific target organ toxicity Not available.	(single exp	osur	<u>·e)</u>		
Specific target organ toxicity Not available.	(repeated	<u>expo</u>	<u>sure)</u>		
Aspiration hazard Not available.					
Information on the likely rou exposure	tes of :	No	ot available.		
Potential acute health effects					
Eye contact	:	No	known signific	cant effects or critical hazards.	
Inhalation				cant effects or critical hazards.	
Skin contact	:		0	cant effects or critical hazards.	
Ingestion	:			cant effects or critical hazards.	
Symptoms related to the phys	ical, chemi	ical a	and toxicologic	al characteristics	
Eye contact	:	No	specific data.		
Inhalation	:		specific data.		
Skin contact	:		specific data.		
Ingestion	:		specific data.		

PolyUne

Version Number 1.1 Revision Date 03/18/2015 Page 9 of 14 Print Date 03/19/2015

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			
	Acute LC50 > 1,000,000 μg/l	Fish - Mummichog	96 h
	Marine water		
	Acute LC50 > 1,000 mg/l Fresh	Fish - Fathead minnow	96 h
	water		
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	



SAFETY DATA SHEET CANTEEN STEEL

Version Number 1.1 Revision Date 03/18/2015

Page 10 of 14 Print Date 03/19/2015

Image: Coord of any of the analysis of the anal				40.1
Acute EC50 19.3 mg/l Fresh water Aquatic invertebrates. Water flea 48 h Acute EC50 27.8 mg/l Fresh water Aquatic invertebrates. Water flea 48 h Acute EC50 35.306 mg/l Fresh water Aquatic invertebrates. Water flea 48 h CANTEEN STEEL 48 h 48 h Remarks - Acute - Aquatic invertebrates.: Chemicals are not readily available as they are bound within the polymer matrix. 48 h Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Persistence and degradability : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.		Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates.	48 h
Water flea Water flea Acute EC50 27.8 mg/l Fresh water Aquatic invertebrates. 48 h Water flea Acute EC50 35.306 mg/l Fresh water Aquatic invertebrates. 48 h Acute EC50 35.306 mg/l Fresh water Aquatic invertebrates. 48 h CANTEEN STEEL Chemicals are not readily available as they are bound within the polymer matrix. 1000 matrix Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Persistence and degradability : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.			Water flea	
Water flea Water flea Acute EC50 27.8 mg/l Fresh water Aquatic invertebrates. 48 h Water flea Acute EC50 35.306 mg/l Fresh water Aquatic invertebrates. 48 h Acute EC50 35.306 mg/l Fresh water Aquatic invertebrates. 48 h CANTEEN STEEL Chemicals are not readily available as they are bound within the polymer matrix. 1000 matrix Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Persistence and degradability : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.		Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
Acute EC50 27.8 mg/l Fresh water Aquatic invertebrates. 48 h Water flea Acute EC50 35.306 mg/l Fresh water Aquatic invertebrates. 48 h CANTEEN STEEL Remarks - Acute - Aquatic invertebrates.: Vater flea 48 h Conclusion/Summary Chemicals are not readily available as they are bound within the polymer matrix. Persistence and degradability Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.			-	
Water flea Acute EC50 35.306 mg/l Fresh water Acute EC50 35.306 mg/l Fresh water Water flea CANTEEN STEEL Remarks - Acute - Aquatic invertebrates.: Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Persistence and degradability : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.				40.1
Acute EC50 35.306 mg/l Fresh water Aquatic invertebrates. 48 h CANTEEN STEEL Water flea 48 h Remarks - Acute - Aquatic invertebrates.: Conclusion/Summary Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Persistence and degradability Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.		Acute EC50 27.8 mg/l Fresh water	-	48 h
water Water flea CANTEEN STEEL Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Persistence and degradability : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.			Water flea	
CANTEEN STEEL Chemicals are not readily available as they are bound within the polymer matrix. Invertebrates.: Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Persistence and degradability : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.		Acute EC50 35.306 mg/l Fresh	Aquatic invertebrates.	48 h
Remarks - Acute - Aquatic invertebrates.: Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Persistence and degradability : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.		water	-	
invertebrates.: Image: Conclusion/Summary Conclusion/Summary Image: Chemicals are not readily available as they are bound within the polymer matrix. Persistence and degradability Image: Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary Image: Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary Image: Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary Image: Chemicals are not readily available as they are bound within the polymer matrix.	CANTEEN STEEL			
invertebrates.: Image: Conclusion/Summary Conclusion/Summary Image: Chemicals are not readily available as they are bound within the polymer matrix. Persistence and degradability Image: Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary Image: Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary Image: Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary Image: Chemicals are not readily available as they are bound within the polymer matrix.	Remarks - Acute - Aquatic	Chemicals are not readily available	as they are bound within the	e polymer matrix.
Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Persistence and degradability : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the	-			polymor maann
Persistence and degradability polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.				1 1 1 1 1
Persistence and degradability Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix. Conclusion/Summary : Chemicals are not readily available as they are bound within the	Conclusion/Summary		ily available as they are bou	nd within the
Conclusion/Summary: Chemicals are not readily available as they are bound within the polymer matrix.Conclusion/Summary: Chemicals are not readily available as they are bound within the		polymer matrix.		
Conclusion/Summary: Chemicals are not readily available as they are bound within the polymer matrix.Conclusion/Summary: Chemicals are not readily available as they are bound within the				
conclusion/Summary:Chemicals are not readily available as they are bound within the	Persistence and degradability	<u>/</u>		
conclusion/Summary:Chemicals are not readily available as they are bound within the	Conclusion/Summary	: Chemicals are not read	ily available as they are bou	nd within the
•	Conclusion, Summary			
•	Conclusion/Summary	• Chemicals are not readily available as they are bound within the		
r J	Conclusion/Summary	polymer matrix.	ity available as they are bou	

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low

Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered



Version Number 1.1 Revision Date 03/18/2015 Page 11 of 14 Print Date 03/19/2015

when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not classified as dangerous good under transport regulations.
IMO/IMDG (maritime)	:	Not classified as dangerous good under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Not listed
		United States - EPA Clean water act (CWA) section 311 -

SAFETY DATA SHEET CANTEEN STEEL

Version Number 1.1 Revision Date 03/18/2015 Page 12 of 14 Print Date 03/19/2015

Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor		Not listed
Chemicals)		
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Titanium dioxide	1 - 5	СН

SARA 313

	Product name	CAS number	%
Form R - Reporting	Aluminum	7429-90-5	5 - 10
requirements			
	White mineral oil	8042-47-5	1 - 5
Supplier notification	Aluminum	7429-90-5	5 - 10
	White mineral oil	8042-47-5	1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

<u>PolyOne</u>.

Version Number 1.1 Revision Date 03/18/2015

Page 13 of 14 Print Date 03/19/2015

State regulations		
Massachusetts	:	The following components are listed: Aluminum Mica Titanium dioxide
New York	:	The following components are listed: White mineral oil
New Jersey	:	The following components are listed: Aluminum Mica Titanium dioxide White mineral oil
Pennsylvania	:	The following components are listed: Aluminum
		Titanium dioxide
		White mineral oil
<u>California Prop. 65</u> WARNING: This product contains a c	hemi	ical known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	 Australia inventory (AICS): All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): All components are listed or exempted. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined.
Chemical Weapons Convention	:	Not listed
List Schedule I Chemicals Chemical Weapons Convention	:	Not listed
List Schedule II Chemicals Chemical Weapons Convention	:	Not listed

ne

Version Number 1.1 Revision Date 03/18/2015

Page 14 of 14 Print Date 03/19/2015

List Schedule III Chemicals

Section 16. Other information

<u>History</u>

Date of printing		03/19/2015
	•	
Date of issue/Date of revision	:	03/18/2015
Date of previous issue	:	03/18/2015
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL 73/78 = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.