### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020

ne

Page 1 of 18 Print Date 04/25/2020

## SAFETY DATA SHEET

#### **ABS COOL GRAY 9C**

Section 1. Identification	on	
GHS product identifier	:	ABS COOL GRAY 9C
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10217719
Product type	:	solid
<u>Relevant identified uses of the subs</u> Product use	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

### Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/18

### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020

Page 2 of 18 Print Date 04/25/2020

Hazard statements

No known significant effects or critical hazards.

#### **Precautionary statements**

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

## Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10217719

**CAS number/other identifiers** 

Ingredient name	%	CAS number
Titanium dioxide	25 - 50	13463-67-7
Carbon black	1 - 3	1333-86-4
Carbon black	1-5	1555-80-4
Silica, amorphous	1 - 3	7631-86-9
Starona	0 - 0.3	100-42-5
Styrene	0 - 0.5	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020

#### Page 3 of 18 Print Date 04/25/2020

## Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

**Protection of first-aiders** 

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.

:

No action shall be taken involving any personal risk or without

# <u>PolyOne</u>

### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020 Page 4 of 18 Print Date 04/25/2020

suitable training.

See toxicological information (Section 11)

### Section 5. Firefighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up



### ABS COOL GRAY 9C

Version Number 1.0	Page 5 of 18
Revision Date 04/24/2020	Print Date 04/25/2020

Small spill	: Move containers from spill area. Vacuum or sweep up material and
	place in a designated, labeled waste container. Dispose of via a
	licensed waste disposal contractor.
Large spill	: Move containers from spill area. Prevent entry into sewers, water
	courses, basements or confined areas. Vacuum or sweep up material
	and place in a designated, labeled waste container. Dispose of via a
	licensed waste disposal contractor. Note: see Section 1 for emergency
	contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3

## ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020 Page 6 of 18 Print Date 04/25/2020

Silica, amorphous	<b>NIOSH REL (1994-06-01)</b> TWA 6 mg/m3	
Carbon black	OSHA PEL 1989 (1989-03-01)   TWA 3.5 mg/m3   OSHA PEL (1993-06-30)   TWA 3.5 mg/m3   NIOSH REL (1994-06-01)   TWA 3.5 mg/m3   NIOSH REL (1994-06-01)   TWA 0.1 mgPAH/m³   ACGIH TLV (2010-12-06)   TWA 3 mg/m3 Form: Inhalable fraction	
Styrene	ACGIH TLV (1997-05-21) TWA 20 ppm STEL 40 ppm NIOSH REL (1994-06-01) TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm OSHA PEL 1989 (1989-03-01) TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm OSHA PEL Z2 (1993-06-30) TWA 100 ppm CEIL 200 ppm AMP 600 ppm	

Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end



## ABS COOL GRAY 9C

R	bly	<i>O</i> 1	ne.
	~		

Version Number 1.0	Page 7 of 18
Revision Date 04/24/2020	Print Date 04/25/2020

Eye/face protection	:	of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

#### Appearance

Physical state	:	solid [Pellets.]
Color	:	GREY
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		<b>Upper:</b> Not available.

## ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020 Page 8 of 18 Print Date 04/25/2020

PolyOne.

Vapor pressure Vapor density Relative density	:	Not available. Not available. Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
viscosicy	•	2 jiiaiiiot i tot a tailaoit.
( is contry	•	<b>Kinematic:</b> Not available.
Aerosol product	•	÷
·	:	÷
<u>Aerosol product</u>		Kinematic: Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time	:	<b>Kinematic:</b> Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	<b>Kinematic:</b> Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent	:	<b>Kinematic:</b> Not available. Not available. Not available. Not available.

## Section 10. Stability and reactivity

Flame duration

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Not available.

:

## Section 11. Toxicological information



### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020

Page 9 of 18 Print Date 04/25/2020

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure			
Styrene							
	LD50 Oral	Rat	2,650 mg/kg	-			
	LC50 Inhalation	Rat	2,770 ppm	4 h			
	LC50 Inhalation	Rat	11.8 Mg/l	4 h			
<b>Remarks - Dermal:</b>	No applicable toxic	city data					
Carbon black							
	LD50 Oral	Rat	15,400 mg/kg	-			
<b>Remarks - Inhalation:</b>	No applicable toxic	city data					
Remarks - Dermal:	No applicable toxic	No applicable toxicity data					
Silica, amorphous							
Remarks - Oral:	No applicable toxic	city data					
<b>Remarks - Inhalation:</b>	No applicable toxic	city data					
Remarks - Dermal:	No applicable toxi	city data					
Titanium dioxide							
Remarks - Oral:	No applicable toxic	city data					
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h			
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-			
Conclusion/Summary : Mixture.Not fully tested.							

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Styrene	Eyes - Mild	Human			-
-	irritant				
	Skin - Mild	Rabbit			-
	irritant				
	Skin -	Rabbit			-
	Moderate				
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Eyes -	Rabbit		24 hrs	-
	Moderate				
	irritant				
Silica, amorphous	Eyes - Mild	Rabbit		24 hrs	-
	irritant				



### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020 Page 10 of 18 Print Date 04/25/2020

Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-	
Conclusion/Summary						
Skin	: N	lixture.Not full	ly tested.			
Eyes	: N	lixture.Not full	ly tested.			
Respiratory	: N	lixture.Not full	ly tested.			
<b>Sensitization</b>						
Conclusion/Summary						
Skin		lixture.Not full	•			
Respiratory	: N	lixture.Not full	ly tested.			
<b>Mutagenicity</b>						
Conclusion/Summary	: N	lixture.Not full	ly tested.			
<b>Carcinogenicity</b>						
Conclusion/Summary	: N	lixture.Not full	ly tested.			

**Classification** 

Product/ingredient name	OSHA	IARC	NTP
Styrene	-	2B	Reasonably anticipated to be a human carcinogen.
Carbon black	-	2B	-
Silica, amorphous	-	3	-
Titanium dioxide	-	2B	-

#### **Reproductive toxicity**

Conclusion/Summary	:	Mixture.Not fully tested.
--------------------	---	---------------------------

**Teratogenicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.



### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020

Page 11 of 18
Print Date 04/25/2020

Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical,	chemi	cal and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact		No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects as	well as	chronic effects from short and long-term exposure
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
<b>Developmental effects</b>	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		

#### Acute toxicity estimates



### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020 Page 12 of 18 Print Date 04/25/2020

Not available.

## Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure	
Styrene				
	Acute LC50 4.02 Mg/l Fresh water	Fish - Fish	96 h	
Remarks - Acute - Fish:	Acute			
	Acute EC50 0.0047 Mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
Remarks - Acute - Aquatic invertebrates.:	Acute			
invertebrates	Acute LC50 52 Mg/l Marine water	Aquatic invertebrates.	48 h	
	Acute LC50 52 Mg/1 Marine water	Crustaceans	40 11	
Remarks - Acute - Aquatic	Acute	Crustaceans		
invertebrates.:	Acuic			
mver teor ates.	Acute EC50 1.4 Mg/l Fresh water	Aquatic plants - Algae	72 h	
Remarks - Acute - Aquatic	Acute	Aqualle plants - Algae	1211	
plants:	Acut			
plants.	Acute EC50 0.72 Mg/l Fresh water	Aquatic plants - Algae	96 h	
Remarks - Acute - Aquatic	Acute	Aquatic plants - Algae	70 11	
plants:	Acute			
plants.	Acute NOEC 0.063 Mg/l Fresh	Aquatic plants - Algae	96 h	
	water	Aqualle plants - Algae	<b>70</b> II	
Remarks - Acute - Aquatic	Chronic			
plants:	Childhie			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic - Fish.	No applicable toxicity data			
Aquatic invertebrates.:	No applicable toxicity data			
Carbon black				
Remarks - Acute - Fish:	No applicable toxicity data			
Actual R5 - Acute - F1511.	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia	-10 11	
Remarks - Acute - Aquatic	Acute	Dupinnu		
invertebrates.:	Acute			
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:	no applicable toxicity data			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic - Fish:	No applicable toxicity data			
Kemarks - Unronic -	ino applicable loxicity data			



### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020 Page 13 of 18 Print Date 04/25/2020

Aquatic invertebrates.:					
Silica, amorphous					
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
Titanium dioxide		I	1		
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h		
	water				
Remarks - Acute - Fish:	Acute				
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h		
		Crustaceans			
Remarks - Acute - Aquatic	Acute				
invertebrates.:			40.1		
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h		
Remarks - Acute - Aquatic	Acute	Daphina			
invertebrates.:	Acuic				
Remarks - Acute - Aquatic	No applicable torigity data				
plants:	No applicable toxicity data				
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:	no approacte tonient, auta				
ABS COOL GRAY 9C					
Remarks - Acute - Aquatic	Chemicals are not readily available a	as they are bound within the	e polymer matrix.		
invertebrates.:					
Conclusion/Summary	: Chemicals are not readi	ly available as they are bou	nd within the		
-	polymer matrix.	-			
Persistence and degradability	<u>Y</u>				

Conclusion/Summary

Chemicals are not readily available as they are bound within the polymer matrix.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Styrene	0.35	13.49	low

:



### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020 Page 14 of 18 Print Date 04/25/2020

Mobility	in	soil	

Soil/water partition coefficient (KOC) Other adverse effects

Not available.

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

:

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

### Section 15. Regulatory information

**U.S. Federal regulations** 

: United States - TSCA 12(b) - Chemical export notification: None

### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020

of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Rutile, antimony chromium buff Acrylonitrile United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:
Hazardous Air Pollutants (HAPs)	
Clean Air Act Section 602 Class I	:
Substances	
Clean Air Act Section 602 Class II	:
Substances	
DEA List I Chemicals (Precursor	:
Chemicals)	
<b>DEA List II Chemicals (Essential</b>	:
Chemicals)	

- Listed
- Not listed
- Not listed
- Not listed
- Not listed



### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020 Page 16 of 18 Print Date 04/25/2020

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Titanium dioxide	>= 25 - <= 50	CARCINOGENICITY - Category 2
Silica, amorphous	>= 1 - <= 3	EYE IRRITATION - Category 2B
Carbon black	>= 1 - <= 3	CARCINOGENICITY - Category 2
Styrene	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3
		ACUTE TOXICITY - inhalation - Category 4
		SKIN IRRITATION - Category 2
		EYE IRRITATION - Category 2A
		CARCINOGENICITY - Category 2

#### <u>SARA 313</u>

#### Form R - Reporting requirements

Product name	CAS number	%
Styrene	100-42-5	> 0 - <= 0.3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed: Styrene
New Jersey	: The following components are listed: Styrene Carbon black

### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020

Page 17 of 18 Print Date 04/25/2020

Titanium dioxide Pennsylvania The following components are listed: : Styrene Aluminum hydroxide Carbon black Silica, amorphous

#### California Prop. 65

WARNING: This product can expose you to chemicals including Styrene, Carbon black, Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-
Carbon black	-	-
Styrene	Yes.	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

## Section 16. Other information



Titanium dioxide



### ABS COOL GRAY 9C

Version Number 1.0 Revision Date 04/24/2020 Page 18 of 18 Print Date 04/25/2020

#### Hazardous Material Information System (U.S.A.)

0	/	Health
0		Flammability
0	Physical hazards	
_		rilysical nazarus

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>IIIStol y</u>		
Date of printing	:	04/25/2020
Date of issue/Date of revision	:	04/24/2020
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		$\hat{U}N = United Nations$
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.