LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025



Page 1 of 16 Print Date 01/15/2025

SAFETY DATA SHEET

LT. BLUE PVC 542C

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	:::::::::::::::::::::::::::::::::::::::	LT. BLUE PVC 542C Mixture Mixture CC10234926 solid
<u>Relevant identified uses of the subst</u> Product use	ance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025

AVIENT

Page 2 of 16 Print Date 01/15/2025

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Not available.

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10234926

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 10 - <= 25	13463-67-7
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	>= 5 - <= 10	1345-16-0
Silica, amorphous	>= 1 - <= 3	7631-86-9
Tris(4-nonylphenyl, branched and linear) phosphite with $\ge 0.1\%$ w/w of 4-nonylphenol, branched and linear	>= 0.3 - <= 1	26523-78-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025



Page 3 of 16
Print Date 01/15/2025

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.
Inhalation	:	Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effect	ts, acute a	nd delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medica	al attentio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
See toxicological information (S	Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO₂.

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025

ÀVIENT

Page 4 of 16 Print Date 01/15/2025

Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: ent g	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025

ÀVIENT

Page 5 of 16 Print Date 01/15/2025

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	ACGIH TLV (1994-09-01) Inhalation sensitizer Skin sensitizer TWA 0.02 mg/m3 (CO)
Silica, amorphous	NIOSH REL (1994-06-01) TWA 6 mg/m3
Tris(4-nonylphenyl, branched and linear) phosphite with $\ge 0.1\%$ w/w of 4-	None.

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025

ÀVIENT

Page 6 of 16 Print Date 01/15/2025

nonylphenol, branched and linear		
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025

ÀVIENT

Page 7 of 16 Print Date 01/15/2025

Physical state Color Odor Odor threshold	:	solid [Pellets.] BLUE Not available.
Odor threshold	•	Not available.
pH Malking and int		Not available.
Melting point	:	Not available.
Boiling point		Not available.
Flash point	:	Not applicable.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate		Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive		Lower: Not applicable.
(flammable) limits	•	Upper: Not applicable.
(naminable) mints		opper. Not applicable.
Vapor pressure	:	Not available.
Vapor density		Not applicable.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not applicable.
octanol/water		
Auto-ignition temperature	:	Not applicable.
Decomposition temperature		Not available.
SADT	:	Not available.
Viscosity		
viscosity	•	Dynamic: Not available. Kinematic: Not applicable.
		Kinematic. Not applicable.
<u>Aerosol product</u>		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025

AVIENT

Page 8 of 16 Print Date 01/15/2025

Section 10. Stability and reactivity No specific test data related to reactivity available for this product or Reactivity : its ingredients. Stable under recommended storage and handling conditions (see **Chemical stability** : Section 7). **Possibility of hazardous reactions** Under normal conditions of storage and use, hazardous reactions will : not occur. **Conditions to avoid** Keep away from extreme heat and oxidizing agents. : Avoid contact with acetal homopolymers and acetyl homopolymers **Incompatible materials** : during processing. Under normal conditions of storage and use, hazardous decomposition Hazardous decomposition : products should not be produced. products

Section 11. Toxicological information

Information on toxicological effects

Acute	toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists			
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Silica	Eyes - Mild irritant	Rabbit	-	24 hrs	-

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Eyes	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
<u>Sensitization</u>		
Conclusion/Summary Skin	:	Mixture.Not fully tested.

:

Skin	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.

Mutagenicity

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025



Page 9 of 16 Print Date 01/15/2025

Conclusion/Summary	:	Mi
e on on a standar y	•	

Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary

Mixture.Not fully tested.

:

Classification

Product/ingredient name	OSHA	IARC	NTP
Titanium oxide (TiO2)	-	2B	-
C.I. Pigment Blue 28 An	-	2B	Reasonably anticipated to be a human carcinogen.
inorganic pigment that is			
the reaction product of			
high temperature			
calcination in which cobalt			
(II) oxide and aluminum			
oxide in varying amounts			
are homogeneously and			
ionically interdiffused to			
form a crystalline matrix of			
spinel. Its composition			
may include any one or a			
combination of the			
modifiers MgO, ZnO,			
Li2O, or TiO2.			
Silica	-	3	-

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

:

Teratogenicity

Conclusion/Summary

Mixture.Not fully tested.

Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

Not available.

Information on the likely routes of : Not available. exposure

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025

ÀVIENT™

	Page 10 of 16
Print	Date 01/15/2025

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Potential delayed effects	Not available.Not available.
Long term exposure	
Potential immediate effects Potential delayed effects	Not available.Not available.
Potential chronic health effects	
Conclusion/Summary	: Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	 No known significant effects or critical hazards.
<u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A	
Other information	: This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025



individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure		
Titanium oxide (TiO2)					
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h		
	Marine water				
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia dubia	48 h		
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h		
	water				
Phenol, nonyl-, 1,1',1"-phosphit	e				
	Acute EC50 0.42 Mg/l	Daphnia	48 h		
LT. BLUE PVC 542C					
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.				
invertebrates.:					
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
Persistence and degradability					
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
Conclusion/Summary	: Chemicals are not read polymer matrix.	dily available as they are bound w	ithin the		
Bioaccumulative potential					

Product/ingredient name	LogPow	BCF	Potential
Phenol, nonyl-, 1,1',1"-phosphite	14	-	high

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025

AVIENT

Page 12 of 16 Print Date 01/15/2025

Other adverse effects :

No known significant effects or critical hazards.

Section 13. Disposal considerations

:

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Consult mode specific transport rules
International Water IMO/IMDG	: Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed

12/16

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025

ÀVIENT

		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Phthalocyanine Blue Phthalocyanine green Vinyl chloride monomer United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Chemicals)

Classification

: Not applicable.

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025



	Page 14 of 16
Print	Date 01/15/2025

Composition/information on ingredients

No products were found.

Name	%	Classification
Titanium oxide (TiO2)	>= 10 - <= 25	CARCINOGENICITY - Category 2
C.I. Pigment Blue 28 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide and aluminum oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers MgO, ZnO, Li2O, or TiO2.	>= 5 - <= 10	CARCINOGENICITY - Category 2
Silica	>= 1 - <= 3	EYE IRRITATION - Category 2B
Phenol, nonyl-, 1,1',1"- phosphite	>= 0.3 - <= 1	SKIN SENSITIZATION - Category 1

SARA 313

Form R - Reporting requirements

Product name	CAS number	%
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	1345-16-0	>= 5 - < 10

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed:
		Titanium dioxide
		Silica, amorphous
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		Ethene, chloro-, homopolymer
		Titanium dioxide

LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025

ÀVIENT

Page 15 of 16 Print Date 01/15/2025

Pennsylvania

Cobalt aluminate blue spinel (C.I. Pigment Blue 28) The following components are listed: Titanium dioxide

Cobalt aluminate blue spinel (C.I. Pigment Blue 28)

Silica, amorphous

:

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
<u>International regulations</u> <u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined.
		Japan inventory (ISHL): Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.All components are listed or exempted.
Thailand	:	All components are listed or exempted.
Turkey	:	All components are listed or exempted.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0



LT. BLUE PVC 542C

Version Number 1.4 Revision Date 01/13/2025 Page 16 of 16 Print Date 01/15/2025

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>IIIStol y</u>			
Date of printing	:	01/15/2025	
Date of issue/Date of revision	:	01/13/2025	
Date of previous issue	:	10/20/2022	
Version	:	1.4	
Key to abbreviations	:	ATE = Acute Toxicity Estimate	
•		BCF = Bioconcentration Factor	
		GHS = Globally Harmonized System of Classification and Labelling of	
		Chemicals	
		IATA = International Air Transport Association	
		IBC = Intermediate Bulk Container	
		IMDG = International Maritime Dangerous Goods	
		LogPow = logarithm of the octanol/water partition coefficient	
		MARPOL = International Convention for the Prevention of Pollution From	
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine	
		pollution)	
		$\hat{U}N = United Nations$	
References	:	Not available.	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.