UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018 Page 1 of 16 Print Date 11/22/2018

SAFETY DATA SHEET

UV BARELY BLUE PQ-12-4306 TPE

Section 1. Identification	on	
GHS product identifier Chemical name CAS number Other means of identification Product type	:	UV BARELY BLUE PQ-12-4306 TPE Mixture Mixture CC10284688 solid
Relevant identified uses of the subs Product use	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
Emergency telephone number (with hours of operation)	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/16

UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018 Page 2 of 16 Print Date 11/22/2018

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10284688

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	25 - 50	13463-67-7
Dibutyltin dilaurate	1 - 3	77-58-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.



UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0	Page 3 of 16
Revision Date 06/13/2018	Print Date 11/22/2018

Get medical attention if irritation occurs.
Remove victim to fresh air and keep at rest in a position comfortable
for breathing. Get medical attention if symptoms occur. In case of
inhalation of decomposition products in a fire, symptoms may be
delayed. The exposed person may need to be kept under medical
surveillance for 48 hours.
Flush contaminated skin with plenty of water. Remove contaminated
clothing and shoes. Get medical attention if symptoms occur.
Wash out mouth with water. Remove victim to fresh air and keep at
rest in a position comfortable for breathing. If material has been
swallowed and the exposed person is conscious, give small quantities
of water to drink. Do not induce vomiting unless directed to do so by
medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	entio	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures



UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018 Page 4 of 16 Print Date 11/22/2018

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water
		4/16

yOne

UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018 Page 5 of 16 Print Date 11/22/2018

courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Dodecanoic acid, 1,1'- (dibutylstannylene) ester	OSHA PEL (1993-06-30) TWA 0.1 mg/m3 (as Sn) NIOSH REL (1994-06-01) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) OSHA PEL 1989 (1989-03-01) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) Form: Organic. ACGIH TLV (1996-05-18) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) ACGIH TLV (1994-09-01) Absorbed through skin. STEL 0.2 mg/m3 (as Sn)



UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018

Titanium oxide (TiO2)	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Appropriate engineering controls Environmental exposure controls	 Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures Eye/face protection	 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection Body protection	 Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be
Other skin protection	 approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	 Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

P<u>olyOne</u>

UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018 Page 7 of 16 Print Date 11/22/2018

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	GREY
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
		Not available.
Auto-ignition temperature		Not available.
Decomposition temperature SADT		Not available.
Viscosity	:	Dynamic: Not available. Kinematic: Not available.
		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.

ne

UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018 Page 8 of 16 Print Date 11/22/2018

Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
products		products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

	Species	Dose	Exposure		
LD50 Oral	Rat	175 mg/kg	-		
No applicable toxic	No applicable toxicity data				
No applicable toxicity data					
Titanium dioxide					
No applicable toxicity data					
LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
	No applicable toxic No applicable toxic No applicable toxic LC50 Inhalation	No applicable toxicity data No applicable toxicity data No applicable toxicity data LC50 Inhalation Rat - Male LD50 Dermal Rabbit	No applicable toxicity data No applicable toxicity data No applicable toxicity data LC50 Inhalation Rat - Male 6.82 Mg/l LD50 Dermal Rabbit		

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Dibutyltin dilaurate	Eyes -	Rabbit		24 hrs	-
	Moderate				
	irritant				
	Skin - Severe	Rabbit			-
	irritant				
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: M	ixture.Not fu	lly tested.		
Eyes	: M	ixture.Not fu	lly tested.		
Respiratory	: M	ixture.Not fu	lly tested.		
Sensitization					
Conclusion/Summarv					

Conclusion/Dummury		
Skin	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.



UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018 Page 9 of 16 Print Date 11/22/2018

Mutagenicity					
Conclusion/Summary	:	Mixture.Not ful	ly tested.		
Carcinogenicity					
Conclusion/Summary <u>Classification</u>	:	Mixture.Not ful	ly tested.		
Product/ingredient	OSHA	IARC	NTP		
name Titanium dioxide		2B			
Reproductive toxicity					
Conclusion/Summary	:	Mixture.Not ful	ly tested.		
<u>Teratogenicity</u>					
Conclusion/Summary	:	Mixture.Not ful	ly tested.		
Specific target organ toxicity Not available.	<u> (single expos</u>	<u>sure)</u>			
Specific target organ toxicity Not available.	v (repeated ex	posure)			
Aspiration hazard Not available.					
Information on likely routes exposure	of :	Not available.			
Potential acute health effects					
Eye contact	:	No known sign	ficant effects or critical hazards.		
Inhalation			ficant effects or critical hazards.		
Skin contact		No known significant effects or critical hazards. No known significant effects or critical hazards.			
Ingestion	:	No known sign:	incant effects or critical hazards.		
Symptoms related to the phys	sical, chemica	al and toxicolog	ical characteristics		
Eye contact	:	No specific data	l.		
Inhalation		No specific data			
Skin contact		No specific data			
Ingestion		No specific data			

<u>olyOne</u>.

UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018 Page 10 of 16 Print Date 11/22/2018

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Dibutyltin dilaurate			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
	Acute $EC10 > 2 Mg/l$ Fresh water	Aquatic plants - Algae	96 h
Remarks - Acute - Aquatic	Chronic		
plants:			



UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018 Page 11 of 16 Print Date 11/22/2018

Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:	TT TT				
Titanium dioxide	1				
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h		
	water				
Remarks - Acute - Fish:	Acute				
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h		
	_	Crustaceans			
Remarks - Acute - Aquatic	Acute				
invertebrates.:					
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h		
		Daphnia			
Remarks - Acute - Aquatic	Acute				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data	No applicable toxicity data			
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
UV BARELY BLUE PQ-12-4					
Remarks - Acute - Aquatic	Chemicals are not readily available	as they are bound within the	e polymer matrix.		
invertebrates.:					
Conclusion/Summary		ily available as they are bou	nd within the		
	polymer matrix.				
Persistence and degradability	<u>Y</u>				
Conclusion/Summary	• Chamicals are not readi	ily available as they are bou	nd within the		
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
	porymer maurx.				
Conclusion/Summary	: Chemicals are not readily available as they are bound within the				
Concentration of the second of the second se	polymer matrix.				

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Dodecanoic acid, 1,1'-	4.44	2.91	low
(dibutylstannylene) ester			

Mobility in soil

Soil/water partition coefficient

: Not available.

UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018

Page 12 of 16 Print Date 11/22/2018

(KOC) Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed
	12/16



UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0				
Revision Date	06/13/2018			

Page 13 of 16 Print Date 11/22/2018

		 United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Rutile, antimony chromium buff Chromium (III) oxide United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Chemicals)

Not applicable.

:



UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018 Page 14 of 16 Print Date 11/22/2018

Composition/information on ingredients

Name	%	Classification
Dibutyltin dilaurate	1 - 3	АН
Titanium dioxide	25 - 50	СН

SARA 313

Not applicable.

State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: Titanium dioxide
Pennsylvania	: The following components are listed: Titanium dioxide
	Silica, amorphous
	Aluminum hydroxide

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	Not determined.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	Not determined.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

14/16

UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018 Page 15 of 16 Print Date 11/22/2018

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

HIStory		
Date of printing	:	11/22/2018
Date of issue/Date of revision	:	06/13/2018
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other



UV BARELY BLUE PQ-12-4306 TPE

Version Number 1.0 Revision Date 06/13/2018 Page 16 of 16 Print Date 11/22/2018

materials or in any process, unless specified in the text.