PolyOne Chromatics

Version Number 1.0 Revision Date 04/01/2019 Page 1 of 17 Print Date 04/02/2019

# SAFETY DATA SHEET

## **XRU-2699 XETFE COMPOUND BLUE**

Section 1. Identification			
GHS product identifier Chemical name CAS number Other means of identification Product type	:	XRU-2699 XETFE COMPOUND BLUE Mixture Mixture CC10302300 solid	
Relevant identified uses of the substance or mixture and uses advised againstProduct use:Industrial applications. Plastics.			
Supplier's details	:	Colorant Chromatics Chromatics, Inc. 19 Francis J. Clarke Circle, Bethel, CT 06801, USA	
		+1 800 242 2296	
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. Fluoropolymers heated above 350 C can evolve hydrogen fluoride and carbonyl fluoride as degradation products. Processing at elevated temperatures may release fumes that can cause polymer fume fever. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.

PolyOne Colorant Chromatics

Version Number 1.0 Revision Date 04/01/2019 Page 2 of 17 Print Date 04/02/2019

GHS label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10302300

**CAS number/other identifiers** 

Ingredient name	%	CAS number
Triallyl isocyanurate	5 - 10	1025-15-6
Antimony trioxide	3 - 5	1309-64-4
Titanium dioxide	0 - 0.3	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

PolyOne Colorant Chromatics

Version Number 1.0 Revision Date 04/01/2019

## Page 3 of 17 Print Date 04/02/2019

## **Description of necessary first aid measures**

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

## Most important symptoms/effects, acute and delayed

## Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

## **Over-exposure signs/symptoms**

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

## Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

PolyOne Colorant Chromatics

Version Number 1.0 Revision Date 04/01/2019 Page 4 of 17 Print Date 04/02/2019

See toxicological information (Section 11)

## **Section 5. Firefighting measures**

## Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note	
For emergency responders	:	of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for containment and cleaning up			

Small spill	Move containers from spill area. Vacuum or sweep up material and	l

PolyOne Colorant Chromatics

Version Number 1.0	Page 5 of 17
Revision Date 04/01/2019	Print Date 04/02/2019

place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# **Section 7. Handling and storage**

## Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

:

## **Control parameters**

## **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Antimony trioxide	OSHA PEL (1993-06-30)

PolyOne Colorant Chromatics

Version Number 1.0 Revision Date 04/01/2019 Page 6 of 17 Print Date 04/02/2019

		TWA 0.5 mg/m3 (as antimony) <b>NIOSH REL (1994-06-01)</b> TWA 0.5 mg/m3 (as antimony) <b>OSHA PEL 1989 (1989-03-01)</b> TWA 0.5 mg/m3 (as antimony)
Triallyl isocyanurate		None.
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be
		checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

6/17

PolyOne Colorant Chromatics

Version Number 1.0 Revision Date 04/01/2019 Page 7 of 17 Print Date 04/02/2019

# Section 9. Physical and chemical properties

## **Appearance**

Physical state	:	solid [Pellets.]
Color	:	BLUE
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
	•	
(flammable) limits		<b>Upper:</b> Not available.
	:	<b>Upper:</b> Not available. Not available.
(flammable) limits	:	
(flammable) limits Vapor pressure	:	Not available.
(flammable) limits Vapor pressure Vapor density	:	Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	:	Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility	:	Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	:	Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	:	Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	:	Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	:	Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	:	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition

PolyOne Colorant Chromatics

Version Number 1.0 Revision Date 04/01/2019

Page 8 of 17 Print Date 04/02/2019

### products

products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## **Information on toxicological effects**

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Titanium dioxide					
Remarks - Oral:	No applicable toxi	city data			
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-	
Antimony trioxide					
	LD50 Oral	Rat	34,000 mg/kg	-	
<b>Remarks - Inhalation:</b>	No applicable toxicity data				
<b>Remarks - Dermal:</b>	No applicable toxicity data				
Triallyl isocyanurate					
	LD50 Oral	Rat	1,000 mg/kg	-	
<b>Remarks - Inhalation:</b>	No applicable toxicity data				
<b>Remarks - Dermal:</b>	No applicable toxi	No applicable toxicity data			
Conclusion/Summary	: Mixtu	re.Not fully tested.			

Conclusion/Summary

#### **Irritation/Corrosion Product/ingredient name** Result **Species** Score Exposure Observation Titanium dioxide Skin - Mild 72 hrs Human \_ irritant Antimony trioxide Eyes - Mild Rabbit \_ irritant **Conclusion/Summary** Mixture.Not fully tested. Skin : Mixture.Not fully tested. Eyes : Mixture.Not fully tested. Respiratory : **Sensitization Conclusion/Summary** Skin Mixture.Not fully tested. : Respiratory Mixture.Not fully tested. :

PolyOne Colorant

Version Number 1.0 Revision Date 04/01/2019 Page 9 of 17 Print Date 04/02/2019

<u>Mutagenicity</u>			
Conclusion/Summary	:	Mixture.Not ful	lly tested.
Carcinogenicity			
Conclusion/Summary Classification	:	Mixture.Not ful	lly tested.
Product/ingredient	OSHA	IARC	NTP
name			
Titanium dioxide		2B	
Antimony trioxide		2B	
<u>Reproductive toxicity</u> Conclusion/Summary	:	Mixture.Not ful	lly tested.
<b>Teratogenicity</b>			
Conclusion/Summary	:	Mixture.Not ful	lly tested.
Specific target organ toxicity Not available.	v (single expo	osure)	
Specific target organ toxicity Not available.	/ (repeated e	<u>xposure)</u>	
<u>Aspiration hazard</u> Not available.			
Information on likely routes exposure	of :	Not available.	
Potential acute health effects			
Eye contact	:	No known sign	ificant effects or critical hazards.
Inhalation	:		ificant effects or critical hazards.
Skin contact	:	No known sign	ificant effects or critical hazards.
Ingestion	:	No known sign	ificant effects or critical hazards.
Symptoms related to the phy-	sical, chemic	al and toxicolog	gical characteristics
Eye contact	:	No specific data	a.
Inhalation	:	No specific data	
Skin contact	:	No specific data	
Ingestion	:	No specific data	

PolyOne Colorant Chromatics

Version Number 1.0 Revision Date 04/01/2019 Page 10 of 17 Print Date 04/02/2019

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

## Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
<b>Developmental effects</b>	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

## Acute toxicity estimates

Not available.

# Section 12. Ecological information

## **Toxicity**

Result	Species	Exposure
Acute LC50 > 1,000 Mg/l Marine water	Fish - Fish	96 h
Acute		
Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
	Crustaceans	
Acute		
	Acute LC50 > 1,000 Mg/l Marine water Acute Acute LC50 3 Mg/l Fresh water	Acute LC50 > 1,000 Mg/l Marine water       Fish - Fish         Acute       Acute LC50 3 Mg/l Fresh water         Acute LC50 3 Mg/l Fresh water       Aquatic invertebrates. Crustaceans

PolyOne Colorant

Version Number 1.0 Revision Date 04/01/2019 Page 11 of 17 Print Date 04/02/2019

	Acute LC50 6.5 Mg/l Fresh waterAquatic invertebrates.48 hDaphnia						
Remarks - Acute - Aquatic	Acute						
invertebrates.:							
Remarks - Acute - Aquatic	No applicable toxicity data						
plants:							
Remarks - Chronic - Fish:	No applicable toxicity data						
<b>Remarks - Chronic -</b>	No applicable toxicity data						
Aquatic invertebrates.:							
Antimony trioxide		<b>T' 1 T' 1</b>	0.61				
	Acute LC50 > 530 Mg/l Fresh	Fish - Fish	96 h				
Remarks - Acute - Fish:	water       Acute						
Kemarks - Acute - Fish.	Acute EC50 560 Mg/l Fresh water	Aquatic invertebrates.	48 h				
	Acute Leso 500 Wg/11Tesh water	Crustaceans	-0 II				
Remarks - Acute - Aquatic	Acute						
invertebrates.:							
	Acute EC50 423.45 Mg/l Fresh	Aquatic invertebrates.	48 h				
	water	Daphnia					
Remarks - Acute - Aquatic	Acute						
invertebrates.:							
	Acute EC50 0.73 Mg/l Fresh water	Aquatic plants - Algae	72 h				
Remarks - Acute - Aquatic	Acute						
plants:	Acute EC50 0.74 Mg/l Fresh water	Aquatic plants - Algae	96 h				
Remarks - Acute - Aquatic	Acute	riquate plants rigae	<b>70 II</b>				
plants:							
•	Acute NOEC 0.2 Mg/l Fresh water	Aquatic plants - Algae	96 h				
Remarks - Acute - Aquatic	Chronic						
plants:							
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						
Aquatic invertebrates.:							
Triallyl isocyanurate	Manual to blad and the data						
Remarks - Acute - Fish:	No applicable toxicity data						
Remarks - Acute - Aquatic invertebrates.:	No applicable toxicity data						
Remarks - Acute - Aquatic	No applicable toxicity data						
plants:	The applicable toxicity data						
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						
Aquatic invertebrates.:							
XRU-2699 XETFE COMPOU	IND BLUE						
Remarks - Acute - Aquatic	Chemicals are not readily available a	s they are bound within the	e polymer matrix.				

PolyOne Colorant Chromatics

Version Number 1.0 Revision Date 04/01/2019

## Page 12 of 17 Print Date 04/02/2019

invertebrates.:		
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
Persistence and degradability		
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.

## **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Triallyl isocyanurate	2.2	-	low

## Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be conside when recycling is not feasible. This material and its container must disposed of in a safe way. Empty containers or liners may retain se	l ot be ered st be ome
	product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	ıd

## United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

PolyOne Colorant Chromatics

Version Number 1.0 Revision Date 04/01/2019 Page 13 of 17 Print Date 04/02/2019

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

# Section 15. Regulatory information

U.S. Federal regulations	:	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Not listed</li> <li>United States - TSCA 4(a) - ITC Priority list: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 5(a)2 - Final significant new use rules: Not listed</li> <li>United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(e) - Substances consent order: Not listed</li> <li>United States - TSCA 6 - Final risk management: Not listed</li> <li>United States - TSCA 6 - Proposed risk management: Listed</li> <li>Lead</li> <li>United States - TSCA 8(a) - Chemical risk rules: Not listed</li> <li>United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined</li> <li>United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed</li> </ul>
		United States - TSCA 8(a) - Preliminary assessment report
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed Phthalocyanine Blue
		Arsenic
		Lead
		Antimony trioxide
		United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Listed
		Hazaruvus suustanues, Listuu

PolyOne Colorant Chromatics

Version Number 1.0	Page 14 of 17
Revision Date 04/01/2019	Print Date 04/02/2019

United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor		Not listed
Chemicals)		
DEA List II Chemicals (Essential Chemicals)	:	Not listed

## US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Arsenic	7440-38-2	1 lb(s)
		0.454 kg
Antimony trioxide	1309-64-4	1,000 lb(s)
		454 kg

## SARA 311/312

Classification

: Not applicable.

## **Composition/information on ingredients**

No products were found.

Name	%	Classification
Triallyl isocyanurate	>= 5 - <= 10	ACUTE TOXICITY - oral - Category 4
Antimony trioxide	>= 3 - <= 5	EYE IRRITATION - Category 2B
		CARCINOGENICITY - Category 2
Titanium dioxide	> 0 - <= 0.3	CARCINOGENICITY - Category 2

## <u>SARA 313</u>

PolyOne Colorant Chromatics

Version Number 1.0 Revision Date 04/01/2019 Page 15 of 17 Print Date 04/02/2019

	Product name	CAS number	%
Form R - Reporting requirements	Lead	7439-92-1	0 - 0.1
requirements	Antimony trioxide	1309-64-4	3 - 5
		1507 01 1	5 5
Supplier notification         Antimony trioxide		1309-64-4	3 - 5
	Lead	7439-92-1	0 - 0.1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed: Antimony trioxide
New Jersey	: The following components are listed: Titanium dioxide Antimony trioxide
Pennsylvania	: The following components are listed: Titanium dioxide
	Antimony trioxide

## California Prop. 65

**WARNING:** This product can expose you to chemicals including Titanium dioxide, Antimony trioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	No.	No.
Antimony trioxide	No.	No.

United States inventory (TSCA 8b)	: All components are listed or exempted.			
Canada inventory	:	All components are listed or exempted.		
International regulations				
<u>Inventory list</u>				
Australia	:	All components are listed or exempted.		
Canada	:	All components are listed or exempted.		
15/17				

PolyOne Chromatics

Version Number 1.0 Revision Date 04/01/2019 Page 16 of 17 Print Date 04/02/2019

China	:	Not determined.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

History		
Date of printing	:	04/02/2019
Date of issue/Date of revision	:	04/01/2019
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	:	Not available.

PolyOne Chromatics

Version Number 1.0 Revision Date 04/01/2019 Page 17 of 17 Print Date 04/02/2019

## Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.