WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 1 of 18 Print Date 05/08/2019

SAFETY DATA SHEET

WT3 WICKER BEIGE T65XF

Section 1. Identification	on	
GHS product identifier		WT3 WICKER BEIGE T65XF
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification		CC10303597
Product type		solid
• •		
Relevant identified uses of the subs	stance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details		POLYONE CORPORATION
Supplier's details	•	33587 Walker Road, Avon Lake, OH 44012
		55567 Walker Road, Avoir Lake, Off 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/18

WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 2 of 18 Print Date 05/08/2019

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10303597

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	25 - 50	13463-67-7
2-Propenenitrile, polymer with Ethenylbenzene	10 - 25	9003-54-7
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	10 - 25	3147-75-9
Silica, amorphous	1 - 3	7631-86-9
Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	1 - 3	8007-18-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

<u>vOne</u>

WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 3 of 18 Print Date 05/08/2019

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate medical	ttention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	No specific treatment.
	0/40

)ne

WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 4 of 18 Print Date 05/08/2019

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions		Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).



WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019

Page 5 of 18 Print Date 05/08/2019

Methods and materials for containment and cleaning up

Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Silica, amorphous	NIOSH REL (1994-06-01) TWA 6 mg/m3
Nickel antimony yellow rutile (C.I.	OSHA PEL (1993-06-30)
=//0	



WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019

Pigment Yellow 53)	TWA 1 mg/m3 (as Ni) OSHA PEL 1989 (1989-03-01) TWA 0.1 mg/m3 (as Ni) Form: Soluble ACGIH TLV (1998-09-01) TWA 0.1 mg/m3 (as Ni) Form: Inhalable fraction OSHA PEL (1993-06-30) TWA 1 mg/m3 (as Ni) OSHA PEL 1989 (1989-03-01) TWA 1 mg/m3 (as Ni)
2-Propenenitrile, polymer with Ethenylbenzene	None.
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole	None.
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Appropriate engineering controls Environmental exposure controls	 Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection Skin protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.



WT3 WICKER BEIGE T65XF

Version Number 1.0	Page 7 of 18
Revision Date 05/02/2019	Print Date 05/08/2019

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	solid [Pellets.]
Color	: TAN
Odor	Faint odor.
Odor threshold	: Not available.
рН	Not available.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Not available.
Burning time	: Not available.
Burning rate	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive	: Lower: Not available.
(flammable) limits	Upper: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Not available.
Solubility in water	: insoluble in water.
Partition coefficient: n-	: Not available.
octanol/water	
Auto-ignition temperature	Not available.
Decomposition temperature	NL (
	Not available.
SADT	Not available.

ne

WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 8 of 18 Print Date 05/08/2019

Viscosity

Dynamic: Not available. **Kinematic:** Not available.

Section 10. Stability and reactivity

:

Reactivity	:	No specific test data related to reactivity available for this product or
Chemical stability	:	its ingredients. Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Remarks - Oral:	No applicable toxicity data					
Remarks - Inhalation:	No applicable tox	No applicable toxicity data				
Remarks - Dermal:	No applicable tox	icity data				
Remarks - Oral:	No applicable tox	icity data				
Remarks - Inhalation:	No applicable tox	icity data				
Remarks - Dermal:	No applicable tox	icity data				
2-Propenenitrile, polymer with	Ethenylbenzene					
	LD50 Oral	Rat	1,800 mg/kg	-		
Remarks - Inhalation:	No applicable tox	icity data				
Remarks - Dermal:	No applicable tox	icity data				
2-(2-Hydroxy-5-tert-octylphen	yl)benzotriazole					
	LD50 Oral	Rat	1,000 mg/kg	-		
Remarks - Inhalation:	No applicable toxicity data					
Remarks - Dermal:	No applicable toxicity data					
Titanium dioxide	tanium dioxide					
Remarks - Oral:	No applicable toxicity data					
		0/10				



WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 9 of 18 Print Date 05/08/2019

	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully tested.		

Irritation/Corrosion

	Result	Species	Score	Exposure	Observation
Silica, amorphous	Eyes - Mild	Rabbit		24 hrs	-
-	irritant				
Fitanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin		lixture.Not fu			
Eyes		lixture.Not fu			
Respiratory	: N	lixture.Not fu	ally tested.		
<u>Sensitization</u>					
Conclusion/Summary					
Skin		lixture.Not fu			
Respiratory	: N	lixture.Not fu	illy tested.		
Mutagenicity					
Conclusion/Summary	: M	lixture.Not fu	illy tested.		
<u>Carcinogenicity</u> Conclusion/Summary		lixture.Not fu lixture.Not fu			
<u>Carcinogenicity</u> Conclusion/Summary <u>Classification</u>	: M	lixture.Not fu	illy tested.		
<u>Carcinogenicity</u> Conclusion/Summary <u>Classification</u> Product/ingredient					
Carcinogenicity Conclusion/Summary <u>Classification</u> Product/ingredient name	: M	lixture.Not fu	illy tested.		
Carcinogenicity Conclusion/Summary Classification Product/ingredient name Silica, amorphous	: M	lixture.Not fu	illy tested.		
Carcinogenicity Conclusion/Summary Classification Product/ingredient name Silica, amorphous Nickel antimony yellow	: M	lixture.Not fu	illy tested.		
Carcinogenicity Conclusion/Summary Classification Product/ingredient name Silica, amorphous	: M	lixture.Not fu	illy tested.		
Carcinogenicity Conclusion/Summary Classification Product/ingredient name Silica, amorphous Nickel antimony yellow rutile (C.I. Pigment	: M	lixture.Not fu	illy tested.		
Carcinogenicity Conclusion/Summary Classification Product/ingredient name Silica, amorphous Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	: M	Iixture.Not fu IARC 3 1	illy tested.		

Teratogenicity

<u>PolyOne</u>

WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 10 of 18 Print Date 05/08/2019

Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (sing Not available.	<u>le exp</u>	<u>oosure)</u>
Specific target organ toxicity (repe Not available.	eated	<u>exposure)</u>
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, o	<u>chemi</u>	ical and toxicological characteristics
Eye contact Inhalation Skin contact Ingestion Delayed and immediate effects as y	: : : well as	No specific data. No specific data. No specific data. No specific data. s chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
		10/18

ne

WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 11 of 18 Print Date 05/08/2019

Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects : No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

: No known significant effects or critical hazards.

: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

:

:

Toxicity

Product/ingredient name	Result	Species	Exposure
Silica, amorphous			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Nickel antimony yellow rutile	(C.I. Pigment Yellow 53)		
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
2-Propenenitrile, polymer with	n Ethenylbenzene		
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
	11/18		



WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 12 of 18 Print Date 05/08/2019

Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
2-(2-Hydroxy-5-tert-octylphen			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide		I	
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		40.4
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:	A sute LC50 C 5 Mg/l Erech suster	A gradi a increatabacta a	48 h
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 n
Remarks - Acute - Aquatic	Acute	Daphina	
invertebrates.:	Acute		
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:	no applicable toxicity data		
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:	The upplicable toxicity data		
WT3 WICKER BEIGE T65XI	7		
Remarks - Acute - Aquatic	Chemicals are not readily available a	as they are bound within the	e polymer matrix.
invertebrates.:			1
Conclusion/Summary	: Chemicals are not reading polymer matrix.	ly available as they are bou	nd within the
	F = 0		
Persistence and degradability	Y		
Conclusion/Summary	: Chemicals are not readi polymer matrix.	ly available as they are bou	nd within the

Bioaccumulative potential

Not available.

WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 13 of 18 Print Date 05/08/2019

Mobility in soil

Soil/water partition coefficient:Not available.(KOC):No known significant effects or critical hazards.

:

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None of the components are listed.

WT3 WICKER BEIGE T65XF

Version Numbe	er 1.0
Revision Date	05/02/2019

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Acrylonitrile Nickel antimony yellow rutile (C.I. Pigment Yellow 53) Rutile, antimony chromium buff United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:
Hazardous Air Pollutants (HAPs)	
Clean Air Act Section 602 Class I	:
Substances	
Clean Air Act Section 602 Class II	:
Substances	
DEA List I Chemicals (Precursor	:
Chemicals)	
DEA List II Chemicals (Essential	:
Chemicals)	

- Listed
- Not listed
- Not listed
- Not listed
- Not listed

ne

WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 15 of 18 Print Date 05/08/2019

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Titanium dioxide	>= 25 - <= 50	CARCINOGENICITY - Category 2
2-(2-Hydroxy-5-tert-	>= 10 - <= 25	ACUTE TOXICITY - oral - Category 4
octylphenyl)benzotriazole		
2-Propenenitrile, polymer	>= 10 - <= 25	ACUTE TOXICITY - oral - Category 4
with Ethenylbenzene		
Nickel antimony yellow	>= 1 - <= 3	CARCINOGENICITY - Category 1A
rutile (C.I. Pigment Yellow		
53)		
Silica, amorphous	>= 1 - <= 3	EYE IRRITATION - Category 2B

SARA 313

	Product name	CAS number	%
Form R - Reporting	Nickel antimony yellow	8007-18-9	1 - 3
requirements	rutile (C.I. Pigment Yellow		
	53)		
	Rutile, antimony chromium	68186-90-3	5 - 10
	buff		
Supplier notification	Rutile, antimony chromium	68186-90-3	5 - 10
	buff		
	Nickel antimony yellow	8007-18-9	1 - 3
	rutile (C.I. Pigment Yellow		
	53)		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	: None of the components are listed.	
New York	: None of the components are listed.	
New Jersey	: The following components are listed:	
New Jersey	: The following components are listed:	

15/18

ne

WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 16 of 18 Print Date 05/08/2019

	Titanium dioxide
	2-Propenenitrile, polymer with Ethenylbenzene
	Rutile, antimony chromium buff
	Nickel antimony yellow rutile (C.I. Pigment Yellow 53)
:	The following components are listed:
	Aluminum hydroxide
	Silica, amorphous
	Nickel antimony yellow rutile (C.I. Pigment Yellow 53)
	Rutile, antimony chromium buff
	Titanium dioxide

California Prop. 65

Pennsylvania

WARNING: This product can expose you to chemicals including Titanium dioxide, Nickel antimony yellow rutile (C.I. Pigment Yellow 53), which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	No.	No.
Titanium dioxide	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.
		16/18

16/18

WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 17 of 18 Print Date 05/08/2019

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

History		
Date of printing	:	05/08/2019
Date of issue/Date of revision	:	05/02/2019
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	•	Not available.
Million Chilly	•	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other

PolyOne

WT3 WICKER BEIGE T65XF

Version Number 1.0 Revision Date 05/02/2019 Page 18 of 18 Print Date 05/08/2019

materials or in any process, unless specified in the text.