ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023



Page 1 of 17 Print Date 08/04/2023

SAFETY DATA SHEET

ABS YELLOW 012C

| Section 1. Identification | n | |
|--|-------------|--|
| GHS product identifier Chemical name CAS number Other means of identification Product type | : : : : : : | ABS YELLOW 012C Mixture Mixture CC10381900 solid |
| <u>Relevant identified uses of the substa</u> Product use | ance : | or mixture and uses advised against Industrial applications. |
| Supplier's details | : | AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012 |
| | | 1 (440) 930-1000 or 1 (844) 4AVIENT |
| Emergency telephone number (with hours of operation) | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
|--|---|--|
| Classification of the substance or mixture | : | Not classified. |
| GHS label elements | | |
| Signal word | : | No signal word. |
| Hazard statements | : | No known significant effects or critical hazards. |
| | | |

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023

AVIENT

Page 2 of 17 Print Date 08/04/2023

Precautionary statements

| | : | Not applicable. |
|----------------------------------|---|-----------------|
| Prevention | : | Not applicable. |
| Response | : | Not applicable. |
| Storage | : | Not applicable. |
| Disposal | : | Not applicable. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |
| | | Not available. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | CC10381900 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|-------------------|---------------|------------|
| Titanium dioxide | >= 10 - <= 25 | 13463-67-7 |
| Silica, amorphous | >= 1 - <= 3 | 7631-86-9 |
| Ethyl benzene | > 0 - <= 0.3 | 100-41-4 |
| Styrene | > 0 - <= 0.3 | 100-42-5 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

:

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the

ABS YELLOW 012C



| Version Number 1.0 | Page 3 of 17 |
|--------------------------|-----------------------|
| Revision Date 08/03/2023 | Print Date 08/04/2023 |

| | | upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
|------------------------------------|----------|---|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be |
| | | delayed. The exposed person may need to be kept under medical |
| | | surveillance for 48 hours. |
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated |
| Ingestion | : | clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| Most important symptoms/effects, | acute a | and delayed |
| Potential acute health effects | | |
| Eye contact | : | No known significant effects or critical hazards. |
| Inhalation | : | No known significant effects or critical hazards. |
| Skin contact | : | No known significant effects or critical hazards. |
| Ingestion | : | No known significant effects or critical hazards. |
| Over-exposure signs/symptoms | | |
| Eye contact | : | No specific data. |
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |
| Indication of immediate medical a | attentic | on and special treatment needed, if necessary |
| | | |
| Notes to physician | : | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : | No specific treatment. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. |
| See toxicological information (Sec | rtion 11 | |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023

ÀVIENT

Page 4 of 17 Print Date 08/04/2023

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known. |
|--|---|---|
| Specific hazards arising from the chemical | : | No specific fire or explosion hazard. |
| Hazardous thermal decomposition products | : | Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides |
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel For emergency responders | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|---|--------|---|
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containm | nent a | nd cleaning up |
| Small spill | : | Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency |
| | | 4/47 |

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023

AVIENT

Page 5 of 17 Print Date 08/04/2023

contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

| Protective measures Advice on general occupational hygiene | : | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|--|---|--|
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|-------------------|---|
| Titanium dioxide | OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles |
| Silica, amorphous | NIOSH REL (1994-06-01) TWA 6 mg/m3 |
| Ethyl benzene | OSHA PEL 1989 (1989-03-01) TWA 435 mg/m3 100 ppm STEL 545 mg/m3 125 ppm |

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023

ÀVIENT[™]

| Page 6 of 17 |
|-----------------------|
| Print Date 08/04/2023 |

| | | OSHA PEL (1993-06-30) TWA 435 mg/m3 100 ppm NIOSH REL (1994-06-01) TWA 435 mg/m3 100 ppm STEL 545 mg/m3 125 ppm ACGIH TLV (2010-12-06) Ototoxicant TWA 20 ppm |
|--|---|---|
| Styrene | | ACGIH TLV (2020-03-01) Ototoxicant TWA 10 ppm STEL 20 ppm NIOSH REL (1994-06-01) TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm OSHA PEL 1989 (1989-03-01) TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm OSHA PEL Z2 (1993-06-30) TWA 100 ppm CEIL 200 ppm AMP 600 ppm |
| Appropriate engineering controls Environmental exposure controls | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| <u>Individual protection measures</u> Hygiene measures Eye/face protection | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used |
| | • | when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. 6/17 |

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023



| Skin protection | |
|------------------------|---|
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties

Appearance

| Physical state Color Odor Odor threshold pH Melting point Boiling point Flash point | | solid [Pellets.] YELLOW Faint odor. Not available. Not available. Not available. Not available. Not applicable. |
|--|----|--|
| Burning time Burning rate Evaporation rate Flammability (solid, gas) Lower and upper explosive (flammable) limits | : | Not available. Not available. Not available. Not available. Lower: Not applicable. Upper: Not applicable. |
| Vapor pressure Vapor density Relative density Solubility Solubility in water | :: | Not available. Not applicable. Not available. Not available. insoluble in water. |

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023



Page 8 of 17 Print Date 08/04/2023

| Partition coefficient: n- octanol/water Auto-ignition temperature | : | Not applicable. Not applicable. |
|---|---|---|
| Decomposition temperature SADT Viscosity | : | Not available. Not available. Dynamic: Not available. Kinematic: Not applicable. |

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|-------------------------------------|---|--|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : | Keep away from extreme heat and oxidizing agents. |
| Incompatible materials | : | Keep away from strong acids. Oxidizer. |
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------|------------|---------------|----------|
| Titanium oxide (TiO2) | | | | |
| | LC50 Inhalation | Rat - Male | 6.82 Mg/l | 4 h |
| | Dusts and mists | | | |
| | LD50 Dermal | Rabbit | > 5,000 mg/kg | - |
| Benzene, ethyl- | | | | |
| • | LD50 Oral | Rat | 3,500 mg/kg | - |
| | LD50 Dermal | Rabbit | 5,000 mg/kg | - |
| Styrene | | | | |
| | LD50 Oral | Rat | 2,650 mg/kg | - |
| | LC50 Inhalation | Rat | 2,770 ppm | 4 h |
| | Gas. | | | |
| | LC50 Inhalation | Rat | 11.8 Mg/l | 4 h |
| | Vapor | | | |

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023

ÀVIENT

Page 9 of 17 Print Date 08/04/2023

Conclusion/Summary

Mixture.Not fully tested.

:

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|-----------------------------|---------|-------|----------|-------------|
| Silica | Eyes - Mild irritant | Rabbit | - | 24 hrs | - |
| Benzene, ethyl- | Skin - Mild irritant | Rabbit | - | 24 hrs | - |
| | Eyes - Severe irritant | Rabbit | - | | - |
| Styrene | Eyes - Mild irritant | Human | - | | - |
| | Skin - Mild irritant | Rabbit | - | | - |
| | Skin - Moderate irritant | Rabbit | - | | - |
| | Eyes - Severe irritant | Rabbit | - | | - |
| | Eyes - Moderate irritant | Rabbit | - | 24 hrs | - |

| Conclusion/Summary Skin Eyes Respiratory Sensitization | : M | ixture.Not fully tested. ixture.Not fully tested. ixture.Not fully tested. |
|---|-----|--|
| Conclusion/Summary Skin Respiratory | | ixture.Not fully tested. ixture.Not fully tested. |
| <u>Mutagenicity</u> Conclusion/Summary <u>Carcinogenicity</u> | : M | ixture.Not fully tested. |
| Conclusion/Summary | : M | ixture.Not fully tested. |

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|--|
| Titanium oxide (TiO2) | - | 2B | - |
| Silica | - | 3 | - |
| Benzene, ethyl- | - | 2B | - |
| Styrene | - | 2B | Reasonably anticipated to be a human carcinogen. |

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023

AVIENT

| Page 10 of 17 |
|-----------------------|
| Print Date 08/04/2023 |

Teratogenicity

Conclusion/Summary

: Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

| Name | Result |
|-----------------|--------------------------------|
| Benzene, ethyl- | ASPIRATION HAZARD - Category 1 |

| Information on the likely routes of | : | Not available. |
|-------------------------------------|---|----------------|
| exposure | | |

Potential acute health effects

| Eye contact | : | No known significant effects or critical hazards. |
|--------------|---|---|
| Inhalation | : | No known significant effects or critical hazards. |
| Skin contact | : | No known significant effects or critical hazards. |
| Ingestion | : | No known significant effects or critical hazards. |

Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact | : | No specific data. |
|--------------|---|-------------------|
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

| Potential immediate effects | : | Not available. |
|-----------------------------|---|----------------|
| Potential delayed effects | : | Not available. |
| | | |

Long term exposure

| Potential immediate effects | : | Not available. |
|-----------------------------|---|----------------|
| Potential delayed effects | : | Not available. |

Potential chronic health effects

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023

ÀVIENT

Page 11 of 17 Print Date 08/04/2023

| Conclusion/Summary | : | Mixture.Not fully tested. |
|---|---|--|
| General | : | No known significant effects or critical hazards. |
| Carcinogenicity | : | No known significant effects or critical hazards. |
| Mutagenicity | : | No known significant effects or critical hazards. |
| Teratogenicity | : | Not available. |
| Developmental effects | : | Not available. |
| Fertility effects | : | No known significant effects or critical hazards. |
| <u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A | | |
| Other information | : | This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. |

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|-------------------------------|------------------------------|----------|
| Titanium oxide (TiO2) | · | | |
| | Acute LC50 > 1,000 Mg/l | Fish - Fundulus heteroclitus | 96 h |
| | Marine water | | |
| | Acute LC50 3 Mg/l Fresh water | Crustaceans - Ceriodaphnia | 48 h |
| | | dubia | |
| | Acute LC50 6.5 Mg/l Fresh | Daphnia - Daphnia pulex | 48 h |
| | water | | |
| Benzene, ethyl- | | | |
| • | Acute LC50 4.2 Mg/l Fresh | Fish - Oncorhynchus mykiss | 96 h |
| | water | | |
| | Acute EC50 6.53 Mg/l Marine | Crustaceans - Artemia sp. | 48 h |
| | water | _ | |
| | Acute EC50 2.93 Mg/l Fresh | Daphnia - Daphnia magna | 48 h |
| | water | | |
| | Acute EC50 4.9 Mg/l Marine | Algae - Skeletonema costatum | 72 h |
| | water | - | |
| | Acute EC50 7.7 Mg/l Marine | Algae - Skeletonema costatum | 96 h |
| | water | | |
| Styrene | | | |

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023

ÀVIENT

Page 12 of 17 Print Date 08/04/2023

| | Acute LC50 4.02 Mg/l Fresh | Fish - Pimephales promelas | 96 h |
|----------------------------------|--|---------------------------------------|-------------|
| | water | 11sh - Thiephales prometas | 90 H |
| | Acute EC50 0.0047 Mg/l Fresh | Daphnia - Daphnia magna | 48 h |
| | water | | |
| | Acute LC50 52 Mg/l Marine | Crustaceans - Artemia salina | 48 h |
| | water | | |
| | Acute EC50 78 Mg/l Marine | Algae - Skeletonema costatum | 96 h |
| | water | | |
| ABS YELLOW 012C | | | |
| Remarks - Acute - Aquatic | Chemicals are not readily availab | le as they are bound within the poly | mer matrix. |
| invertebrates.: | | | |
| Conclusion/Summary | : Chemicals are not read polymer matrix. | lily available as they are bound with | hin the |
| Persistence and degradability | | | |
| Conclusion/Summary | : Chemicals are not read polymer matrix. | dily available as they are bound wit | hin the |
| Conclusion/Summary | : Chemicals are not read polymer matrix. | dily available as they are bound wit | hin the |
| Bioaccumulative potential | | | |

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-------|-----------|
| Benzene, ethyl- | 3.6 | - | low |
| Styrene | 0.35 | 13.49 | low |

Mobility in soil

| Soil/water partition coefficient (KOC) | : | Not available. | |
|--|---|----------------|--|
| | | | |

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

| Disposal methods | : | The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable |
|------------------|---|--|
| | | 10/17 |

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023



Page 13 of 17 Print Date 08/04/2023

products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : | Not regulated for transportation. |
|-----------------------------------|---|--|
| International Air ICAO/IATA | : | Not classified as dangerous goods under transport regulations. |
| International Water IMO/IMDG | : | Not classified as dangerous goods under transport regulations. |

Section 15. Regulatory information

| U.S. Federal regulations | United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not | | |
|--------------------------|--|--|--|
| | listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed | | |
| | United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed | | |
| | United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report | | |
| 13/17 | | | |

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023



Page 14 of 17 Print Date 08/04/2023

| | | (PAIR): Not listed | |
|--|---|--|--|
| | | United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed | |
| | | United States - TSCA 8(d) - Health and safety studies: Not listed | |
| | | United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Ethyl benzene | |
| | | United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed | |
| | | United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed | |
| | | United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed | |
| | | United States - Department of commerce - Precursor chemical: Not listed | |
| Clean Air Act Section 112(b) | : | Listed | |
| Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I | : | Not listed | |
| Substances Clean Air Act Section 602 Class II Substances | : | Not listed | |
| DEA List I Chemicals (Precursor Chemicals) | : | Not listed | |
| | | | |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Chemicals)

Classification

: Not applicable.

Composition/information on ingredients

No products were found.

| Name | % | Classification |
|-----------------------|---------------|--|
| Titanium oxide (TiO2) | >= 10 - <= 25 | CARCINOGENICITY - Category 2 |
| Silica | >= 1 - <= 3 | EYE IRRITATION - Category 2B |
| Benzene, ethyl- | > 0 - <= 0.3 | FLAMMABLE LIQUIDS - Category 3 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2 ASPIRATION HAZARD - Category 1 |
| 14/47 | | |

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023

AVIENT

Page 15 of 17 Print Date 08/04/2023

| Styrene | > 0 - <= 0.3 | FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - inhalation - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2 |
|---------|--------------|--|

<u>SARA 313</u>

a. .

Form R - Reporting requirements

| Product name | CAS number | % |
|---------------|------------|--------------|
| Ethyl benzene | 100-41-4 | >= 0.1 - < 1 |
| Styrene | 100-42-5 | >= 0.1 - < 1 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

| State regulations | |
|-------------------|--|
| Massachusetts | : The following components are listed: |
| | Titanium dioxide |
| | Silica, amorphous |
| New York | : None of the components are listed. |
| New Jersey | : The following components are listed: |
| - | Titanium dioxide |
| | Ethyl benzene |
| Pennsylvania | : The following components are listed: |
| - | Titanium dioxide |
| | |
| | Silica, amorphous |

California Prop. 65

1 ...

WARNING: This product can expose you to chemicals including Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable dosage level |
|------------------|---------------------------|------------------------------------|
| Titanium dioxide | - | - |
| Ethyl benzene | Yes. | - |
| Styrene | Yes. | - |

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023

AVIENT

Page 16 of 17 Print Date 08/04/2023

| United States inventory (TSCA 8b) | : | All components are active or exempted. | | |
|---|---|---|--|--|
| Canada inventory | : | All components are listed or exempted. | | |
| <u>International regulations</u> <u>Inventory list</u> | | | | |
| Australia | : | Not determined. | | |
| Canada | : | All components are listed or exempted. | | |
| China | : | All components are listed or exempted. | | |
| Eurasian Economic Union | : | Russian Federation inventory: Not determined. | | |
| Japan | : | Japan inventory (CSCL): Not determined. | | |
| - | | Japan inventory (ISHL): Not determined. | | |
| New Zealand | : | All components are listed or exempted. | | |
| Philippines | : | All components are listed or exempted. | | |
| Republic of Korea | : | All components are listed or exempted. | | |
| Taiwan | : | All components are listed or exempted. | | |
| Thailand | : | Not determined. | | |
| Turkey | : | Not determined. | | |
| United States | : | All components are active or exempted. | | |
| Viet Nam | : | Not determined. | | |
| | | | | |

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | / | 0 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

| <u>IIIStol y</u> | | |
|--------------------------------|---|--|
| Date of printing | : | 08/04/2023 |
| Date of issue/Date of revision | : | 08/03/2023 |
| Date of previous issue | : | 00/00/0000 |
| Version | : | 1.0 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor |
| | | |

ABS YELLOW 012C

Version Number 1.0 Revision Date 08/03/2023

AVIENT

Page 17 of 17 Print Date 08/04/2023

GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.