### SAFETY DATA SHEET

## K141BA LUCID BLACK / PPG3220A

Version Number 1.0 Revision Date 02/24/2025



Page 1 of 21 Print Date 02/25/2025

# SAFETY DATA SHEET

### K141BA LUCID BLACK / PPG3220A


Section 1. Identification	on	
GHS product identifier Chemical name CAS number Other means of identification	:	K141BA LUCID BLACK / PPG3220A Mixture Mixture CC10393958
Product type	:	solid
Relevant identified uses of the subs Product use	tance :	e or mixture and uses advised against Industrial applications.
Supplier's details	:	<b>AVIENT CORPORATION</b> 33587 Walker Road, Avon Lake, OH 44012 1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified. Not classified.

## K141BA LUCID BLACK / PPG3220A





Page 2 of 21 Print Date 02/25/2025

GHS label elements		
Signal word Hazard statements	:	No signal word.No signal word. No known significant effects or critical hazards. No known significant effects or critical hazards.
Precautionary statements		
	:	Not applicable.Not applicable.
Prevention	:	Not applicable.Not applicable.
Response	:	Not applicable.Not applicable.
Storage	:	Not applicable.Not applicable.
Disposal	:	Not applicable.Not applicable.
Supplemental label elements	:	None known.None known.
Hazards not otherwise classified	:	None known.
		None known.
		Not available.

## Section 3. Composition/information on ingredients

:

:

:

Substance/mixture Chemical name Other means of identification MixtureMixture Mixture CC10393958

#### CAS number/other identifiers

Ingredient name	%	CAS number
Carbon black	>= 3 - <= 5	1333-86-4
Decanedioic acid, bis(2,2,6,6-tetramethyl-4-piperidinyl) ester	>= 1 - <= 3	52829-07-9
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	>= 1 - <= 3	3147-75-9
Carbon black	>= 3 - <= 5	1333-86-4
Decanedioic acid, bis(2,2,6,6-tetramethyl-4-piperidinyl) ester	>= 1 - <= 3	52829-07-9
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	>= 1 - <= 3	3147-75-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### There are no additional ingredients present which, within the current knowledge of the supplier and in the

## K141BA LUCID BLACK / PPG3220A

Version Number 1.0 Revision Date 02/24/2025 **ÀVIENT** 

Page 3 of 21 Print Date 02/25/2025

concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## **Section 4. First aid measures**

Description of necessary first aid measures

Potential acute health effects

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	<ul> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</li> </ul>
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/e	ffects, acute and delayed

Eye contact	<ul> <li>No known significant effects or critical hazards.No known significant effects or critical hazards.</li> </ul>
Inhalation	<ul> <li>No known significant effects or critical hazards.No known significant effects or critical hazards.</li> </ul>
Skin contact	: No known significant effects or critical hazards.No known significant

## K141BA LUCID BLACK / PPG3220A



Version Number 1.0 Revision Date 02/24/2025 Page 4 of 21 Print Date 02/25/2025

Ingestion	:	effects or critical hazards. No known significant effects or critical hazards.No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact Inhalation Skin contact Ingestion	::	No specific data.No specific data. No specific data.No specific data. No specific data.No specific data. No specific data.No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> .In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> . None known.None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	No specific fire or explosion hazard.No specific fire or explosion hazard. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxidesDecomposition products may include the following materials: carbon dioxide

## K141BA LUCID BLACK / PPG3220A

Version Number 1.0 Revision Date 02/24/2025



Page 5 of 21 Print Date 02/25/2025

		carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.


## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

## K141BA LUCID BLACK / PPG3220A





Page 6 of 21	
Print Date 02/25/2025	

Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8).Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures handled and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use

## K141BA LUCID BLACK / PPG3220A

Version Number 1.0 Revision Date 02/24/2025



Page 7 of 21 Print Date 02/25/2025

appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection


#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Decanedioic acid, bis(2,2,6,6- tetramethyl-4-piperidinyl) ester	None.
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole	None.
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Decanedioic acid, bis(2,2,6,6- tetramethyl-4-piperidinyl) ester	None.
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole	None.

Appropriate engineering controls : Good general ventilation should be sufficient to control worker

## K141BA LUCID BLACK / PPG3220A





Page 8 of 21 Print Date 02/25/2025

Environmental exposure controls	:	exposure to airborne contaminants.Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual protection measures			
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.	
Skin protection			
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.	
Body protection	:	Personal protective equipment for the body should be selected based	
		8/21	

## K141BA LUCID BLACK / PPG3220A



Version Number 1.0 Revision Date 02/24/2025 Page 9 of 21 Print Date 02/25/2025

	on the task being performed and the risks involved and should be approved by a specialist before handling this product.Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

#### **Appearance**

Physical state Color Odor Odor threshold pH Melting point Boiling point Flash point	:::::::::::::::::::::::::::::::::::::::	solid [Pellets.] BLACK Faint odor. Not available. Not available. Not available. Not available. Not applicable. Not applicable.
Burning time Burning rate Evaporation rate Flammability (solid, gas) Lower and upper explosive (flammable) limits	:	Not available. Not available. Not available. Not available. <b>Lower:</b> Not applicable. Not applicable. <b>Upper:</b> Not applicable. Not applicable.

## K141BA LUCID BLACK / PPG3220A

Version Number 1.0 Revision Date 02/24/2025



Page 10 of 21 Print Date 02/25/2025

Vapor pressure Vapor density	:	Not available. Not applicable. Not applicable.
Relative density Solubility Solubility in water	::	Not available. Not available. insoluble in water.
Partition coefficient: n- octanol/water	:	Not applicable. Not applicable.
Auto-ignition temperature	:	Not applicable. Not applicable.
Decomposition temperature SADT Viscosity	: :	Not available. Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not applicable. Not applicable.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7). Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

## K141BA LUCID BLACK / PPG3220A



Version Number 1.0 Revision Date 02/24/2025 Page 11 of 21 Print Date 02/25/2025

#### Information on toxicological effects

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Decanedioic acid, 1,10-bis(2,2	2,6,6-tetramethyl-4-pi	peridinyl) ester		
	LC50 Inhalation	Rat	0.5 Mg/l	4 h
	Vapor			
Phenol, 2-(2H-benzotriazol-2-		ethylbutyl)-		
	LD50 Oral	Rat	1,000 mg/kg	-
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Decanedioic acid, 1,10-bis(2,2	2,6,6-tetramethyl-4-pi	peridinyl) ester		
	LC50 Inhalation	Rat	0.5 Mg/l	4 h
	Vapor			
Phenol, 2-(2H-benzotriazol-2-	yl)-4-(1,1,3,3-tetrame	ethylbutyl)-		
	LD50 Oral	Rat	1,000 mg/kg	-
Conclusion/Summary Skin Eyes Respiratory <u>Sensitization</u>	: Mixtu	re.Not fully tested. re.Not fully tested. re.Not fully tested.		
Conclusion/Summary				
Skin		re.Not fully tested.		
Respiratory	: Mixtu	re.Not fully tested.		
<u>Mutagenicity</u>				
Conclusion/Summary	: Mixtu	re.Not fully tested.		
<u>Carcinogenicity</u>				
Conclusion/Summary	: Mixtu	re.Not fully tested.		
<b>Classification</b>				

Product/ingredient nameOSHAIARCNTPCarbon black-2B-

## K141BA LUCID BLACK / PPG3220A

**ÀVIENT** 

Version Number 1.0 Revision Date 02/24/2025 Page 12 of 21 Print Date 02/25/2025

	-	2B	-
<b><u>Reproductive toxicity</u></b>			
Conclusion/Summary	:	Mixture.Not fully t	ested.
<u>Teratogenicity</u>			
Teratogementy			
Conclusion/Summary	:	Mixture.Not fully t	ested.
Specific target organ toxicity (	single expos	<u>ure)</u>	
Not available.			
Not available.			
Specific target organ toxicity (	repeated ex	posure)	
Not available.			
Not available.			
Aspiration hazard			
Not available.			
Not available.			
Information on the likely rout	es of 🛛 :	Not available.	
exposure		r tot u vallable.	
Potential acute health effects			
1 otentiai acute nearth effects			
Eye contact			nt effects or critical hazards. No known significant
		effects or critical h	
Inhalation			ant effects or critical hazards. No known significant
Skin contact		effects or critical h	azards. Int effects or critical hazards. No known significant
Skin contact		effects or critical h	
Ingestion			int effects or critical hazards. No known significant
0		effects or critical h	
Symptoms related to the physi	cal chemics	al and toxicologica	characteristics
Symptoms related to the physi		and toxicologica	
Eye contact	:	No specific data. N	o specific data.
Inhalation		No specific data. N	1
Skin contact		No specific data. N	1
Ingestion	:	No specific data. N	o specific data.
Delayed and immediate effects	s and also ch	ronic effects from	short and long term exposure
Short term exposure			

## K141BA LUCID BLACK / PPG3220A

Version Number 1.0 Revision Date 02/24/2025



Page 13 of 21 Print Date 02/25/2025

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity	:	Not available.
Developmental effects	:	Not available.
Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		
Acute toxicity estimates N/A N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## Section 12. Ecological information

### **Toxicity**

Result	Species	Exposure				
Carbon black						
Acute EC50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h				
water						
Decanedioic acid, 1,10-bis(2,2,6,6-tetramethyl-4-piperidinyl) ester						
Acute EC50 8.6 Mg/l Fresh	Daphnia	48 h				
water	_					
	Acute EC50 37.563 Mg/l Fresh water 6,6-tetramethyl-4-piperidinyl) ester Acute EC50 8.6 Mg/l Fresh	Acute EC50 37.563 Mg/l Fresh waterDaphnia - Daphnia magna,6,6-tetramethyl-4-piperidinyl) esterAcute EC50 8.6 Mg/l FreshAcute EC50 8.6 Mg/l FreshDaphnia				

## K141BA LUCID BLACK / PPG3220A



Version Number 1.0 Revision Date 02/24/2025

### Page 14 of 21 Print Date 02/25/2025

Carbon black				
	Acute EC50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h	
	water			
Decanedioic acid, 1,10-bis(2,2,0	6,6-tetramethyl-4-piperidinyl) ester			
	Acute EC50 8.6 Mg/l Fresh	Daphnia	48 h	
	water			
K141BA LUCID BLACK / PPO	G3220A	·		
Remarks - Acute - Aquatic	Chemicals are not readily availab	ble as they are bound within the po	olymer matrix.	
invertebrates.:		, I	2	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.			
<u>Persistence and degradability</u> Conclusion/Summary		dily available as they are bound v	vithin the	
Conclusion/Summary	: Chemicals are not rea polymer matrix.	dily available as they are bound v	vithin the	

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Decanedioic acid, 1,10-bis(2,2,6,6-	0.35	-	low
tetramethyl-4-piperidinyl) ester			
	0.35	-	low

**Mobility in soil** 

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable

## SAFETY DATA SHEET *K141BA LUCID BLACK / PPG3220A*

Version Number 1.0 Revision Date 02/24/2025



Page 15 of 21 Print Date 02/25/2025

products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

## Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	15/21

## K141BA LUCID BLACK / PPG3220A

Version Number 1.0 Revision Date 02/24/2025



Page 16 of 21 Print Date 02/25/2025

United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc sulfide Rutile, antimony chromium buff

United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc sulfide

## K141BA LUCID BLACK / PPG3220A

Version Number 1.0 Revision Date 02/24/2025



Page 17 of 21 Print Date 02/25/2025

#### Rutile, antimony chromium buff

		<ul> <li>United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed</li> <li>United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed</li> <li>United States - Department of commerce - Precursor chemical: Not listed</li> <li>United States - Department of commerce - Precursor chemical: Not listed</li> </ul>	
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	ListedListed	
Clean Air Act Section 602 Class I Substances	:	Not listedNot listed	
Clean Air Act Section 602 Class II Substances	:	Not listedNot listed	
DEA List I Chemicals (Precursor Chemicals)	:	Not listedNot listed	
DEA List II Chemicals (Essential Chemicals)	:	Not listedNot listed	
US EPA CERCLA Hazardous Subs	tanc	es (40 CFR 302)	

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

<u>SARA 311/312</u>	not applicable		not applicable
Classification		:	Not applicable. Not applicable.

#### **Composition/information on ingredients**

No products were found.

%	Classification
>= 3 - <= 5	CARCINOGENICITY - Category 2
>= 1 - <= 3	ACUTE TOXICITY - inhalation - Category 1
	SERIOUS EYE DAMAGE - Category 1
	>= 3 - <= 5

## K141BA LUCID BLACK / PPG3220A



Version Number 1.0 Revision Date 02/24/2025 Page 18 of 21 Print Date 02/25/2025

piperidinyl) ester		
Phenol, 2-(2H-benzotriazol-	>= 1 - <= 3	ACUTE TOXICITY - oral - Category 4
2-yl)-4-(1,1,3,3-		
tetramethylbutyl)-		
No products were found.		
Name	%	Classification
Carbon black	>= 3 - <= 5	CARCINOGENICITY - Category 2
Decanedioic acid, 1,10-	>= 1 - <= 3	ACUTE TOXICITY - inhalation - Category 1
bis(2,2,6,6-tetramethyl-4-		SERIOUS EYE DAMAGE - Category 1
piperidinyl) ester		
Phenol, 2-(2H-benzotriazol-	>= 1 - <= 3	ACUTE TOXICITY - oral - Category 4
2-yl)-4-(1,1,3,3-		
tetramethylbutyl)-		

#### <u>SARA 313</u>

#### Form R - Reporting requirements

Product name	CAS number	%
Zinc sulfide	1314-98-3	>= 10 - < 30
Zinc sulfide	1314-98-3	>= 10 - < 30

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed. SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: Carbon blackThe following components are listed: Carbon black
New York	:	None of the components are listed. None of the components are listed.
New Jersey	:	The following components are listed: Zinc sulfide Carbon blackThe following components are listed: Zinc sulfide Carbon black
Pennsylvania	:	The following components are listed: Zinc sulfide Carbon black

18/21

## K141BA LUCID BLACK / PPG3220A

Version Number 1.0 Revision Date 02/24/2025



Page 19 of 21 Print Date 02/25/2025

The following components are listed: Zinc sulfide

Carbon black

#### California Prop. 65

**WARNING:** This product can expose you to Carbon black, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

**WARNING:** This product can expose you to Carbon black, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-
Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted. All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
	:	All components are listed or exempted.
<u>International regulations</u> <u>Inventory list</u>		
Australia	:	Not determined.Not determined.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted. All components are listed or exempted.
Eurasian Economic Union	:	Russian Federation inventory: Not determined. Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	:	All components are listed or exempted. All components are listed or exempted.
Philippines	:	Not determined.Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	All components are listed or exempted. All components are listed or exempted.
Thailand	:	Not determined.Not determined.
Turkey	:	Not determined.Not determined.
United States	:	All components are active or exempted. All components are active or exempted.

## K141BA LUCID BLACK / PPG3220A

Version Number 1.0 Revision Date 02/24/2025



Page 20 of 21 Print Date 02/25/2025

Viet Nam

Not determined.Not determined.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>IIIStol y</u>		
Date of printing	:	02/25/2025
Date of issue/Date of revision	:	02/24/2025
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		$\hat{U}N = United Nations$
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or

## K141BA LUCID BLACK / PPG3220A

Version Number 1.0 Revision Date 02/24/2025 Page 21 of 21 Print Date 02/25/2025

completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

