

MATERIAL SAFETY DATA SHEET GEON E7370 WHITE 1761

Version Number 1.1 Revision Date 11/17/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440) 930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON E7370 WHITE 1761
Product code	:	E737000E1761
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %		
Calcium carbonate	1317-65-3	1 - 5		
Titanium dioxide	13463-67-7	5 - 10		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET GEON E7370 WHITE 1761

Version Number 1.1 Revision Date 11/17/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	: None known.	None known.		
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in a doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When sympersist or in all cases of doubt seek medical advice.	iptoms		
Eyes	Rinse immediately with plenty of water, also under the eyel least 15 minutes. If eye irritation persists, seek medical atte			
Skin	: Wash off with soap and plenty of water. If skin irritation pe medical attention.	rsists seek		
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable water, foam, carbon dioxide (CO2), dry powdernone. 			
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (C fire conditions. 	orne		
	ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls.	15		
Environmental precautions	: Should not be released into the environment. The product s be allowed to enter drains, water courses or the soil.	hould not		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all maplastic, cardboard or metal containers for disposal. Refer to a of this MSDS for proper disposal methods.			



MATERIAL SAFETY DATA SHEET GEON E7370 WHITE 1761

Version Number 1.1 Revision Date 11/17/2003 Page 3 of 6 Print Date 11/12/2011

	7.	HANDLING AND STO	ORAGE			
Handling	0 C C	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.				
Storage		Keep containers dry and tig nd contamination. Keep i			absorption	
8. E	XPOSURE	CONTROLS / PERSON	NAL PRO	TECTION		
Respiratory protection	: N	No personal respiratory pro	otective eq	uipment normally r	required.	
Eye/Face Protection	: S	Safety glasses with side-sh	ields.			
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	long sleeved clothing.				
Additional Protective Measures	: S	Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures Exposure limit(s)		Heat only in areas with app ppropriate exhaust ventila			Provide	
Components	Value	Exposure time		Exposure tupe	List:	
Calcium carbonate	5 mg/m3	Exposure time PEL:	P.c	Exposure type espirable fraction.	OSHA Z1	
Calcium carbonate	15 mg/m3	PEL:		Total dust.	OSHA Z1	
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	ge	Total dust.	ACGIH	
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
	9. PHYSI	CAL AND CHEMICAL	PROPER	RTIES		
Form	: Solie	d E	vaporation	n rate : Not	applicable	
Appearance	: Pelle	llets, powder Specifi		avity : Not	determined	
Color	: WH		Bulk density : Not established			
Odor	: Very		apor press		applicable	
Melting point/range Boiling Point:			apour den		applicable	
	: Not	applicable pl	H	: Not	applicable	

<u>PolyOne</u>.

MATERIAL SAFETY DATA SHEET **GEON E7370 WHITE 1761**

Version Number 1.1 Revision Date 11/17/2003

Page 4 of 6 Print Date 11/12/2011

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use
Bioaccumulation Potential	: No data available
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.



MATERIAL SAFETY DATA SHEET GEON E7370 WHITE 1761

Version Number 1.1 Revision Date 11/17/2003 Page 5 of 6 Print Date 11/12/2011

Contaminated packaging	:	Recycling is preferred has the responsibility and disposal in accord and local regulations.	for proper waste	classification,	transportation
	1	4. TRANSPORT INF	ORMATION		
U.S. DOT Classification	:	Not regulated for tran	sportation.		
ICAO/IATA (air)	:	Not regulated for tran	-		
IMO / IMDG (maritime)	:	: Not regulated for transportation.			
	15	. REGULATORY IN	FORMATION		
US Regulations:					
OSHA Status	:	Classified as hazardou	is based on com	ponents.	
TSCA Status	:	All components of thi Inventory.	s product are list	ed on or exemj	pt from the TSCA
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	WARNING! This pro California to cause ca		chemical know	n to the State of
SARA Title III Section 302 Ext	rem	ely Hazardous Substand	ce		
Not applicable					
SARA Title III Section 313 Top	cic C	Chemicals:			
Not applicable Canadian Regulations:					
National Pollutant Relea	se Iı	ventory (NPRI)			
Chemical Name		• • •	CAS-No.	Weight %	NPRI ID#
Aluminum oxide			1344-28-1	0.25	13

		PolvOne.			
POLYONE CORPORATION					
MATERIAL SAFETY DATA SHE	ЕТ				
GEON E7370 WHITE 17	76	1			
Version Number 1.1 Revision Date 11/17/2003		Page 6 of 6 Print Date 11/12/2011			
WHMIS Classification	:	D2B			
WHMIS Ingredient Discl	lost	ire List			
CAS-No. 14807-96-6					
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Listed			
		16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.