

MATERIAL SAFETY DATA SHEET

# DP 8608-1-1000

Version Number 1.0 Revision Date 12/22/2001 Page 1 of 6 Print Date 11/2/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

## POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DP 8608-1-1000
Product code	:	EM00902101
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Decabromodiphenyl oxide	1163-19-5	30 - 60
Antimony trioxide	1309-64-4	10 - 30

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

# POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> </ul>		
Eyes	<ul> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		





#### DP 8608-1-1000 Version Number 1.0 Page 2 of 6 Revision Date 12/22/2001 Print Date 11/2/2011 **Medical Conditions** : None known. Aggravated by Exposure: 4. FIRST AID MEASURES Move to fresh air in case of accidental inhalation of fumes from Inhalation overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Do not induce vomiting without medical advice. When symptoms Ingestion : persist or in all cases of doubt seek medical advice. Eyes : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. **5. FIRE-FIGHTING MEASURES** Flash point : Not applicable Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Suitable extinguishing media : Carbon dioxide blanket, Water spray, dry powder, foam. Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None • Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Methods for cleaning up Clean up promptly by sweeping or vacuum. Package all material in : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat · only in areas with appropriate exhaust ventilation.

# MATERIAL SAFETY DATA SHEET



P 8608-1-1000						
sion Number 1.0 rision Date 12/22/2001			Print	Page 3 0 Date 11/2/20		
Storage		: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. 1	EXPOSURE	CONTROLS / PERSONA	L PROTECTION			
Respiratory protection	: N	o personal respiratory protection	ctive equipment normally	required.		
Eye/Face Protection	: S	afety glasses with side-shiel	ds.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with go Vash hands before breaks and		afety practice.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Exposure limit(s) Components	Value	Exposure time	Exposure type	List:		
	Value 0.5 mg/m3	Exposure time PEL:		List: OSHA Z1		
Components	0.5 mg/m3		Exposure type as Sb			
Components	0.5 mg/m3 9. PHYSIC : Solid : Pelle : NO I : Very : Not o	PEL: CAL AND CHEMICAL PI I Evap its, slabs Spec PIGMENT Bulk faint Vap determined Vap- applicable pH	Exposure type         as Sb         ROPERTIES         coration rate       : Not         cific Gravity       : Not         c density       : Not         or pressure       : Not         or density       : Not         or density       : Not			
Components Antimony trioxide Form Appearance Color Odor Melting point/range Boiling Point:	0.5 mg/m3 9. PHYSIC : Solid : Pelle : NO I : Very : Not o : Not a : Insol	PEL: CAL AND CHEMICAL PI I Evap its, slabs Spec PIGMENT Bulk faint Vap determined Vap- applicable pH	Exposure type         as Sb         ROPERTIES         poration rate       : Not         cific Gravity       : Not         c density       : Not         or pressure       : Not         c density       : Not         or density       : Not	OSHA Z1 applicable. determined established applicable applicable		
Components Antimony trioxide Form Appearance Color Odor Melting point/range Boiling Point:	0.5 mg/m3 9. PHYSIC : Solid : Pelle : NO I : Very : Not a : Insol 10. S	PEL: CAL AND CHEMICAL PI E Evap ts, slabs Spec PIGMENT Bulk faint Vap determined Vap applicable pH uble	Exposure type         as Sb         ROPERTIES         poration rate       : Not         cific Gravity       : Not         c density       : Not         or pressure       : Not         c density       : Not         or density       : Not	OSHA Z1 applicable. determined established applicable applicable		
Components Antimony trioxide	0.5 mg/m3 9. PHYSIC : Solid : Pelle : NO I : Very : Not d : Insol 10. S : S	PEL: CAL AND CHEMICAL PI I Evap its, slabs Spec PIGMENT Bulk faint Vap determined Vap applicable pH uble STABILITY AND REACT	Exposure type         as Sb         ROPERTIES         poration rate       : Not         cific Gravity       : Not         c density       : Not         or pressure       : Not         c density       : Not         or density       : Not	OSHA Z1 applicable. determined established applicable applicable		
Components         Antimony trioxide         Antimony trioxide         Form         Appearance         Color         Odor         Melting point/range         Boiling Point:         Water solubility         Stability	0.5 mg/m3 9. PHYSIC : Solid : Pelle : NO I : Very : Not d : Insol 10. S n : W : K	PEL: CAL AND CHEMICAL PI I Evap its, slabs Spec PIGMENT Bulk faint Vap determined Vap applicable pH uble STABILITY AND REACT table.	Exposure type as Sb ROPERTIES poration rate : Not cific Gravity : Not c density : Not or pressure : Not or density : Not : Not IVITY ents and open flame. To a	OSHA Z1 applicable. determined established applicable applicable		



## MATERIAL SAFETY DATA SHEET

# DP 8608-1-1000

# Version Number 1.0

Revision Date 12/22/2001

Page 4 of 6 Print Date 11/2/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

## LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1163-19-5	Decabromodiphenyl oxide	Oral LD50	> 5 gm/kg	rat
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

## Additional Health Hazard Information:

Decabromodiphenyl oxide 1163-19-5 A halogenated aromatic with some potential for hazardous exposure via inhalation or ingestion. Acute toxicity is low - oral LD50 in rats >50 mg/L. Animal studies at high feeding levels indicate some potential for liver effects form chronic overexposure.

## Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

# **12. ECOLOGICAL INFORMATION**



# MATERIAL SAFETY DATA SHEET

# DP 8608-1-1000

sion Number 1.0 ision Date 12/22/2001	Page 5 Print Date <i>11/2/</i> 2	
131011 Date 12/22/2001		
Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.	
Additional advice	: Not applicable	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	14. TRANSPORT INFORMATION	
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.	
ICAO/IATA	: Not regulated for transportation.	
IMO / IMDG	: Not regulated for transportation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.	
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
	AS-No. RQ for Mixture/Product 09-64-4 8,403 LB	
California Proposition 65	: WARNING! This product contains a chemical known in the State of California to cause cancer.	
SARA Title III Section 313 Tox		



MATERIAL SAFETY DATA SHEET

# DP 8608-1-1000

Page 6 of 6 Print Date 11/2/2011

Version Number 1.0 Revision Date 12/22/2001

Chemical Name	CAS-No.	Weight %
ANTIMONY COMPOUNDS	1309-64-4	11.90
DECABROMODIPHENYL OXIDE	1163-19-5	35.80

Canadian Regulations:

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

	CAS-No. 1309-64-4		
DSL		:	Listed.
National Inver	ntories:		
Austra	lia AICS	:	Not determined.
China	IECS	:	Listed.
Europe	e EINECS	:	Not determined.
Japan l	ENCS	:	Not determined.
Korea	KECI	:	Not determined.

Philippines PICCS : Listed.

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.