

MATERIAL SAFETY DATA SHEET

NR-819.H001-1001

Version Number 1.0 Revision Date 12/22/2001 Page 1 of 5 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NR-819.H001-1001
Product code	:	EM00902179
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Talc	14807-96-6	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

an be mechanically irritating. re mechanically irritating to
zard from routine handling.
mation.



MATERIAL SAFETY DATA SHEET

NR-819.H001-1001

Version Number 1.0 Page 2 of 5 Revision Date 12/22/2001 Print Date 11/2/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist or in all cases of doubt seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Carbon dioxide blanket, Water spray, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption ·



MATERIAL SAFETY DATA SHEET

NR-819.H001-1001

Version Number 1.0 Revision Date 12/22/2001			Print	Page 3 of 5 Date 11/2/2011	
	aı	nd contamination. Keep in a	dry, cool place.		
8. 1	EXPOSURE	CONTROLS / PERSONA	L PROTECTION		
Respiratory protection	: N	lo personal respiratory protection	ctive equipment normally	required.	
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		leat only in areas with appro ppropriate exhaust ventilatio		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Talc	2 mg/m3	Time Weighted Average (TWA):	Respirable dust.	ACGIH	
	20 mppcf	Time Weighted Average (TWA):	Total dust.	OSHA	
	9. PH 1510	CAL AND CHEMICAL PH	COPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	Appearance:Pellets, slabsSpecific Gravity:Not determinedColor:NO PIGMENTBulk density:Not establishedOdor:Very faintVapor pressure:Not applicableMelting point/range:Not determinedVapor density:Not applicableBoiling Point:::Not applicablepH:Not applicable			determined established applicable applicable	
	10. S	STABILITY AND REACT	IVITY		
Stability	: S	table.			
Hazardous Polymerizatio	n : W	Vill not occur.			
Conditions to avoid		Leep away from oxidizing ag ecomposition, do not overhe		woid thermal	
Incompatible Materials	: Ir	ncompatible with strong acid	s and oxidizing agents.		
		3/5			



MATERIAL SAFETY DATA SHEET

NR-819.H001-1001

rsion Number 1.0 vision Date 12/22/2001			Page 4 of 5 Print Date <i>11/2/2011</i>
Hazardous decomposition products			oxide (CO), oxides of nitrogen ad smoke are all possible.
	11. TOXICOLOGI	CAL INFORMATIC	DN
health data for the individual c <u>Toxicity Overview</u>	components which con	nprise the mixture.	are effects listed are based on existing have the following characteristics:
CAS-No.	Chemical Name	Effect	Target Organ
14807-96-6 Talc		Systemic effects	Eyes, Respiratory system, Skin.
	12. ECOLOGICA	AL INFORMATION	İ
Persistence and degradability	: Not readily bio	degradable.	
Environmental Toxicity	: Chemicals are n of the polymer.		s they are bound within the matrix
Bioaccumulation Potential	: Chemicals are n of the polymer.		s they are bound within the matrix
Additional advice	: Not applicable		
	13. DISPOSAL C	CONSIDERATIONS	
Product	recycling is pre waste material transportation a	eferred to disposal or i has the responsibility	t can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, s.
Contaminated packaging	has the respons	sibility for proper wast accordance with appl	e. The generator of waste material te classification, transportation licable federal, state/provincial
	14. TRANSPOR	T INFORMATION	
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated f	for transportation.	
ICAO/IATA	: Not regulated f	or transportation.	
IMO / IMDG	: Not regulated f	or transportation.	



MATERIAL SAFETY DATA SHEET

NR-819.H001-1001

Version Number 1.0 Revision Date 12/22/2001 Page 5 of 5 Print Date 11/2/2011

	15	. REGULATORY INFORMATION
	13	. REGULATORT INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
WHMIS Ingredient Disc	losu	re List
CAS-No. 14807-96-6		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.