

MATERIAL SAFETY DATA SHEET

DP 8685-4-9001(IDivy)

Version Number 1.0 Revision Date 12/22/2001 Page 1 of 6 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DP 8685-4-9001(IDivy)
Product code	:	EM00902530
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	1 - 5
Talc	14807-96-6	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
: Resin particles, like other inert materials, can be mechanically irritating.
May be harmful if swallowed.Resin particles, like other inert materials, are mechanically irritating to
eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

DP 8685-4-9001(IDivy)

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	pressure mode should be worn to prevent inhalation of airborne contaminants.None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

DP 8685-4-9001(IDivy)

sion Number 1.0 vision Date 12/22/2001			Print	Page 3 of Date 11/2/201	
Storage		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			
8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shields.			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Antimony trioxide	0.5 mg/m3	PEL:	as Sb	OSHA Z1	
Talc	2 mg/m3	Time Weighted Average (TWA):	Respirable dust.	ACGIH	
	20 mppcf	Time Weighted Average (TWA):	Total dust.	OSHA	

	. PHYSICAL AND CHEN	MICAL PROPERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets, slabs TAN Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not applicable. Not determined Not established Not applicable Not applicable Not applicable Not applicable
	10. STABILITY AN	D REACTIVITY	
	: Stable.		
Stability Hazardous Polymerization	: Will not occur.		



MATERIAL SAFETY DATA SHEET

vision Date 12/22/2	001			Pri	Page 4 o int Date 11/2/20
	decompositio	n, do not overheat.			
	decompositio	ii, do not overneat.			
Incompatible Mater	als : Incompatible	with strong acids a	and o	xidizing agents.	
Hazardous decompo products		de (CO2), carbon n hazardous material			
	11. TOXICOLOG	ICAL INFORMA	TIO	N	
health data for the ir <u>Toxicity Overview</u>	t been evaluated as a whole for adividual components which co as the following components w	omprise the mixture	e.		
CAS-No.	Chemical Name	Effect		Targ	et Organ
1309-64-4	Antimony trioxide	Systemic effec	ts	Eyes, Respirat	
1307-04-4	Antimolity thoxide	sensitizer	15	Skin.	tory system.
14807-96-6 LC50 / LD50 This product contair	Talc ns the following components w	Systemic effec		Eyes, Respirat	tory system, Skin. ing toxicity data:
LC50 / LD50 This product contair CAS-No.	ns the following components w Chemical Name	Systemic effec	form [Eyes, Respirat have the followi Value	
LC50 / LD50 This product contair CAS-No. 1309-64-4	ns the following components w	Systemic effec	form [Eyes, Respirat	ing toxicity data:
LC50 / LD50 This product contain CAS-No. 1309-64-4 Carcinogenicity: This product contain data: CAS-No.	ns the following components w Chemical Name Antimony trioxide ns the following components w Chemical Name	Systemic effec which in their pure f Route Oral LD50 which in their pure f OSHA	Form F	Eyes, Respirat have the followi Value 34,600 mg/kg have the followi IARC	ing toxicity data: Species rat ing carcinogenicit NTP
LC50 / LD50 This product contain CAS-No. 1309-64-4 Carcinogenicity: This product contain data:	ns the following components w Chemical Name Antimony trioxide ns the following components w	Systemic effec hich in their pure f Route Oral LD50 hich in their pure f	Form F	Eyes, Respirat have the followi Value 34,600 mg/kg have the followi	ing toxicity data: Species rat ing carcinogenicit
LC50 / LD50 This product contain CAS-No. 1309-64-4 Carcinogenicity: This product contain data: CAS-No. 1309-64-4 IARC Carcinogen C 1 - The component i 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component i	Antimony trioxide Chemical Name Antimony trioxide Chemical Name Chemical Name Chemical Name Antimony trioxide Classifications: s carcinogenic to humans. t is probably carcinogenic to hu	Systemic effec hich in their pure f Route Oral LD50 which in their pure f OSHA no umans. umans. ogen.	iorm i	Eyes, Respirat have the followi Value 34,600 mg/kg have the followi IARC	ing toxicity data: Species rat ing carcinogenicit NTP

12. ECOLOGICAL INFORMATION

Persistence and degradability

include: antimony measles (a red, pimply rash).

: Not readily biodegradable.



MATERIAL SAFETY DATA SHEET

DP 8685-4-9001(IDivy)

ion Number 1.0 sion Date 12/22/2001		Page 5 Print Date 11/2/2
Environmental Toxicity	: Chemicals of the poly	are not readily available as they are bound within the matrix mer.
Bioaccumulation Potential	: Chemicals of the poly	are not readily available as they are bound within the matrix mer.
Additional advice	: Not application	able
	13. DISPOSA	L CONSIDERATIONS
Product	recycling i waste mate transportat	hermoplastics the product can be recycled. Where possibles preferred to disposal or incineration. The generator of rial has the responsibility for proper waste classification, tion and disposal in accordance with applicable federal, incial and local regulations.
Contaminated packaging	has the res	is preferred when possible. The generator of waste materia ponsibility for proper waste classification, transportation al in accordance with applicable federal, state/provincial egulations.
	14. TRANSI	PORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regula	ted for transportation.
ICAO/IATA	: Not regula	ted for transportation.
IMO / IMDG	: Not regula	ted for transportation.
	15. REGULA	TORY INFORMATION
US Regulations:		
OSHA Status	: Classified	as hazardous based on components.
TSCA Status	: All compo exempt.	nents of this product are listed on the TSCA inventory or are
US. EPA CERCLA Hazardou	s Substances (40 G	CFR 302)
	CAS-No. 309-64-4	RQ for Mixture/Product 67,354 LB
California Proposition 65		G! This product contains a chemical known in the State of to cause cancer.
SARA Title III Section 313 To	oxic Chemicals:	



MATERIAL SAFETY DATA SHEET

DP 8685-4-9001(IDivy)

Version Number 1.0

Page 6 of 6 Print Date 11/2/2011

Revision Date 12/22/2001

Chemical Name	CAS-No.	Weight %
ANTIMONY COMPOUNDS	1309-64-4	1.48

Canadian Regulations:

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
11097-59-9	
1309-64-4	
1309-37-1	
7631-86-9	
14807-96-6	

DSL

: Listed.

National Inventories:

Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.