

MATERIAL SAFETY DATA SHEET

### US1&2TL3 MB

Version Number 1.0 Revision Date 12/22/2001 Page 1 of 5 Print Date 11/2/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	US1&2TL3 MB
Product code	:	EM00906613
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous ingredients in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



### MATERIAL SAFETY DATA SHEET

## US1&2TL3 MB

sion Date 12/22/2001	Page 2 Print Date 11/2/
	4. FIRST AID MEASURES
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
	0. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



### MATERIAL SAFETY DATA SHEET

# US1&2TL3 MB

		Print Date 11/
	and contamination	Keep in a dry, cool place.
8. EXP	OSURE CONTROLS / F	PERSONAL PROTECTION
Respiratory protection	: No personal respir	atory protective equipment normally required.
Eye/Face Protection	: Safety glasses with	side-shields.
Hand protection	: Protective gloves.	
Skin and body protection	: Long sleeved cloth	ing.
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations		te with good industrial hygiene and safety practice breaks and at the end of workday.
Engineering measures		with appropriate exhaust ventilation. Provide t ventilation at machinery.
		ct.
9.	PHYSICAL AND CHEN	
Form	: Solid	MICAL PROPERTIES Evaporation rate : Not applicable
Form Appearance	: Solid : Pellets, slabs	MICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determine
Form Appearance Color	<ul><li>Solid</li><li>Pellets, slabs</li><li>NO PIGMENT</li></ul>	MICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe
Form Appearance Color Odor	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapor pressure       : Not applicable
Form Appearance Color Odor Melting point/range	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapor pressure       : Not applicable         Vapor density       : Not applicable
Form Appearance Color Odor	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapor pressure       : Not applicable
Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	MICAL PROPERTIESEvaporation rate: Not applicableSpecific Gravity: Not determineBulk density: Not establisheVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	MICAL PROPERTIESEvaporation rate: Not applicableSpecific Gravity: Not determineBulk density: Not establisheVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY ANSISTED Sector 10. STABILITY ANSISTED Sector 10. Stable	MICAL PROPERTIESEvaporation rate: Not applicableSpecific Gravity: Not determineBulk density: Not establisheVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapor pressure       : Not applicable         Vapor density       : Not applicable         pH       : Not applicable         D REACTIVITY          xidizing agents and open flame. To avoid therm
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from o decomposition, do</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapor pressure       : Not applicable         Vapor density       : Not applicable         pH       : Not applicable         D REACTIVITY          xidizing agents and open flame. To avoid therm
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from of decomposition, do</li> <li>Incompatible with</li> <li>Carbon dioxide (C</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapor pressure       : Not applicable         Vapor density       : Not applicable         pH       : Not applicable         D REACTIVITY       Statement         xidizing agents and open flame. To avoid therm         not overheat.



MATERIAL SAFETY DATA SHEET

## US1&2TL3 MB

Version Number 1.0 Revision Date 12/22/2001 Page 4 of 5 Print Date 11/2/2011

There are no known hazardous ingredients in this product.

Densistence and descudability	Not use d'Ischie de sus deble
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Product is non-hazardous
TSCA Status	: All components of this product are listed on the TSCA inventory or ar exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65



### MATERIAL SAFETY DATA SHEET

## US1&2TL3 MB

Version Number 1.0 Revision Date 12/22/2001		Page 5 Print Date 11/2/2	
Canadian Regulations:			
WHMIS Classification	:	Not controlled.	
DSL	:	Listed.	
National Inventories:			
Australia AICS	:	Not determined.	
China IECS	:	Not determined.	
Europe EINECS	:	Not determined.	
Japan ENCS	:	Not determined.	
Korea KECI	:	Not determined.	
Philippines PICCS	:	Not determined.	

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.