

MATERIAL SAFETY DATA SHEET

PP 554CS GRN 775-5-2

Version Number 1.0 Revision Date 12/22/2001 Page 1 of 6 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PP 554CS GRN 775-5-2
Product code	:	EM00E08035
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

PP 554CS GRN 775-5-2

Version Number 1.0 Revision Date 12/22/2001 Page 2 of 6 Print Date 11/2/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	,	5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	: :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards	•	
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PP 554CS GRN 775-5-2

Version Number 1.0 Revision Date 12/22/2001 Page 3 of 6 Print Date 11/2/2011

	:	and contamination. Keep	in a dry, cool place		
8. I	EXPOSURI	E CONTROLS / PERSO	NAL PROTECTI	ON	
Respiratory protection : No personal respiratory protective equipment normally required.					
Eye/Face Protection	:	Safety glasses with side-s	hields.		
Hand protection	:	Protective gloves.			
Skin and body protection	:	Long sleeved clothing.			
Additional Protective Measures	:	Safety shoes.			
General Hygiene:Handle in accordance with good industrial hygiene and safety practice.ConsiderationsWash hands before breaks and at the end of workday.					
Engineering measures		Heat only in areas with ap appropriate exhaust ventil			Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposur	e tyne	List:
*	varae	Enposare anne			
Antimony trioxide	0.5 mg/m3	PEL:	as S		OSHA Z1
Antimony trioxide	0.5 mg/m3	B PEL:	· · ·		
Antimony trioxide		B PEL:	as S		
	9. PHYS	ICAL AND CHEMICAI	as S	Sb	OSHA Z1
Form	9. PHYS	ICAL AND CHEMICAI	as S C PROPERTIES	Sb : Not	OSHA Z1
Form Appearance	9. PHYS : Sol: : Pell	ICAL AND CHEMICAI id I lets, slabs S	as S PROPERTIES Evaporation rate Specific Gravity	Sb : Not : Not	OSHA Z1 applicable. determined
Form Appearance Color	9. PHYSI : Soli : Pell : GR	ICAL AND CHEMICAI id lets, slabs S EEN l	as S C PROPERTIES Evaporation rate Specific Gravity Bulk density	: Not : Not : Not	OSHA Z1 applicable. determined established
Form Appearance Color Odor	9. PHYSI : Sol: : Pell : GR : Ver	ICAL AND CHEMICAI id I lets, slabs S EEN I ry faint Y	as S C PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure	: Not : Not : Not : Not : Not	OSHA Z1 applicable. determined established applicable
Form Appearance Color Odor Melting point/range	9. PHYS : Sol: : Pell : GR : Ver : Not	ICAL AND CHEMICAI id I lets, slabs S EEN I ry faint Y t determined	as S PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	Eb : Not : Not : Not : Not : Not	OSHA Z1 applicable. determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYS : Sol: : Pell : GR : Ver : Not	ICAL AND CHEMICAI id I lets, slabs S EEN I ry faint V t determined S applicable I	as S C PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure	Eb : Not : Not : Not : Not : Not	OSHA Z1 applicable. determined established applicable
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSI : Sol: : Pell : GR : Ver : Not : Not : Inso	ICAL AND CHEMICAI id I lets, slabs S EEN I ry faint V t determined S applicable I	as S Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density DH	Eb : Not : Not : Not : Not : Not	OSHA Z1 applicable. determined established applicable applicable
Form Appearance Color Odor	9. PHYS : Sol: : Pell : GR : Ver : Not : Not : Inso 10.	ICAL AND CHEMICAI id I lets, slabs S EEN I ry faint y t determined y t applicable p pluble	as S Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density DH	Eb : Not : Not : Not : Not : Not	OSHA Z1 applicable. determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSI : Sol: : Pell : GR : Ver : Not : Inso 10. : .	ICAL AND CHEMICAI id I lets, slabs S EEN I ry faint V t determined I applicable I pluble STABILITY AND REA	as S Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density DH	Eb : Not : Not : Not : Not : Not	OSHA Z1 applicable. determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSI : Sol: : Pell : GR : Ver : Not : Not : Inse 10. :	ICAL AND CHEMICAI id I lets, slabs S EEN I ry faint Y i determined Y i applicable I Dluble I STABILITY AND REA Stable.	as S Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density oH CCTIVITY	: Not : Not : Not : Not : Not	OSHA Z1 applicable. determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerizatio	9. PHYSI : Sol: : Pell : GR : Ver : Not : Inso 10. : .	ICAL AND CHEMICAI id I id I lets, slabs S EEN I ry faint Y ry faint Y r applicable I poluble I STABILITY AND REA Stable. Will not occur. Keep away from oxidizin,	as S Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density oH CCTIVITY	: Not : Not : Not : Not : Not : Not	OSHA Z1 applicable. determined established applicable applicable



MATERIAL SAFETY DATA SHEET

PP 554CS GRN 775-5-2

Version Number 1.0

Page 4 of 6 Print Date 11/2/2011

Revision Date 12/22/2001

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the matrix of the polymer.



MATERIAL SAFETY DATA SHEET

PP 554CS GRN 775-5-2

Additional advice	: Not applical	ble		
	13. DISPOSA	L CONSIDERATION	IS	
Product	recycling is waste mater transportatio	preferred to disposal of ial has the responsibilities the second	uct can be recycled. When r incineration. The gener ty for proper waste classif ordance with applicable fe ons.	ator of fication,
Contaminated packaging	has the resp	onsibility for proper w l in accordance with ap	ble. The generator of wash aste classification, transpo pplicable federal, state/pro	ortation
	14. TRANSPO	ORT INFORMATIO	N	
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulate	ed for transportation.		
ICAO/IATA	: Not regulated for transportation.			
IMO / IMDG	: Not regulated for transportation.			
	15. REGULAT	ORY INFORMATIO	DN	
US Regulations:				
OSHA Status	: Classified as	s hazardous based on c	components.	
TSCA Status	: All compone exempt.	ents of this product are	listed on the TSCA inven	tory or ar
US. EPA CERCLA Hazardou	is Substances (40 C	FR 302)		
	CAS-No. 1309-64-4	RQ for M 60,849 L	lixture/Product B	
California Proposition 65		This product contair cause cancer.	as a chemical known in the	e State of
SARA Title III Section 313 7	oxic Chemicals:			
Chemical Nan	ne	CAS-No.	Weight %	
ANTIMONY	COMPOUNDS	1309-64-4	1.64	
Canadian Regulations:				
WHMIS Classificatio	n : D2A			



MATERIAL SAFETY DATA SHEET

PP 554CS GRN 775-5-2

Version Number 1.0 Revision Date 12/22/2001 Page 6 of 6 Print Date 11/2/2011

	WHMIS Ingredient Dis CAS-No. 1309-64-4 78-04-6	sclosu	re List
Na	DSL ational Inventories:	:	Listed.
1.0	Australia AICS	:	Not determined.
	China IECS	:	Not determined.
	Europe EINECS	:	Not determined.
	Japan ENCS	:	Not determined.
	Korea KECI	:	Not determined.
	Philippines PICCS	:	Not determined.
			16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.