PolvOne

MATERIAL SAFETY DATA SHEET **PE 126 BLK 3330-9**

Version Number 1.4 Revision Date 12/01/2013

Page 1 of 7 Print Date 12/1/2013

POLYONE CORPORATI 33587 Walker Road, Avoi		ОН 44012
Felephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PE 126 BLK 3330-9
Product code	:	EM00E08043
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Antimony trioxide	1309-64-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **PE 126 BLK 3330-9**

Version Number 1.4 Revision Date 12/01/2013 Page 2 of 7 Print Date 12/1/2013

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/7

PolyOne.

MATERIAL SAFETY DATA SHEET **PE 126 BLK 3330-9**

Version Number 1.4 Revision Date 12/01/2013 Page 3 of 7 Print Date 12/1/2013

Respiratory protection		CONTROLS/PER o personal respirato				required
Respiratory protection	. 1	o personal respirato	iy protecti	ve equipment	normany	iequiieu.
Eye/Face Protection	: Sa	afety glasses with si	de-shields			
Hand protection	: P 1	rotective gloves				
Skin and body protection	: L	ong sleeved clothing	B			
Additional Protective Measures	: Sa	afety shoes				
General Hygiene Considerations		andle in accordance actice. Wash hands				
Engineering measures		eat only in areas wi opropriate exhaust v			entilation.	Provide
Exposure limit(s)						
Components	Value	Exposure tin	me	Exposure	e type	List:
Antimony trioxide	0.5 mg/m3 Time Weighted Average (TWA):		as S	b	MX OEL	
	0.5 mg/m3	Time Weighted A (TWA):	Average	as S		ACGIH
	0.5 mg/m3	Recommended en limit (REL		as S	b	NIOSH
	0.5 mg/m3	PEL:		as S	b	OSHA Z1
	0.5 mg/m3	Time Weighted A (TWA):	Average	as S	b	OSHA Z1A
	9. PHYSIC	CAL AND CHEMI	CAL PRO	PERTIES		
Form Appearance	: solid : pelle	ts, Slabs		uration rate ic Gravity		t applicable t determined
Colour	: BLA		Bulk d	•		t established
Odour	: very			r pressure		applicable
Melting point/range		letermined		r density		applicable
Boiling Point:		pplicable	pH	•		applicable
Water solubility	: insol		-			
	10. S	TABILITY AND	REACTIV	TTY		
Stability	: T	he product is stable	if stored a	nd handled as	prescribed	1.
Hazardous Polymerization	n : W	ill not occur.				

MATERIAL SAFETY DATA SHEET **PE 126 BLK 3330-9**

Version Number 1.4 Revision Date 12/01/2013

Page 4 of 7 Print Date 12/1/2013

Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

PolyOne.

MATERIAL SAFETY DATA SHEET **PE 126 BLK 3330-9**

Environmental Toxicity : Bioaccumulation Potential : Additional advice : Product :	 Chemicals are not readily available as they are bound within the polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. not applicable 13. DISPOSAL CONSIDERATIONS : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Bioaccumulation Potential : Additional advice :	 polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. not applicable 13. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
Additional advice :	 polymer matrix. not applicable 13. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
	 13. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
Product	possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
Contaminated packaging :	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification :	: Not regulated for transportation.
ICAO/IATA :	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
1	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status :	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Su	bstances (40 CFR 302)
not applicable	
California Proposition : 65	: WARNING! This product contains a chemical known to the State o California to cause cancer.
SARA Title III Section 302 Extrem	mely Hazardous Substance

MATERIAL SAFETY DATA SHEET **PE 126 BLK 3330-9**

Version Number 1.4 Revision Date 12/01/2013 Page 6 of 7 Print Date 12/1/2013

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulationChemical NameCAS-No.Weight percentANTIMONY COMPOUNDS1309-64-41.00 - 5.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Antimony trioxide	1309-64-4	1.00 - 5.00	

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1309-64-4	

:

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne

MATERIAL SAFETY DATA SHEET **PE 126 BLK 3330-9**

Version Number 1.4 Revision Date 12/01/2013 Page 7 of 7 Print Date 12/1/2013

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.