## MATERIAL SAFETY DATA SHEET **PP 301 WHT 2039-1 S**

Version Number 1.2 Revision Date 12/08/2006

Page 1 of 6 Print Date 11/25/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PP 301 WHT 2039-1 S
Product code	:	EM00E08133
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	1 - 5

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **PP 301 WHT 2039-1 S**

Version Number 1.2 Revision Date 12/08/2006 Page 2 of 6 Print Date 11/25/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET **PP 301 WHT 2039-1 S**

Version Number 1.2 Revision Date 12/08/2006 Page 3 of 6 Print Date 11/25/2011

8. I	XPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection	: N	lo personal respiratory prote	ctive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shiel	ds.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with go Vash hands before breaks an		afety practice
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Antimony trioxide	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES	
	. C.1:.	l Eva		applicable
Form Appearance	: Solic : Pelle		cific Gravity: : Not	aeterminea
Form Appearance Color		ets, Slabs Spec	2	determined established
Appearance Color Odor	: Pelle : WHI : Very	ets, Slabs Spec TE Bull faint Vap	k density : Not or pressure : Not	established applicable
Appearance Color Odor Melting point/range	: Pelle : WHI : Very : Not o	tts, Slabs Spec TE Bull faint Vap determined Vap	k density : Not or pressure : Not our density : Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : WHI : Very : Not o : Not o	ets, Slabs Spec TE Bull faint Vap determined Vap applicable pH	k density : Not or pressure : Not our density : Not	established applicable
Appearance Color Odor Melting point/range	: Pelle : WHI : Very : Not o	ets, Slabs Spec TE Bull faint Vap determined Vap applicable pH	k density : Not or pressure : Not our density : Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : WHI : Very : Not o : Not a : Insol	ets, Slabs Spec TE Bull faint Vap determined Vap applicable pH	k density : Not or pressure : Not our density : Not : Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : WHI : Very : Not o : Not a : Insol	ets, Slabs Spec TE Bull 7 faint Vap determined Vap applicable pH luble	k density : Not or pressure : Not our density : Not : Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : WHI : Very : Not c : Not a : Insol <b>10. S</b> : S	ets, Slabs Spec TE Bull faint Vap determined Vap applicable pH luble	k density : Not or pressure : Not our density : Not : Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerizatio	: Pelle : WHI : Very : Not a : Not a : Insol 10. § : S n : W	ets, Slabs Spec TTE Bull faint Vap determined Vap applicable pH buble STABILITY AND REACT table.	k density : Not or pressure : Not our density : Not : Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pelle : WHI : Very : Not a : Not a : Insol 10. S : S n : W : T	ets, Slabs Spec TE Bull 7 faint Vap determined Vap applicable pH uble <b>STABILITY AND REACT</b> table.	k density : Not or pressure : Not our density : Not : Not <b>TVITY</b>	established applicable applicable

## MATERIAL SAFETY DATA SHEET **PP 301 WHT 2039-1 S**

#### Version Number 1.2 Revision Date 12/08/2006

Page 4 of 6 Print Date 11/25/2011

products

(NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

#### Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No. Chemical Name		OSHA	IARC	NTP
1309-64-4 Antimony trioxide		no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

12. ECOLOGICAL INFORMATION	
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.

PolyOne.

# MATERIAL SAFETY DATA SHEET **PP 301 WHT 2039-1 S**

Version Number 1.2 Revision Date 12/08/2006 Page 5 of 6 Print Date 11/25/2011

Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ext	remely Hazardous Substance
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regula

# MATERIAL SAFETY DATA SHEET **PP 301 WHT 2039-1 S**

Version Number 1.2 Revision Date 12/08/2006

Page 6 of 6 Print Date 11/25/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-NO.	weight 70
ANTIMONY COMPOUNDS	1309-64-4	1.00 - 5.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
Antimony trioxide	1309-64-4	1.00 - 5.00	17

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1309-64-4	

DSL

All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

:

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.