#### SAFETY DATA SHEET



## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023

Page 1 of 16 Print Date 10/20/2023

# SAFETY DATA SHEET

#### VERSAFLEX<sup>TM</sup> OM 6258-9 (BLACK) STIHL

Section 1. Identification		
GHS product identifier	:	VERSAFLEX™ OM 6258-9 (BLACK) STIHL
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	EM01045967
Product type	:	solid
Relevant identified uses of the subs	tance	e or mixture and uses advised against
Product use	:	Industrial applications.
Supplier's details	:	AVIENT CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.

# **ÀVIENT**

## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023 Page 2 of 16 Print Date 10/20/2023

#### **Precautionary statements**

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

# Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Chemical name	: Mixture
Other means of identification	: EM01045967

CAS number/other identifiers

Ingredient name	%	CAS number
Quartz	>= 0.3 - <= 1	14808-60-7
Carbon black	>= 0.3 - <= 1	1333-86-4
Talc	> 0 - <= 0.3	14807-96-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.



## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023

Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated
	clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink.
	Do not induce vomiting unless directed to do so by medical personnel.
	Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u>	<ul> <li>No known significant effects or critical hazards.</li> </ul>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	No specific data.
Ingestion	: No specific data.
Indication of immediate medica	l attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist
	immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# **Section 5. Fire-fighting measures**

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.



## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023

#### Page 4 of 16 Print Date 10/20/2023

Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through
For emergency responders	:	spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	nt ai	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

:

#### Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8).



## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023 Page 5 of 16 Print Date 10/20/2023

Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Quartz	OSHA PEL 1989 (1989-03-01) TWA 0.1 mg/m3 (Calculated as Quartz) Form: Respirable dust OSHA PEL Z3 (1997-09-03) TWA 250 MPPCF / (%SiO2+5) Form: Respirable TWA 10 MG /M3 / (%SiO2+2) Form: Respirable OSHA PEL Z3 (1997-09-03) TWA 30 MG /M3 / (%SiO2+2) Form: Total dust NIOSH REL (1994-06-01) TWA 0.05 mg/m3 Form: Respirable dust ACGIH TLV (2005-12-09) TWA 0.025 mg/m3 Form: Respirable fraction OSHA PEL (2016-06-23) TWA 0.05 mg/m3 Form: Respirable dust
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06)

## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023



Page 6 of 16 Print Date 10/20/2023

		TWA 3 mg/m3 Form: Inhalable fraction
Talc		ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length> 5 .mu.m; length / diameter ratio (aspect) <sup>3</sup> 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast. OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic foot Form: not/asb OSHA PEL Z3 (1997-09-03) STEL 1 fibers per cubic centimeter Form: not/asb STEL 1 fibers per cubic centimeter Form: con/asb STEL 1 fibers per cubic centimeter Form: con/asb NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. 6/16



## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023 Page 7 of 16 Print Date 10/20/2023

Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### Appearance

Physical state	:	solid [Pellets.]
Color	:	BLACK
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not applicable.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not applicable.
(flammable) limits		Upper: Not applicable.
Vapor pressure	:	Not available.
Vapor density	:	Not applicable.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.

# **ÄVIENT**

## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023 Page 8 of 16 Print Date 10/20/2023

Partition coefficient: n- octanol/water Auto-ignition temperature	:	Not applicable. Not applicable.
Decomposition temperature SADT Viscosity	: :	Not available. Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not applicable.

Aerosol product

Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
				·

## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023



Page 9 of 16 Print Date 10/20/2023

Conclusion/Summary

: Mixture.Not fully tested.

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Talc	Skin - Mild irritant	Human	-	72 hrs	-
Conclusion/Summary Skin		ot fully tested.			
Eyes Respiratory		ot fully tested. ot fully tested.			
Sensitization					
Conclusion/Summary Skin Respiratory		ot fully tested. ot fully tested.			
<b>Mutagenicity</b>					
Conclusion/Summary	: Mixture.N	ot fully tested.			
<b>Carcinogenicity</b>					
Conclusion/Summary	: Mixture.N	ot fully tested.			

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
Quartz (SiO2)	-	1	Known to be a human carcinogen.
Carbon black	-	2B	-
Talc	-	312B	-

#### **Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

#### **Teratogenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)



## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023 Page 10 of 16 Print Date 10/20/2023

Name	Category	Route of exposure	Target organs
Quartz (SiO2)	Category 1	-	-
Aspiration hazard Not available.			
Information on the likely routes of exposure	: Not available.		
Potential acute health effects			
Eye contact Inhalation Skin contact Ingestion	<ul><li>No known signif</li><li>No known signif</li></ul>	icant effects or critical ha icant effects or critical ha icant effects or critical ha icant effects or critical ha	nzards. nzards.
Symptoms related to the physical,	chemical and toxicologi	cal characteristics	
Eye contact Inhalation Skin contact Ingestion Delayed and immediate effects and	<ul> <li>No specific data.</li> </ul>		<u>exposure</u>
<u>Short term exposure</u> Potential immediate effects Potential delayed effects Long term exposure	<ul><li>Not available.</li><li>Not available.</li></ul>		
Potential immediate effects Potential delayed effects	<ul><li>Not available.</li><li>Not available.</li></ul>		
Potential chronic health effects			
Conclusion/Summary	: Mixture.Not full	y tested.	
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	<ul> <li>No known signif</li> <li>No known signif</li> <li>No known signif</li> <li>No known signif</li> </ul>	icant effects or critical ha icant effects or critical ha	izards. izards. izards.

## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

:

Version Number 1.18 Revision Date 10/18/2023 Page 11 of 16 Print Date 10/20/2023

effects or critical hazards.

#### Numerical measures of toxicity

 $\frac{\textbf{Acute toxicity estimates}}{N/A}$ 

**Other information** 

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result		Species	Exposure
Carbon black				
	Acute EC50 3	7.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water			
VERSAFLEX™ OM 6258-9 (B	LACK) STIHL			
Remarks - Acute - Aquatic invertebrates.:	Chemicals are	e not readily available	e as they are bound within the p	olymer matrix.
Conclusion/Summary		emicals are not readi ymer matrix.	ly available as they are bound v	vithin the
Persistence and degradability				
Conclusion/Summary		nemicals are not read lymer matrix.	ily available as they are bound	within the
Conclusion/Summary		nemicals are not read lymer matrix.	ily available as they are bound	within the
Bioaccumulative potential Not available.				
<u>Mobility in soil</u>				
Soil/water partition coefficien	it : No	ot available.		
		11/16		



## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023



Page 12 of 16 Print Date 10/20/2023

#### (KOC)

Other adverse effects

No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	: Not classified as dangerous goods under transport regulations.

# Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None
	of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed



## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023

#### Page 13 of 16 Print Date 10/20/2023

United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Not applicable.

:

**Composition/information on ingredients** 



## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023 Page 14 of 16 Print Date 10/20/2023

No products were found.

Name	%	Classification
Quartz (SiO2)	>= 0.3 - <= 1	CARCINOGENICITY - inhalation - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
Carbon black	>= 0.3 - <= 1	CARCINOGENICITY - Category 2
Talc	> 0 - <= 0.3	CARCINOGENICITY - Category 2

Not applicable.

State regulations		
Massachusetts	:	The following components are listed:
		Calcium carbonate
		White mineral oil (petroleum)
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		Calcium carbonate
		White mineral oil (petroleum)
		Quartz
		Carbon black
		Talc
Pennsylvania	:	The following components are listed:
		Calcium carbonate

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including Quartz, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Quartz	-	-
Carbon black	-	-
Talc	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.



## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023 Page 15 of 16 Print Date 10/20/2023

<u>International regulations</u> Inventory list	
Australia	: Not determined.
Canada	: At least one component is not listed in DSL but all such components are listed in NDSL.
China	: All components are listed or exempted.
<b>Eurasian Economic Union</b>	: Russian Federation inventory: Not determined.
Japan	: Japan inventory (CSCL): Not determined.
	Japan inventory (ISHL): Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted. All components are listed or exempted.
Thailand	: Not determined.
Turkey	Not determined.
United States	: All components are active or exempted.
Viet Nam	: Not determined.

## **Section 16. Other information**

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Illstol y</u>		
Date of printing	:	10/20/2023
Date of issue/Date of revision	:	10/18/2023
Date of previous issue	:	12/06/2022
Version	:	1.18
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		*



## VERSAFLEX™ OM 6258-9 (BLACK) STIHL

Version Number 1.18 Revision Date 10/18/2023

#### Page 16 of 16 Print Date 10/20/2023

IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.