PolyOne

## MATERIAL SAFETY DATA SHEET *LC 389-111*

Version Number 1.0 Revision Date 03/30/2012

Page 1 of 6 Print Date 8/25/2012

POLYONE CORPORATI 33587 Walker Road, Avor		ОН 44012
Felephone E <b>mergency telephone</b>	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LC 389-111
Product code	:	EM01046090
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Quartz	14808-60-7	0.1 - 1

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET *LC 389-111*

Version Number 1.0 Revision Date 03/30/2012 Page 2 of 6 Print Date 8/25/2012

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5	5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
-		
Flammable Limits		
Upper explosion limit	:	not applicable
Lower explosion limit	:	not applicable
Autoignition temperature	:	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting		Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	-	pressure mode should be worn to prevent inhalation of airborne
		contaminants.
Unusual Fire/Explosion		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards		(NOx), other hazardous materials, and smoke are all possible.
	6. A(	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



### MATERIAL SAFETY DATA SHEET LC 389-111

#### Version Number 1.0 Revision Date 03/30/2012

Page 3 of 6 Print Date 8/25/2012

		CONTROLD/T LI	JUNAL	PROTECTION	
Respiratory protection	: N	o personal respirator	y protecti	ve equipment normally	required.
Eye/Face Protection	: Sa	afety glasses with sic	le-shields		
Hand protection	: P	rotective gloves			
Skin and body protection	n : L	ong sleeved clothing			
Additional Protective Measures	: Sa	afety shoes			
General Hygiene Considerations				l industrial hygiene and eaks and at the end of w	
Engineering measures		eat only in areas wit		iate exhaust ventilation. at machinery.	Provide
Exposure limit(s)	X <sub>2</sub> 1	English di Alexandri		Freedow	T to to
Components	Value	Exposure tin		Exposure type	List:
Quartz	0.025 mg/m3	Time Weighted A (TWA):	verage	Respirable fraction.	ACGIH
	0.05	Recommended ex	posure	Respirable dust.	NIOSH
	mg/m3	limit (REL)		Respirable dast.	mobil
	0.1 mg/m3	Time Weighted A (TWA):		Respirable dust.	OSHA Z1A
	0.1 mg/m3	Time Weighted A (TWA):	verage	Respirable.	Z3
	0.3 mg/m3	Time Weighted A (TWA):	verage	Total dust.	Z3
	0.1 mg/m3	Time Weighted A (TWA):	verage		MX OEL
	9. PHYSIC	CAL AND CHEMIC	CAL PRC	PERTIES	
Form	: solid				t applicable
Appearance		ts, Slabs		5	t determined
Colour		APPLICABLE	Bulk d		t established
Odour Melting point/range	: very	faint letermined			applicable applicable
Boiling Point:		pplicable	v apou pH	2	applicable
Water solubility	: insol		hu	. 1101	appricable

## MATERIAL SAFETY DATA SHEET *LC 389-111*

Version Number 1.0 Revision Date 03/30/2012

Page 4 of 6 Print Date 8/25/2012

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
14808-60-7	Quartz	no	1	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation. Long-term exposure may cause coughing, chest pain, diminished chest expansion and possibly silicosis, which is a scarring of the lungs.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.



# MATERIAL SAFETY DATA SHEET *LC 389-111*

sion Number 1.0 ision Date 03/30/2012	Page : Print Date <i>8/25/</i>
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State o California to cause cancer.
SARA Title III Section 302 E	xtremely Hazardous Substance
Unloss specific chamicals are	identified under this section, this product is Not Applicable under this regul

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET *LC 389-111*

Version Number 1.0 Revision Date 03/30/2012		Page 6 of Print Date <i>8/25/</i> 201	
SARA Title III Section 313 Tox	tic (	Chemicals:	
Unless specific chemicals are id	lenti	tified under this section, this product is Not Applicable under this regulation	'n
Canadian Regulations:			
National Pollutant Relea	se I	Inventory (NPRI)	
not applicable			
WHMIS Classification	:	D2A	
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Not determined	
China IECS	:	Not determined	
Europe EINECS	:	Not determined	
Japan ENCS	:	Not determined	
Korea KECI	:	Not determined	
Philippines PICCS	:	Not determined	
		16. OTHER INFORMATION	+
		16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.