## MATERIAL SAFETY DATA SHEET *LC 411-010*

Version Number 1.0 Revision Date 04/24/2012 Page 1 of 5 Print Date 8/26/2012

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone<br>Emergency telephone | : | 1 (440) 930-1000 or 1 (866) POLYONE<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|----------------------------------|---|--|
| Product name                     | : | LC 411-010   |
| Product code                     | : | EM01046167   |
| Chemical Name                    | : | Mixture  |
| CAS-No.                          | : | Mixture  |
| Product Use                      | : | Industrial Applications  |

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

| Routes of Exposure:                           | : Inhalation, Ingestion, Skin contact  |
|---|--|
| Acute exposure                                |  |
| Inhalation<br>Ingestion<br>Eyes<br>Skin       | <ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul> |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.   |
| Medical Conditions<br>Aggravated by Exposure: | : None known.  |

PolyOne.

# MATERIAL SAFETY DATA SHEET *LC 411-010*

Version Number 1.0 Revision Date 04/24/2012 Page 2 of 5 Print Date 8/26/2012

| Inhalation                                     | :    | Move to fresh air in case of accidental inhalation of fumes from<br>overheating or combustion. When symptoms persist or in all cases of<br>doubt seek medical advice.               |
|--|------|---|
| Ingestion                                      | :    | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.  |
| Eyes   | :    | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin   | :    | Wash off with soap and plenty of water. If skin irritation persists seek medical attention.   |
|  |      | 5. FIRE-FIGHTING MEASURES   |
| Flash point                                    | :    | not applicable  |
| <b>F</b> 1                                     |      |   |
| Flammable Limits                               |      | not applicable  |
| Upper explosion limit<br>Lower explosion limit | :    | not applicable<br>not applicable  |
| Autoignition temperature                       | :    | not applicable  |
| Suitable extinguishing media                   | :    | Carbon dioxide blanket, Water spray, Dry powder, Foam.  |
| Special Fire Fighting<br>Procedures            | :    | Fullface self-contained breathing apparatus (SCBA) used in positive<br>pressure mode should be worn to prevent inhalation of airborne<br>contaminants.                              |
| Unusual Fire/Explosion<br>Hazards              | :    | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.  |
|  | 6. A | CCIDENTAL RELEASE MEASURES  |
| Personal precautions                           | :    | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.  |
| Environmental precautions                      | :    | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.  |
| Methods for cleaning up                        | :    | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
|  |      | 7. HANDLING AND STORAGE   |
| Handling                                       | :    | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.   |
| Storage  | :    | Keep containers dry and tightly closed to avoid moisture absorption   |

2/5

PolyOne.

# MATERIAL SAFETY DATA SHEET *LC 411-010*

### Version Number 1.0 Revision Date 04/24/2012

Page 3 of 5 Print Date 8/26/2012

| 8. EX  | POSUI  | RE CONTROLS/PE   | RSONAL PROTECTION  | N   |
|--|--|--|--|---|
| Respiratory protection   | :  | No personal respirat   | ory protective equipment n   | ormally required.   |
| Eye/Face Protection  | :  | : Safety glasses with side-shields   |  |   |
| Hand protection  | :  | Protective gloves  |  |   |
| Skin and body protection   | :  | Long sleeved clothing  |  |   |
| Additional Protective<br>Measures  | :  | Safety shoes   |  |   |
| General Hygiene<br>Considerations  | :  |  | e with good industrial hyg<br>ls before breaks and at the                    |   |
| Engineering measures   | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. |  |  |   |
| Exposure limit(s)  |  |  |  |   |
| Form   | : so   |  | Evaporation rate   | : Not applicable  |
| Appearance   |  |  |  | : Not determined  |
|  | : NOT APPLICABLE Bulk density : Not established  |  |  | . I tot determined  |
| Colour   |  |  |  |   |
| Colour<br>Odour  | : N<br>: ve  | OT APPLICABLE<br>ry faint  | Bulk density<br>Vapour pressure  | <ul><li>Not established</li><li>not applicable</li></ul>  |
| Colour<br>Odour<br>Melting point/range   | : N<br>: ve<br>: N   | OT APPLICABLE<br>bry faint<br>ot determined  | Bulk density<br>Vapour pressure<br>Vapour density                            | <ul><li>Not established</li><li>not applicable</li><li>not applicable</li></ul>                             |
| Colour<br>Odour<br>Melting point/range<br>Boiling Point:   | : N<br>: ve<br>: N<br>: no   | OT APPLICABLE<br>ary faint<br>ot determined<br>ot applicable   | Bulk density<br>Vapour pressure  | <ul><li>Not established</li><li>not applicable</li></ul>  |
| Colour<br>Odour<br>Melting point/range   | : N<br>: ve<br>: N<br>: no   | OT APPLICABLE<br>bry faint<br>ot determined  | Bulk density<br>Vapour pressure<br>Vapour density                            | <ul><li>Not established</li><li>not applicable</li><li>not applicable</li></ul>                             |
| Colour<br>Odour<br>Melting point/range<br>Boiling Point:   | : No<br>: ve<br>: No<br>: no<br>: in   | OT APPLICABLE<br>ary faint<br>ot determined<br>ot applicable   | Bulk density<br>Vapour pressure<br>Vapour density<br>pH                      | <ul><li>Not established</li><li>not applicable</li><li>not applicable</li></ul>                             |
| Colour<br>Odour<br>Melting point/range<br>Boiling Point:   | : No<br>: ve<br>: No<br>: no<br>: in   | OT APPLICABLE<br>ery faint<br>ot determined<br>ot applicable<br>soluble  | Bulk density<br>Vapour pressure<br>Vapour density<br>pH                      | <ul><li>Not established</li><li>not applicable</li><li>not applicable</li></ul>                             |
| Colour<br>Odour<br>Melting point/range<br>Boiling Point:<br>Water solubility   | : No<br>: ve<br>: No<br>: no<br>: in   | OT APPLICABLE<br>ory faint<br>ot determined<br>ot applicable<br>soluble<br><b>D. STABILITY AND</b>   | Bulk density<br>Vapour pressure<br>Vapour density<br>pH                      | <ul><li>Not established</li><li>not applicable</li><li>not applicable</li></ul>                             |
| Colour<br>Odour<br>Melting point/range<br>Boiling Point:<br>Water solubility<br>Stability  | : No<br>: ve<br>: No<br>: no<br>: in   | OT APPLICABLE<br>ary faint<br>of determined<br>of applicable<br>soluble<br><b>D. STABILITY AND</b><br>Stable<br>Will not occur.  | Bulk density<br>Vapour pressure<br>Vapour density<br>pH                      | <ul> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul> |
| Colour<br>Odour<br>Melting point/range<br>Boiling Point:<br>Water solubility<br>Stability<br>Hazardous Polymerization                        | : No<br>: ve<br>: No<br>: no<br>: in<br>1(<br>:<br>:   | OT APPLICABLE<br>ry faint<br>ot determined<br>soluble<br><b>D. STABILITY AND</b><br>Stable<br>Will not occur.<br>To avoid thermal de   | Bulk density<br>Vapour pressure<br>Vapour density<br>pH<br>REACTIVITY        | <ul> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul> |
| Colour<br>Odour<br>Melting point/range<br>Boiling Point:<br>Water solubility<br>Stability<br>Hazardous Polymerization<br>Conditions to avoid | : No<br>: ve<br>: No<br>: no<br>: in<br>1(<br>:<br>:   | OT APPLICABLE<br>ry faint<br>ot determined<br>soluble<br><b>D. STABILITY AND</b><br>Stable<br>Will not occur.<br>To avoid thermal de<br>Strong acids, oxidiz<br>Carbon dioxide (CO | Bulk density<br>Vapour pressure<br>Vapour density<br>pH<br><b>REACTIVITY</b> | <ul> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul> |

PolyOne.

## MATERIAL SAFETY DATA SHEET *LC 411-010*

Version Number 1.0 Revision Date 04/24/2012 Page 4 of 5 Print Date 8/26/2012

There are no known hazardous components above regulatory thresholds in this product.

|                               | 12. ECOLOGICAL INFORMATION  |  |
|-------------------------------|---|--|
| Persistence and degradability | : Not readily biodegradable.  |  |
| Environmental Toxicity        | : Chemicals are not readily available as they are bound within the polymer matrix.  |  |
| Bioaccumulation Potential     | Chemicals are not readily available as they are bound within the polymer matrix.  |  |
| Additional advice             | : not applicable  |  |
|                               | 13. DISPOSAL CONSIDERATIONS   |  |
| Product                       | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |  |
| Contaminated packaging        | : Recycling is preferred when possible. The generator of waste<br>material has the responsibility for proper waste classification,<br>transportation and disposal in accordance with applicable federal,<br>state/provincial and local regulations.   |  |
|                               | 14. TRANSPORT INFORMATION   |  |
| U.S. DOT Classification       | : Not regulated for transportation.   |  |
| ICAO/IATA                     | : Refer to specific regulation.   |  |
| IMO/IMDG (maritime)           | : Refer to specific regulation.   |  |
|                               | 15. REGULATORY INFORMATION  |  |
| US Regulations:               |   |  |
| OSHA Status                   | : There are no known hazardous components above regulatory thresholds in this product.  |  |
| TSCA Status                   | : All components of this product are listed on or exempt from the TSCA Inventory.   |  |
| US. EPA CERCLA Hazardous      | Substances (40 CFR 302)   |  |
| not applicable                |   |  |
|                               |   |  |

## MATERIAL SAFETY DATA SHEET *LC 411-010*

Version Number 1.0 Revision Date 04/24/2012 Page 5 of 5 Print Date 8/26/2012

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

| WHMIS Classification | : | Not controlled.  |
|----------------------|---|--|
| DSL                  | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |

National Inventories:

| Australia AICS    | : | Not determined |
|-------------------|---|----------------|
| China IECS        | : | Not determined |
| Europe EINECS     | : | Listed         |
| Japan ENCS        | : | Not determined |
| Korea KECI        | : | Not determined |
| Philippines PICCS | : | Not determined |
|                   |   |                |

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.