## MATERIAL SAFETY DATA SHEET CPE 0883-01

Version Number 1.7 Revision Date 07/01/2009

Page 1 of 9 Print Date 1/8/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone :	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CPE 0883-01
Product code	:	EM09990979
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Calcium carbonate	471-34-1	1 - 5
Talc	14807-96-6	1 - 5
Chlorinated Paraffins	63449-39-8	1 - 5
Dibasic lead phthalate, C8H4O6Pb3	17976-43-1	1 - 5
Antimony trioxide	1309-64-4	5 - 10
Decabromodiphenyl oxide	1163-19-5	5 - 10
Carbon black	1333-86-4	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact

#### Acute exposure

Inhalation	: Particulates, like other inert materials can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

**POLYONE CORPORATION** 

PolyOne.

# MATERIAL SAFETY DATA SHEET **CPE 0883-01**

Version Number 1.7 Revision Date 07/01/2009 Page 2 of 9 Print Date 1/8/2012

Medical Conditions       : None known.         Aggravated by Exposure:				
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>			
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			



# MATERIAL SAFETY DATA SHEET **CPE 0883-01**

Version Number 1.7 Revision Date 07/01/2009		Page 3 of 9 Print Date 1/8/2012
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPOS	SUI	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET CPE 0883-01

Version Number 1.7 Revision Date 07/01/2009 Page 4 of 9 Print Date 1/8/2012

Value	Exposure time	Exposure type	List:
0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
_	Recommended exposure limit (REL):	as Sb	NIOSH
0.5 mg/m3	PEL:	as Sb	OSHA Z1
0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A
3.5 mg/m3	Time Weighted Average (TWA):		ACGIH
3.5 mg/m3	Recommended exposure limit (REL):		NIOSH
0.1 mg/m3	Recommended exposure limit (REL):		NIOSH
3.5 mg/m3	PEL:		OSHA Z1
3.5 mg/m3	Time Weighted Average (TWA):		OSHA Z1A
3.5 mg/m3	Time Weighted Average (TWA):		MX OEL
7 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
2 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
2 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
2 mg/m3	Time Weighted Average (TWA):	Respirable dust.	OSHA Z1A
0.1 mg/m3	Time Weighted Average (TWA):	Respirable.	Z3
0.3 mg/m3	Time Weighted Average (TWA):	Total dust.	Z3
0.05	Time Weighted Average		OSHA
0.03	OSHA Action level:		OSHA
	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 3.5 mg/m3 3.5 mg/m3 3.5 mg/m3 3.5 mg/m3 3.5 mg/m3 3.5 mg/m3 2 mg/m3 2 mg/m3 0.1 mg/m3 0.1 mg/m3 0.1 mg/m3 0.3 mg/m3	0.5 mg/m3Time Weighted Average (TWA):0.5 mg/m3Time Weighted Average (TWA):0.5 mg/m3Recommended exposure limit (REL):0.5 mg/m3PEL:0.5 mg/m3Time Weighted Average (TWA):3.5 mg/m3Time Weighted Average (TWA):3.5 mg/m3Recommended exposure limit (REL):0.1 mg/m3Recommended exposure limit (REL):3.5 mg/m3Recommended exposure limit (REL):3.5 mg/m3PEL:3.5 mg/m3Time Weighted Average (TWA):3.5 mg/m3Time Weighted Average (TWA):3.5 mg/m3Time Weighted Average (TWA):3.5 mg/m3Time Weighted Average (TWA):3.5 mg/m3Time Weighted Average (TWA):2 mg/m3Time Weighted Average (TWA):2 mg/m3Time Weighted Average (TWA):0.1 mg/m3Time Weighted Average (TWA):0.1 mg/m3Time Weighted Average (TWA):0.3 mg/m3Time Weighted Average (TWA):0.05Time Weighted Average (TWA):0.05Time Weighted Average (TWA):0.03OSHA Action level:	0.5 mg/m3Time Weighted Average (TWA):as Sb0.5 mg/m3Time Weighted Average (TWA):as Sb0.5 mg/m3Recommended exposure limit (REL):as Sb0.5 mg/m3PEL:as Sb0.5 mg/m3Time Weighted Average (TWA):as Sb0.5 mg/m3Time Weighted Average (TWA):as Sb3.5 mg/m3Time Weighted Average (TWA):as Sb3.5 mg/m3Time Weighted Average (TWA):as Sb3.5 mg/m3Recommended exposure limit (REL):as Sb0.1 mg/m3Recommended exposure limit (REL):as Sb3.5 mg/m3Time Weighted Average (TWA):as Sb3.5 mg/m3Time Weighted Average (TWA):as Sb3.5 mg/m3Time Weighted Average (TWA):as Sb2 mg/m3Time Weighted Average (TWA):Respirable fraction.2 mg/m3Time Weighted Average (TWA):Respirable dust.2 mg/m3Time Weighted Average (TWA):Respirable dust.0.1 mg/m3Time Weighted Average (TWA):Respirable dust.0.1 mg/m3Time Weighted Average (TWA):Total dust.0.3 mg/m3Time Weighted Average (TWA):Total dust.0.05Time Weighted Average (TWA):Total dust.0.05Time Weighted Average (TWA):Total dust.0.03OSHA Action level:Total dust.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility
- solid
  pellets, Slabs
  BLACK
  very faint
  Not determined
  not applicable
  insoluble

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
not applicable
not applicable
not applicable

#### **10. STABILITY AND REACTIVITY**

PolvOne

## MATERIAL SAFETY DATA SHEET CPE 0883-01

Version Number 1.7 Revision Date 07/01/2009 Page 5 of 9 Print Date 1/8/2012

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
471-34-1	Calcium carbonate	Irritant	Eyes, Skin.
14807-96-6	Talc	Systemic effects	Eyes, Respiratory system, Skin.
17976-43-1	Dibasic lead phthalate, C8H4O6Pb3	Systemic effects	central nervous system (CNS).
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.
1163-19-5	Decabromodiphenyl oxide	Systemic effects	Liver, Kidney.
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
471-34-1	Calcium carbonate	Oral	6,450	ratrat
		LD50Oral	mg/kg6,450	
		LD50	mg/kg	
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat
1163-19-5	Decabromodiphenyl oxide	Oral LD50	> 5 gm/kg	rat
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
14807-96-6	Talc	no	2B	no

## MATERIAL SAFETY DATA SHEET CPE 0883-01

Version Number 1.7 Revision Date 07/01/2009 Page 6 of 9 Print Date 1/8/2012

17976-43-1	Dibasic lead phthalate, C8H4O6Pb3	yes	no	no
1309-64-4	Antimony trioxide	no	2B	no
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Dibasic lead phthalate, C8H4O6Pb3 17976-43-1 Systemic effects include neurotoxic, teratogenic, fetotoxic and reproductive with abdominal pain, anemia, pallor, decreased hand grip strength with characteristic "wrist drop".

#### Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

#### Additional Health Hazard Information:

Decabromodiphenyl oxide 1163-19-5 A halogenated aromatic with some potential for hazardous exposure via inhalation or ingestion. Acute toxicity is low - oral LD50 in rats >50 mg/L. Studies on rats at high feeding levels indicate some potential for liver and kidney effects from chronic overexposure as well as thyroid toxicity.

#### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION	
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.



# MATERIAL SAFETY DATA SHEET **CPE 0883-01**

sion Number 1.7 ision Date 07/01/2009	Pag Print Date	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	: not applicable	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastic plastics the product can be recycled. We possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper wast classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal state/provincial and local regulations.	,
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Not regulated for transportation.	
ICAO/IATA	: Refer to specific regulation.	
IMO / IMDG (maritime)	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	ubstances (40 CFR 302)	
not applicable		
California Proposition 65	: WARNING! This product contains a chemical known to the Stat California to cause cancer., WARNING! This product contains a chemical known to the State of California to cause birth defects of other reproductive harm.	a
SARA Title III Section 302 Ext	emely Hazardous Substance	
SARA THE III SCHOIL 502 EA		

## MATERIAL SAFETY DATA SHEET CPE 0883-01

Version Number 1.7					
Revision Date	07/01/2009				

Page 8 of 9 Print Date 1/8/2012

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight percent
ANTIMONY COMPOUNDS	1309-64-4	5.00 - 10.00
DECABROMODIPHENYL OXIDE	1163-19-5	5.00 - 10.00
ZINC COMPOUNDS	1332-07-6	1.00 - 5.00
LEAD COMPOUNDSLEAD COMPOUNDS, ORGANIC	17976-43-1	1.00 - 5.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI) NPRI ID# Chemical Name CAS-No. Weight percent Antimony trioxide 1309-64-4 5.00 - 10.00 1163-19-5 5.00 - 10.00 Decabromodiphenyl oxide Zinc borate 1332-07-6 1.00 - 5.00 Dibasic lead phthalate, C8H4O6Pb3 17976-43-1 1.00 - 5.00

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1309-64-4	
1333-86-4	

DSL

All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined

:

PolyOne

## POLYONE CORPORATION

## MATERIAL SAFETY DATA SHEET CPE 0883-01

Version Number 1.7 Revision Date 07/01/2009 Page 9 of 9 Print Date 1/8/2012

Philippines PICCS

: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.