

MATERIAL SAFETY DATA SHEET

0521-48B

Version Number 1.0 Revision Date 12/22/2001 Page 1 of 5 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	0521-48B
Product code	:	EM09990987
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Talc	14807-96-6	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.



MATERIAL SAFETY DATA SHEET

0521-48B

sion Date 12/22/2001	Page 2 Print Date 11/2/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	 Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

0521-48B

sion Date 12/22/2001			Print I	Page 3 /Date 11/2	
	a	nd contamination. Keep in a	dry, cool place.		
8. I	XPOSURE	CONTROLS / PERSONAL	L PROTECTION		
Respiratory protection	: N	lo personal respiratory protec	tive equipment normally r	required.	
Eye/Face Protection	: S	afety glasses with side-shield	ls.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		landle in accordance with goo Vash hands before breaks and		afety practic	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Talc	2 mg/m3	Time Weighted Average (TWA):	Respirable dust.	ACGIH	
	20 mppcf	Time Weighted Average	Total dust.	OSHA	
		(TWA):			
	9. PHYSIC	(TWA):	OPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : Pelle : NO l : Very : No c	CAL AND CHEMICAL PR I Evap ets, slabs Spec PIGMENT Bulk faint Vapo determined Vapo applicable pH	oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not	applicable. determined established applicable applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : NO I : Very : Not : : Not : : Insol	CAL AND CHEMICAL PR I Evap ets, slabs Spec PIGMENT Bulk faint Vapo determined Vapo applicable pH	oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : NO I : Very : Not : Not : Insol 10. §	CAL AND CHEMICAL PR I Evap ets, slabs Spec PIGMENT Bulk faint Vapo determined Vapo applicable pH luble	oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : NO I : Very : Not o : Not : : Insol 10. S : S	CAL AND CHEMICAL PR EVap Dits, slabs Spec PIGMENT Bulk of faint Vapo determined Vapo applicable pH luble	oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solic : Pelle : NO l : Very : Not e : Insol 10. § : S n : V : K	CAL AND CHEMICAL PR I Evap ets, slabs Spec PIGMENT Bulk r faint Vapo determined Vapo applicable pH uble STABILITY AND REACTI table. Eable.	oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not : Not	determined established applicable applicable applicable	



MATERIAL SAFETY DATA SHEET

0521-48B

(NOx), other has FOXICOLOGIC I as a whole for he	zardous materials, and CAL INFORMATIO	Page 4 of Print Date <u>11/2/20</u> kide (CO), oxides of nitrogen d smoke are all possible. <u>N</u> re effects listed are based on existi
(NOx), other has FOXICOLOGIC I as a whole for he	zardous materials, and CAL INFORMATIO ealth effects. Exposu	d smoke are all possible.
l as a whole for he	ealth effects. Exposu	
		re effects listed are based on existi
components which	ch in their pure form l	have the following characteristics:
ical Name	Effect	Target Organ
	Systemic effects	Eyes, Respiratory system, Skin.
2. ECOLOGICA	L INFORMATION	
Not readily biod	legradable.	
Chemicals are no of the polymer.	ot readily available as	they are bound within the matrix
Chemicals are no of the polymer.	ot readily available as	they are bound within the matrix
Not applicable		
3. DISPOSAL CO	ONSIDERATIONS	
recycling is pref waste material h transportation ar	ferred to disposal or in has the responsibility the nd disposal in accordation	ncineration. The generator of for proper waste classification, ance with applicable federal,
has the responsil and disposal in a	bility for proper wast accordance with appli	e classification, transportation
4. TRANSPORT	FINFORMATION	
Not regulated fo	or transportation.	
Not regulated fo	or transportation.	
Not regulated fo	or transportation.	
	ECOLOGICA Not readily bioc Chemicals are n of the polymer. Chemicals are n of the polymer. Not applicable DISPOSAL C Like most therm recycling is pref waste material h transportation ar state/provincial Recycling is pref has the responsi and local regula d. TRANSPORT Not regulated for	Systemic effects ECOLOGICAL INFORMATION Not readily biodegradable. Chemicals are not readily available as of the polymer. Chemicals are not readily available as of the polymer.



MATERIAL SAFETY DATA SHEET

0521-48B

Version Number 1.0 Revision Date 12/22/2001 Page 5 of 5 Print Date 11/2/2011

	15	REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
WHMIS Ingredient Disc	closu	re List
CAS-No. 14807-96-6		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.