

MATERIAL SAFETY DATA SHEET

PC-20GF/13T-2S BLK (LF)

Version Number 1.2 Revision Date 02/17/2003 Page 1 of 5 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (440)-930-1395 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | PC-20GF/13T-2S BLK (LF) |
| Product code | : | EM0A905296 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | |
|---|---|--|
| Acute exposure | | |
| Inhalation Ingestion Eyes Skin | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling. | |
| Chronic exposure Medical Conditions | Refer to Section 11 for Toxicological Information. None known. | |
| Aggravated by Exposure: | 4. FIRST AID MEASURES | |



MATERIAL SAFETY DATA SHEET

PC-20GF/13T-2S BLK (LF)

| ision Date 02/17/2003 | Page 2 Print Date 11/10/2 |
|--|---|
| | |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | Not applicable Not applicable Not relevant water, dry powder, foam, carbon dioxide (CO2). |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : None |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. |



MATERIAL SAFETY DATA SHEET

PC-20GF/13T-2S BLK (LF)

Version Number 1.2 Revision Date 02/17/2003 Page 3 of 5 Print Date 11/10/2011

| 0, LAI | POSURE CONTROLS / I | PERSONAL PROTECTION | | | |
|--|--|---|-----|--|--|
| Respiratory protection | : No personal respir | atory protective equipment normally required. | | | |
| Eye/Face Protection | : Safety glasses with side-shields. | | | | |
| Hand protection | : Protective gloves. | | | | |
| Skin and body protection | : Long sleeved clothing. | | | | |
| Additional Protective Measures | : Safety shoes. | | | | |
| General Hygiene Considerations | | nce with good industrial hygiene and safety pract breaks and at the end of workday. | ice | | |
| Engineering measures | | with appropriate exhaust ventilation. Provide at ventilation at machinery. | | | |
| Exposure limit(s) | | | | | |
| | | | | | |
| I here are no known hazardou | us components above regu | atory thresholds in this product. | | | |
| 9 | . PHYSICAL AND CHE | MICAL PROPERTIES | | | |
| | | | | | |
| Form | : Solid | Evaporation rate : Not applicable | | | |
| Appearance | : Pellets, slabs | Specific Gravity : Not determine | | | |
| | | Bulk density : Not establishe | d | | |
| Color | : BLACK | • | | | |
| Odor | : Very faint | Vapor pressure : Not applicable | | | |
| Odor Melting point/range | : Very faint : Not determined | Vapor pressure: Not applicableVapor density: Not applicable | • | | |
| Odor Melting point/range Boiling Point: | : Very faint: Not determined: Not applicable | Vapor pressure : Not applicable | • | | |
| Odor Melting point/range | : Very faint : Not determined | Vapor pressure: Not applicableVapor density: Not applicable | • | | |
| Odor Melting point/range Boiling Point: | : Very faint: Not determined: Not applicable | Vapor pressure: Not applicableVapor density: Not applicablepH: Not applicable | • | | |
| Odor Melting point/range Boiling Point: | Very faintNot determinedNot applicableInsoluble | Vapor pressure: Not applicableVapor density: Not applicablepH: Not applicable | • | | |
| Odor Melting point/range Boiling Point: Water solubility | Very faint Not determined Not applicable Insoluble 10. STABILITY AN | Vapor pressure: Not applicableVapor density: Not applicablepH: Not applicable | • | | |
| Odor Melting point/range Boiling Point: Water solubility Stability | : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY AN : Stable. : Will not occur. | Vapor pressure: Not applicableVapor density: Not applicablepH: Not applicable | • | | |
| Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization | Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. To avoid thermal of | Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY | • | | |
| Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid | Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. To avoid thermal of Strong acids, oxid Carbon dioxide (Comparison) | Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY lecomposition, do not overheat. | | | |
| Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid Incompatible Materials Hazardous decomposition | Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. To avoid thermal of Strong acids, oxid Carbon dioxide (Comparison) | Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY lecomposition, do not overheat. izing and reducing agents. O2), carbon monoxide (CO), oxides of nitrogen rdous materials, and smoke are all possible. | | | |



MATERIAL SAFETY DATA SHEET

PC-20GF/13T-2S BLK (LF)

Version Number 1.2 Revision Date 02/17/2003 Page 4 of 5 Print Date 11/10/2011

| Persistence and degradability | : Not readily biodegradable. |
|-------------------------------|--|
| reisistence and degradability | |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Additional advice | : Not applicable |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. DOT Classification | : Not regulated for transportation. |
| ICAO/IATA | : Not regulated for transportation. |
| IMO / IMDG | : Not regulated for transportation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : There are no known hazardous components above regulatory |
| OSHA Status | thresholds in this product. |
| TSCA Status | : All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Substances (40 CFR 302) |
| Not applicable | |



MATERIAL SAFETY DATA SHEET

PC-20GF/13T-2S BLK (LF)

Version Number 1.2 Revision Date 02/17/2003 Page 5 of 5 Print Date 11/10/2011

| | | | 16. OTHER INFORMATION | - | | |
|---|--|----|--|---|--|--|
| | Philippines PICCS | : | Listed. | | | |
| | Korea KECI | : | Not determined. | | | |
| | Japan ENCS | : | Not determined. | | | |
| | Europe EINECS | : | Not determined. | | | |
| | China IECS | : | Listed. | | | |
| | Australia AICS | : | Listed. | | | |
| | National Inventories: | | | | | |
| | DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. | | | |
| | WHMIS Classification | : | Not controlled. | | | |
| | Canadian Regulations: | | | | | |
| | | 11 | | | | |
| | Not applicable | | | | | |
| SARA Title III Section 313 Toxic Chemicals: | | | | | | |
| | Not applicable | | | | | |
| | SARA Title III Section 302 Extremely Hazardous Substance | | | | | |
| | 65 | | California to cause cancer. | | | |
| | California Proposition | : | | | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.