

MATERIAL SAFETY DATA SHEET

623 HS BLACK 13

Version Number 1.1 Revision Date 09/24/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440) 930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	623 HS BLACK 13
Product code	:	EM0B904069
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET 623 HS BLACK 13

Version Number 1.1 Revision Date 09/24/2003

Page 2 of 6 Print Date 11/12/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Elementela Lincita		
Flammable Limits Upper explosion limit		Not applicable
Lower explosion limit	:	
Autoignition temperature	:	Not relevant
Suitable extinguishing media	:	water, dry powder, foam, carbon dioxide (CO2)none.
Suitable extinguishing media	•	water, dry powder, roam, carbon droxide (CO2)hone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET 623 HS BLACK 13

Version Number 1.1 Revision Date 09/24/2003 Page 3 of 6 Print Date 11/12/2011

8. E	XPOSURE	CONTROLS /	PERSONAL	PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.			required.		
Eye/Face Protection	: 5	Safety glasses wi	th side-shields.			
Hand protection	: H	Protective gloves	. Refer to equi	pment supplier to ensur	e protection.	
Skin and body protection	: I	Long sleeved clo	thing.			
Additional Protective Measures	: \$	Safety shoes.				
General Hygiene Considerations				industrial hygiene and at the end of workday.	safety practice.	
Engineering measures		Heat only in areas		iate exhaust ventilation at machinery.	. Provide	
Exposure limit(s)						
Components	Value	Exposu	re time	Exposure type	List:	
Carbon black	3.5 mg/m3		ted Average	Total dust. as carbon black		
	3.5 mg/m3		,	Total dust. as carbon black	OSHA Z1	
	9. PHYSI	CAL AND CHE	EMICAL PRO	PERTIES		
Form	: Soli	d	Evano	ration rate : No	ot applicable.	
Appearance		ets, slabs			ot determined	
Color		ACK	Bulk d		ot established	
Odor		y faint		Vapor pressure : Not applicable		
Melting point/range		determined	Vapou	•	ot applicable	
Boiling Point:		applicable	pH	: No	ot applicable	
Water solubility	: Inso	luble				
	10.	STABILITY AN	ND REACTIV	ITY		
Stability	: 5	Stable.				
Hazardous Polymerization	n : V	Will not occur.				
Conditions to avoid	: 1	Γo avoid thermal	decomposition	n, do not overheat.		
conditions to avoid						



MATERIAL SAFETY DATA SHEET

623 HS BLACK 13

Version Number 1.1 Revision Date 09/24/2003

Page 4 of 6 Print Date 11/12/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.	

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

4/6



MATERIAL SAFETY DATA SHEET 623 HS BLACK 13

Version Number 1.1 Revision Date 09/24/2003 Page 5 of 6 Print Date 11/12/2011

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matr of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matr of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition	: WARNING! This product contains a chemical known to the State of

PolyOne.

MATERIAL SAFETY DATA SHEET 623 HS BLACK 13

Version Number 1.1 Revision Date 09/24/2003

Page 6 of 6 Print Date 11/12/2011

65		California to cause cancer.		
SARA Title III Section 302 Extremely Hazardous Substance				
Not applicable				
SARA Title III Section 313 To	oxic (Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Rele	ase Iı	nventory (NPRI)		
Not applicable				
WHMIS Classification	ı :	D2A		
WHMIS Ingredient Disclosure List				
CAS-No. 1333-86-4				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Not determined		
Japan ENCS	:	Not determined		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.