

MATERIAL SAFETY DATA SHEET

1204 NATURAL

Version Number 1.0 Revision Date 12/22/2001 Page 1 of 5 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	1204 NATURAL
Product code	:	EM0B904185
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous ingredients in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to even
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

1204 NATURAL

ion Number 1.0 sion Date 12/22/2001	Page 2 Print Date 11/2/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

1204 NATURAL

		Print Date 11	ge : 1/2/		
	and contamination	. Keep in a dry, cool place.			
8. EXPOSURE CONTROLS / PERSONAL PROTECTION					
Respiratory protection	: No personal respir	atory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved cloth	ing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		nce with good industrial hygiene and safety prace breaks and at the end of workday.	ctic		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
9.	PHYSICAL AND CHEN	MICAL PROPERTIES			
Form	: Solid	Evaporation rate : Not applicab			
Form Appearance	: Solid : Pellets, slabs	Evaporation rate : Not applicab Specific Gravity : Not determin	led		
Form Appearance Color	SolidPellets, slabsNO PIGMENT	Evaporation rate : Not applicab Specific Gravity : Not determin Bulk density : Not establish	ied ied		
Form Appearance Color Odor	 Solid Pellets, slabs NO PIGMENT Very faint 	Evaporation rate: Not applicabSpecific Gravity: Not determinBulk density: Not establishVapor pressure: Not applicab	ied ied le		
Form Appearance Color Odor Melting point/range	 Solid Pellets, slabs NO PIGMENT Very faint Not determined 	Evaporation rate: Not applicabSpecific Gravity: Not determinBulk density: Not establishVapor pressure: Not applicabVapor density: Not applicab	ied ied le le		
Form Appearance Color Odor	 Solid Pellets, slabs NO PIGMENT Very faint 	Evaporation rate: Not applicabSpecific Gravity: Not determinBulk density: Not establishVapor pressure: Not applicab	ied ied le le		
Form Appearance Color Odor Melting point/range Boiling Point:	 Solid Pellets, slabs NO PIGMENT Very faint Not determined Not applicable 	Evaporation rate:Not applicabSpecific Gravity:Not determinBulk density:Not establishVapor pressure:Not applicabVapor density:Not applicabpH:Not applicab	ied ied le le		
Form Appearance Color Odor Melting point/range Boiling Point:	 Solid Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 	Evaporation rate:Not applicabSpecific Gravity:Not determinBulk density:Not establishVapor pressure:Not applicabVapor density:Not applicabpH:Not applicab	ied ied le le		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 10. STABILITY ANDIAL PROPERTY ANDIAL PROPERTY ANDIAL PROPERTY ANDIAL PROPERTY AND ADDIAL PROPERTY ADDIAL PROPERTY AND ADDIAL PROPERTY AND ADDIAL PROPERTY AND ADDIAL PROPERTY ADDIAL P	Evaporation rate:Not applicabSpecific Gravity:Not determinBulk density:Not establishVapor pressure:Not applicabVapor density:Not applicabpH:Not applicab	ied ied le le		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 Solid Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. 	Evaporation rate : Not applicab Specific Gravity : Not determin Bulk density : Not establish Vapor pressure : Not applicab Vapor density : Not applicab pH : Not applicab D REACTIVITY xidizing agents and open flame. To avoid ther	ned hed le le le		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Solid Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. Keep away from or decomposition, do 	Evaporation rate : Not applicab Specific Gravity : Not determin Bulk density : Not establish Vapor pressure : Not applicab Vapor density : Not applicab pH : Not applicab D REACTIVITY xidizing agents and open flame. To avoid ther	ned hed le le le		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 Solid Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. Keep away from or decomposition, do Incompatible with Carbon dioxide (Composition) 	Evaporation rate : Not applicab Specific Gravity : Not determin Bulk density : Not establish Vapor pressure : Not applicab Vapor density : Not applicab pH : Not applicab D REACTIVITY xidizing agents and open flame. To avoid ther not overheat.	ned le le le		



MATERIAL SAFETY DATA SHEET

1204 NATURAL

Version Number 1.0 Revision Date 12/22/2001 Page 4 of 5 Print Date 11/2/2011

There are no known hazardous ingredients in this product.

Demister of and demodel liter	Natura dila hia da ana da hia
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possibl recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Product is non-hazardous
TSCA Status	: All components of this product are listed on the TSCA inventory or ar exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65

MATERIAL SAFETY DATA SHEET





Version Number 1.0 Revision Date 12/22/2001	Page 5 of 5 Print Date 11/2/2011	
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.