PolyOne

MATERIAL SAFETY DATA SHEET **GF 1200 A 33 NATURAL**

Version Number 1.4 Revision Date 03/11/2014

Page 1 of 6 Print Date 3/11/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	GF 1200 A 33 NATURAL	
Product code	:	EM0C904715	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	

PolyOne.

MATERIAL SAFETY DATA SHEET **GF 1200 A 33 NATURAL**

Version Number 1.4 Revision Date 03/11/2014 Page 2 of 6 Print Date 3/11/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

MATERIAL SAFETY DATA SHEET **GF 1200 A 33 NATURAL**

Version Number 1.4 Revision Date 03/11/2014 Page 3 of 6 Print Date 3/11/2014

Respiratory protection	POSURE CONTROLS/PE	ory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved clothin	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes	Safety shoes		
General Hygiene Considerations		e with good industrial hygiene and safety is before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Appearance Colour Odour Melting point/range Boiling Point:	 pellets, Slabs NO PIGMENT very faint Not determined not applicable 	Specific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable		
Water solubility	: insoluble	Pro inclusion		
	10. STABILITY AND	REACTIVITY		
Stability	: The product is stable if stored and handled as prescribed.			
Hazardous Polymerization	: Will not occur.			
Conditions to avoid	: To avoid thermal decomposition, do not overheat.			
Incompatible Materials	: Strong acids, oxidizing and reducing agents			
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			

PolyOne

MATERIAL SAFETY DATA SHEET GF 1200 A 33 NATURAL

Version Number 1.4 Revision Date 03/11/2014 Page 4 of 6 Print Date 3/11/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGIC	AL INFORMATIO	ON			
Persistence and degradability	: Not readily biodegradable.					
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential		Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: not applicable					
	13. DISPOSAL	CONSIDERATION	NS			
Product	possible recycl generator of w classification,	ling is preferred to c	lisposal or e responsi lisposal in	bility for proper waste accordance with		
Contaminated packaging	material has th transportation	referred when possi le responsibility for and disposal in acco l and local regulatio	proper wa			
	14. TRANSPOR	RT INFORMATIO	N			
U.S. DOT Classification	: Not regulated	for transportation.				
ICAO/IATA	: Refer to specif	ic regulation.				
IMO/IMDG (maritime)	: Refer to specif	ic regulation.				
	15. REGULATO	RY INFORMATI	ON			
US Regulations:						
OSHA Status	: Classified as h	azardous based on o	componen	ts.		
TSCA Status	: All componen TSCA Invento		e listed or	n or exempt from the		

PolvOne

MATERIAL SAFETY DATA SHEET GF 1200 A 33 NATURAL

Version Number 1.4 Revision Date 03/11/2014 Page 5 of 6 Print Date 3/11/2014

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

MATERIAL SAFETY DATA SHEET GF 1200 A 33 NATURAL

Version Number 1.4 Revision Date 03/11/2014 Page 6 of 6 Print Date 3/11/2014

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.