

MATERIAL SAFETY DATA SHEET

ST6250 NATURAL DNU

Version Number 1.0 Revision Date 05/28/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ST6250 NATURAL DNU
Product code	:	EM10000095
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling. 	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	



MATERIAL SAFETY DATA SHEET

ST6250 NATURAL DNU

ion Number 1.0 sion Date 05/28/2002	Page Print Date 11/4
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not relevant water, dry powder, foam, carbon dioxide (CO2). Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

ST6250 NATURAL DNU

Version Number 1.0 Revision Date 05/28/2002 Page 3 of 5 Print Date 11/4/2011

	OSUR	RE CONTROLS / I	PERSONAL PROTECTION	ON
Respiratory protection	:	No personal respir	atory protective equipment	normally required.
Eye/Face Protection	:	Safety glasses with	n side-shields.	
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved cloth	ing.	
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:		in accordance with good industrial hygiene and safety practice ands before breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			entilation. Provide
Exposure limit(s)				
<u>Exposure min(s)</u>				
There are no known hazardou	is com	ponents above regul	atory thresholds in this pro	duct.
9.	PHYS	SICAL AND CHE	MICAL PROPERTIES	
Form	: Sc	olid	Evaporation rate	: Not applicable.
Form Appearance	: So : Pe		Evaporation rate Specific Gravity	: Not applicable. : Not determined
Appearance	: Pe	ellets, slabs	Specific Gravity	: Not determined
Appearance Color	: Pe : N	ellets, slabs O PIGMENT	Specific Gravity Bulk density	Not determinedNot established
Appearance Color Odor	: Pe : No : Ve	ellets, slabs O PIGMENT ery faint	Specific Gravity Bulk density Vapor pressure	Not determinedNot establishedNot applicable
Appearance Color Odor Melting point/range	: Pe : No : Ve : No	ellets, slabs O PIGMENT ery faint ot determined	Specific Gravity Bulk density Vapor pressure Vapor density	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pe : No : Ve : No : No	ellets, slabs O PIGMENT ery faint ot determined ot applicable	Specific Gravity Bulk density Vapor pressure	Not determinedNot establishedNot applicable
Appearance Color Odor Melting point/range	: Pe : No : Ve : No : No	ellets, slabs O PIGMENT ery faint ot determined	Specific Gravity Bulk density Vapor pressure Vapor density	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pe : No : Ve : No : No : In	ellets, slabs O PIGMENT ery faint ot determined ot applicable	Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pe : No : Ve : No : No : In	ellets, slabs O PIGMENT ery faint ot determined ot applicable soluble	Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pe : No : Ve : No : No : In	ellets, slabs O PIGMENT ery faint ot determined ot applicable soluble D. STABILITY AN	Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pe : No : Ve : No : No : In	ellets, slabs O PIGMENT ery faint ot determined ot applicable soluble D. STABILITY AN Stable. Will not occur.	Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not determined Not established Not applicable Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Pe : No : Ve : No : No : In	ellets, slabs O PIGMENT ery faint ot determined ot applicable soluble D. STABILITY AN Stable. Will not occur. To avoid thermal o	Specific Gravity Bulk density Vapor pressure Vapor density pH D REACTIVITY	 Not determined Not established Not applicable Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: Pe : No : Ve : No : No : In	ellets, slabs O PIGMENT ery faint ot determined ot applicable soluble D. STABILITY AN Stable. Will not occur. To avoid thermal of Very strong acids, Carbon dioxide (C	Specific Gravity Bulk density Vapor pressure Vapor density pH DREACTIVITY	 Not determined Not established Not applicable Not applicable Not applicable

There are no known hazardous components above regulatory thresholds in this product.



MATERIAL SAFETY DATA SHEET

ST6250 NATURAL DNU

Version Number 1.0 Revision Date 05/28/2002 Page 4 of 5 Print Date 11/4/2011

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
-	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65
Canadian Regulations:	



MATERIAL SAFETY DATA SHEET

ST6250 NATURAL DNU

Version Number 1.0 Revision Date 05/28/2002 Page 5 of 5 Print Date 11/4/2011

WHMIS Classification	:	Not controlled.
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.