

MATERIAL SAFETY DATA SHEET

J0702 NATURAL 0000

Version Number 1.0 Revision Date 05/28/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	J0702 NATURAL 0000
Product code	:	EM10000099
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Quartz	14808-60-7	0.1 - 1
Calcium carbonate	1317-65-3	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

J0702 NATURAL 0000

Version Number 1.0 Revision Date 05/28/2002 Page 2 of 6 Print Date 11/4/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	Not applicable Not applicable Not relevant water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

J0702 NATURAL 0000

Version Number 1.0 Revision Date 05/28/2002 Page 3 of 6 Print Date 11/4/2011

EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
: N	o personal respiratory protect	ive equipment normally	required.		
: S	Safety glasses with side-shields.				
: P	rotective gloves.				
: L	ong sleeved clothing.				
: S	afety shoes.				
			safety practice		
			Provide		
Value	Exposure time	Exposure type	List:		
Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	List: ACGIH		
10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH		
10 mg/m3 5 mg/m3 15 mg/m3 0.05	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average	Total dust. Respirable dust.	ACGIH OSHA Z1		
10 mg/m3 5 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: PEL:	Total dust. Respirable dust. Total dust.	ACGIH OSHA Z1 OSHA Z1		
10 mg/m3 5 mg/m3 15 mg/m3 0.05 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA):	Total dust. Respirable dust. Total dust. Respirable dust.	ACGIH OSHA Z1 OSHA Z1 ACGIH		
10 mg/m3 5 mg/m3 15 mg/m3 0.05 mg/m3 0.1 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL:	Total dust. Respirable dust. Total dust. Respirable dust. Respirable dust. Respirable dust.	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA		
10 mg/m3 5 mg/m3 15 mg/m3 0.05 mg/m3 0.1 mg/m3 0.3 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL:	Total dust. Respirable dust. Total dust. Respirable dust. Respirable dust. Total dust. Total dust.	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA		
10 mg/m3 5 mg/m3 15 mg/m3 0.05 mg/m3 0.1 mg/m3 0.3 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO	Total dust. Respirable dust. Total dust. Respirable dust. Respirable dust. Total dust. OPERTIES	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA OSHA		
10 mg/m3 5 mg/m3 15 mg/m3 0.05 mg/m3 0.1 mg/m3 0.3 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO	Total dust. Respirable dust. Total dust. Respirable dust. Respirable dust. Total dust. OPERTIES oration rate : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA		
10 mg/m3 5 mg/m3 15 mg/m3 0.05 mg/m3 0.1 mg/m3 0.3 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO	Total dust. Respirable dust. Total dust. Respirable dust. Respirable dust. Total dust. OPERTIES pration rate : Not fic Gravity : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA OSHA t applicable.		
10 mg/m3 5 mg/m3 15 mg/m3 0.05 mg/m3 0.1 mg/m3 0.3 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO ts, slabs Specie PIGMENT Bulk	Total dust. Respirable dust. Total dust. Respirable dust. Respirable dust. Total dust. OPERTIES oration rate : Not fic Gravity : Not density : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA OSHA OSHA		
10 mg/m3 5 mg/m3 15 mg/m3 0.05 mg/m3 0.1 mg/m3 0.3 mg/m3 9. PHYSIC : Solid : Pelle : NO F : Very : Not c	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO L Evapo ts, slabs Speci: PIGMENT Bulk of faint Vapor	Total dust. Respirable dust. Total dust. Respirable dust. Respirable dust. Total dust. OPERTIES Deration rate : Not density r pressure : Not density r density : Not density	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA OSHA OSHA t applicable. t determined t established		
	: S. : P. : L : S. : H w : H aj	 Safety glasses with side-shields Protective gloves. Long sleeved clothing. Safety shoes. Handle in accordance with good Wash hands before breaks and Heat only in areas with appropriate the statement of the s	 Safety glasses with side-shields. Protective gloves. Long sleeved clothing. Safety shoes. Handle in accordance with good industrial hygiene and s Wash hands before breaks and at the end of workday. 		

10. STABILITY AND REACTIVITY

Stability

Water solubility

: Stable.

: Insoluble

Hazardous Polymerization

: Will not occur.



MATERIAL SAFETY DATA SHEET

J0702 NATURAL 0000

Version Number 1.0 Revision Date 05/28/2002		Page 4 of 6 Print Date <i>11/4</i> /2011
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Very strong acids, oxidizing and reducing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	11	TOXICOLOGICAL INFORMATION

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
14808-60-7	Quartz	no	1	1

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation, and possibly silicosis which is a scarring of the lungs.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the matrix of the polymer.



MATERIAL SAFETY DATA SHEET

J0702 NATURAL 0000

Additional advice	:	Not applicable
	13	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	:	Not regulated for transportation.
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	WARNING! This product contains a chemical known in the State of California to cause cancer.
Canadian Regulations:		
WHMIS Classification	:	D2A
WHMIS Ingredient Disc	losu	re List
CAS-No.		
123-28-4		
14808-60-7		
DSL	:	Listed.
National Inventories:		



MATERIAL SAFETY DATA SHEET

J0702 NATURAL 0000

Version Number 1.0 Revision Date 05/28/2002 Page 6 of 6 Print Date 11/4/2011

Australia AICS	: Not determined.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.