

MATERIAL SAFETY DATA SHEET

# EXP 15502402301NAT

Version Number 1.0 Revision Date 05/28/2002 Page 1 of 5 Print Date 11/4/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE		Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	EXP 15502402301NAT
Product code	:	EM10000119
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

# **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure Medical Conditions	<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>
Aggravated by Exposure:	4. FIRST AID MEASURES



# MATERIAL SAFETY DATA SHEET

# EXP 15502402301NAT

ion Number 1.0 sion Date 05/28/2002	Page 2 Print Date 11/4/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>water, dry powder, foam, carbon dioxide (CO2).</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
Hazards	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

# EXP 15502402301NAT

Version Number 1.0 Revision Date 05/28/2002 Page 3 of 5 Print Date 11/4/2011

	OSUR	E CONTROLS / PEH	RSONAL PROTECTI	ON
Respiratory protection	:	No personal respirator	ry protective equipment	normally required.
Eye/Face Protection	:	Safety glasses with sid	de-shields.	
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved clothing	y.	
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
<u>Exposure min(s)</u>				
There are no known hazardou	is com	onents above regulato	ry thresholds in this pro	oduct.
		C C	•	
0				
9.	PHYS	ICAL AND CHEMI	CAL PROPERTIES	
				X
Form	: So	lid	Evaporation rate	: Not applicable.
Form Appearance	: So : Pe	lid lets, slabs	Evaporation rate Specific Gravity	: Not determined
Form Appearance Color	: So : Pe : NO	lid lets, slabs ) PIGMENT	Evaporation rate Specific Gravity Bulk density	<ul><li>Not determined</li><li>Not established</li></ul>
Form Appearance Color Odor	: So : Pe : N( : Ve	lid lets, slabs ) PIGMENT ry faint	Evaporation rate Specific Gravity Bulk density Vapor pressure	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li></ul>
Form Appearance Color Odor Melting point/range	: So : Pe : NC : Ve : Nc	lid lets, slabs ) PIGMENT ry faint t determined	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
Form Appearance Color Odor Melting point/range Boiling Point:	: So : Pe : NC : Ve : NC : NC	lid lets, slabs ) PIGMENT ry faint t determined t applicable	Evaporation rate Specific Gravity Bulk density Vapor pressure	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li></ul>
Form Appearance Color Odor Melting point/range	: So : Pe : NC : Ve : NC : NC	lid lets, slabs ) PIGMENT ry faint t determined	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
Form Appearance Color Odor Melting point/range Boiling Point:	: So : Pe : NC : Ve : Nc : Nc : Ins	lid lets, slabs ) PIGMENT ry faint t determined t applicable	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: So : Pe : NC : Ve : Nc : Nc : Ins	lid lets, slabs ) PIGMENT ry faint t determined t applicable oluble . <b>STABILITY AND F</b>	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: So : Pe : NC : Ve : Nc : Nc : Ins	lid lets, slabs ) PIGMENT ry faint t determined t applicable oluble . <b>STABILITY AND F</b> Stable.	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: So : Pe : NC : Ve : Nc : Nc : Ins	lid lets, slabs ) PIGMENT ry faint t determined t applicable oluble . <b>STABILITY AND F</b> Stable. Will not occur.	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: So : Pe : NC : Ve : Nc : Nc : Ins	lid lets, slabs ) PIGMENT ry faint t determined t applicable oluble . <b>STABILITY AND F</b> Stable. Will not occur.	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: So : Pe : NC : Ve : Nc : Nc : Ins	lid lets, slabs ) PIGMENT ry faint t determined t applicable oluble . <b>STABILITY AND F</b> Stable. Will not occur. To avoid thermal deco	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: So : Pe : NC : Ve : Nc : Nc : Ins	lid lets, slabs ) PIGMENT ry faint t determined t applicable oluble STABILITY AND F Stable. Will not occur. To avoid thermal deco Very strong acids, ox Carbon dioxide (CO2	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH REACTIVITY	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>

There are no known hazardous components above regulatory thresholds in this product.



MATERIAL SAFETY DATA SHEET

# EXP 15502402301NAT

sion Number 1.0 ision Date 05/28/2002	Page Print Date 11/4/
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matr of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matr of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste mater has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on the TSCA inventory or a exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 6
Canadian Regulations:	



### MATERIAL SAFETY DATA SHEET

# EXP 15502402301NAT

Version Number 1.0 Revision Date 05/28/2002 Page 5 of 5 Print Date 11/4/2011

	WHMIS Classification	:	Not controlled.
	DSL	:	Listed.
Nation	nal Inventories:		
	Australia AICS	:	Not determined.
	China IECS	:	Not determined.
	Europe EINECS	:	Not determined.
	Japan ENCS	:	Not determined.
	Korea KECI	:	Not determined.
	Philippines PICCS	:	Not determined.

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.