

MATERIAL SAFETY DATA SHEET

IT39-044 NATURAL

Version Number 1.0 Revision Date 02/17/2002 Page 1 of 6 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	: Product Stewardship (440)-930-1395				
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).			
Product name	:	IT39-044 NATURAL			
Product code	:	EM10000279			
Chemical Name	:	Mixture			
CAS-No.	:	Mixture			
Product Use	:	Industrial Applications			

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Quartz	14808-60-7	0.1 - 1
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET

IT39-044 NATURAL

Version Number 1.0 Page 2 of 6 Revision Date 02/17/2002 Print Date 11/3/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist or in all cases of doubt seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Carbon dioxide blanket, Water spray, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption •



MATERIAL SAFETY DATA SHEET

IT39-044 NATURAL

Eye/Face Protection : Safety glasses with side-shields. Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective :: Safety shoes. General Hygiene : Handle in accordance with good industrial hygiene and safety practic Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) Exposure time Exposure type List: Components Value Exposure time Exposure type List: Calcium carbonate 10 mg/m3 Time Weighted Average Total dust. ACGIH Quartz 0.05 Time Weighted Average Respirable dust. ACGIH Quartz 0.05 Time Weighted Average Respirable dust. ACGIH 0.1 mg/m3 PEL: Total dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. ACGIH 0.1 mg/m3 PEL: Total dust. OSHA Z Odor Solid Evaporation rate Not applicabl	ion Number 1.0 sion Date 02/17/2002					Print	Page 3 Date 11/3/2
Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection : Safety glasses with side-shields. Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : General Hygiene General Hygiene : Handle in accordance with good industrial hygiene and safety practi Considerations : Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Components Value Exposure time Exposure type List: Calcium carbonate 10 mg/m3 Time Weighted Average Total dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z 0.1 mg/m3 PEL: Total dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z O.1 mg/m3 PEL: Total dust. OSHA		aı	nd contamination. Keep	o in a dry	, cool place.		
Eye/Face Protection : Safety glasses with side-shields. Hand protection : Protective gloves. Skin and body protection :: Long sleeved clothing. Additional Protective :: Safety shoes. General Hygiene :: Handle in accordance with good industrial hygiene and safety practiconsiderations Considerations : Wash hands before breaks and at the end of workday. Engineering measures :: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Exposure time Exposure type List: Components Value Exposure time Exposure type List: Calcium carbonate 10 mg/m3 Time Weighted Average Total dust. ACGIF Quartz 0.05 Time Weighted Average Respirable dust. ACGIF Quartz 0.05 Time Weighted Average Respirable dust. ACGIF 0.1 mg/m3 PEL: Total dust. OSHA 2 Outart 0.05 Time Weighted Average Respirable dust. ACGIF Quartz 0.05 Time Weighted Average Respirable dust. ACGIF Otar Solid <th>8. F</th> <th>XPOSURE</th> <th>CONTROLS / PERSC</th> <th>ONAL P</th> <th>ROTECTIO</th> <th>N</th> <th></th>	8. F	XPOSURE	CONTROLS / PERSC	ONAL P	ROTECTIO	N	
Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective :: Safety shoes. Measures : Safety shoes. General Hygiene :: Handle in accordance with good industrial hygiene and safety practive wash hands before breaks and at the end of workday. Engineering measures :: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) :: Not applicable daverage Total dust. ACGIF (TWA): Components Value :: Respirable dust. OSHA 2 Calcium carbonate 10 mg/m3 PEL: Total dust. OSHA 2 Quartz 0.05 Time Weighted Average Respirable dust. OSHA 2 Quartz 0.05 Time Weighted Average Respirable dust. OSHA 2 Quartz 0.05 Time Weighted Average Respirable dust. OSHA 2 Quartz 0.05 Time Weighted Average Respirable dust. OSHA 2 Quartz 0.05 Time Weighted Average Respirable dust. OSHA 2 Out NOT MPM3 PEL: Total dust. OSHA 2 <	Respiratory protection	: N	o personal respiratory p	orotective	e equipment 1	normally	required.
Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Safety shoes. General Hygiene : Handle in accordance with good industrial hygiene and safety practive wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : : Kaspirable dust. ACGIF (TWA): Components Value : Respirable dust. OSHA Z Calcium carbonate 10 mg/m3 Time Weighted Average Total dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z 0.1 mg/m3 PEL: Total dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z 0.3 mg/m3 PEL: Total dust. OSHA Z Ocor 0.1 mg/m3 PEL: Total dust. OSHA Z Odor : Solid	Eye/Face Protection	: S	afety glasses with side-s	shields.			
Additional Protective Measures : Safety shoes. Measures : Handle in accordance with good industrial hygiene and safety practiconsiderations General Hygiene Considerations : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Measures Components Value Exposure time Exposure type List: Calcium carbonate 10 mg/m3 Time Weighted Average Total dust. ACGIF Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z 0.1 mg/m3 PEL: Total dust. OSHA Z 0.3 mg/m3 PEL: Total dust. OSHA Z Odor : Solid Evaporation rate : Not applicable Appearance : Pellets, slabs Specific Gravity : Not applicable Appearance : Pellets, slabs Specific Gravity : Not applicable Melting point/range : Not determined Vapor densit	Hand protection	: P	rotective gloves.				
Measures	Skin and body protection	: L	ong sleeved clothing.				
Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Mean exhaust ventilation at machinery. Exposure limit(s) : Exposure time Exposure type List: Calcium carbonate 10 mg/m3 Time Weighted Average Total dust. ACGIF Calcium carbonate 10 mg/m3 PEL: Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z Old Stability : Not applicable		: S	afety shoes.				
appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Calcium carbonate 10 mg/m3 Time Weighted Average Total dust. ACGIF Calcium carbonate 10 mg/m3 PEL: Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average Respirable dust. OSHA Z Quartz 0.1 mg/m3 PEL: Total dust. OSHA 0.1 mg/m3 PEL: Total dust. OSHA 0.3 mg/m3 PEL: Total dust. OSHA Odor 1.9 PHYSICAL AND CHEMICAL PROPERTIES Not applicable Form : Solid Evaporation rate : Not applicable Appearance : Pellets, slabs Specific Gravity : Not established Odor : NOT pellicable Vapor density : Not applicable							afety practice.
Components Value Exposure time Exposure type List: Calcium carbonate 10 mg/m3 Time Weighted Average (TWA): Total dust. ACGIF (TWA): 5 mg/m3 PEL: Respirable dust. OSHA Z Quartz 0.05 Time Weighted Average mg/m3 Total dust. OSHA Z Quartz 0.05 Time Weighted Average mg/m3 Respirable dust. OSHA 0.1 mg/m3 PEL: Respirable dust. OSHA 0.3 mg/m3 PEL: Total dust. OSHA 0.3 mg/m3 PEL: Total dust. OSHA Appearance : Pellets, slabs Specific Gravity : Not applicable Appearance : Pellets, slabs Specific Gravity : Not applicable Odor : Very faint Vapor pressure : Not applicable Melting point/range : Not applicable pH : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble : Stable. : Stable.	Engineering measures					ntilation.	Provide
Calcium carbonate 10 mg/m3 Time Weighted Average (TWA): Total dust. ACGIF 5 mg/m3 PEL: Respirable dust. OSHA Z 15 mg/m3 PEL: Total dust. OSHA Z Quartz 0.05 Time Weighted Average mg/m3 Respirable dust. OSHA Z 0.1 mg/m3 PEL: Total dust. OSHA Z 0.1 mg/m3 PEL: Total dust. OSHA 0.1 mg/m3 PEL: Respirable dust. OSHA 0.3 mg/m3 PEL: Total dust. OSHA 0.3 mg/m3 PEL: Total dust. OSHA PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : Pellets, slabs Specific Gravity : Not determined Color : NO PIGMENT Bulk density : Not applicable Melting point/range : Not determined Vapor density : Not applicable Boiling Point: : Not applicable pH : Not applicable<	Exposure limit(s)						
Calcium carbonate 10 mg/m3 Time Weighted Average (TWA): Total dust. ACGII ACGII 5 mg/m3 PEL: Respirable dust. OSHA 2 15 mg/m3 PEL: Total dust. OSHA 2 Quartz 0.05 Time Weighted Average mg/m3 Respirable dust. OSHA 2 0.1 mg/m3 PEL: Total dust. OSHA 2 0.3 mg/m3 PEL: Respirable dust. OSHA 0.3 mg/m3 PEL: Total dust. OSHA 9. PHYSICAL AND CHEMICAL PROPERTIES Solid Evaporation rate : Not applicable Appearance : Pellets, slabs Specific Gravity : Not determined Color : NO PIGMENT Bulk density : Not applicable Melting point/range : Not determined Vapor density : Not applicable Boiling Point: : Not applicable pH : Not applicable Stability : Stable. Stable. Stable.	Components	Value	Exposure time		Exposure	type	List:
15 mg/m3PEL:Total dust.OSHA 2Quartz0.05Time Weighted Average mg/m3Respirable dust.ACGIF0.1 mg/m3PEL:Respirable dust.OSHA0.3 mg/m3PEL:Total dust.OSHA0.3 mg/m3PEL:Total dust.OSHAPHYSICAL AND CHEMICAL PROPERTIESForm:SolidEvaporation rate:Not applicableAppearance:PIEL:Not determinedColor:Not PIGMENTBulk density:Not determinedVapor pressureMelting point/range:Not applicablepH:Not determinedVapor density:Not determinedVapor density:Not applicablepH:Not applicablepH:Not applicableDI STABILITY AND REACTIVITYStable.	Calcium carbonate	10 mg/m3	Time Weighted Aver	rage			ACGIH
Quartz 0.05 mg/m3 Time Weighted Average (TWA): Respirable dust. ACGIF 0.1 mg/m3 PEL: Respirable dust. OSHA 0.3 mg/m3 PEL: Total dust. OSHA OSHA OSHA 0.3 mg/m3 PEL: Total dust. OSHA 9. PHYSICAL AND CHEMICAL PROPERTIES OSHA Form : Solid Evaporation rate : Not applicable Appearance : Pellets, slabs Specific Gravity : Not determined Color : NO PIGMENT Bulk density : Not established Odor : Very faint Vapor pressure : Not applicable Melting point/range : Not determined Vapor density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble : Not applicable Stability : Stable.		5 mg/m3	PEL:				OSHA Z1
mg/m3 (TWA): Respirable dust. OSHA 0.1 mg/m3 PEL: Total dust. OSHA 0.3 mg/m3 PEL: Total dust. OSHA 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : Pellets, slabs Specific Gravity : Not determined Color : NO PIGMENT Bulk density : Not established Odor : Very faint Vapor pressure : Not applicable Melting point/range : Not determined Vapor density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble : Stability : Stable.		15 mg/m3			Total du	ıst.	OSHA Z1
0.3 mg/m3 PEL: Total dust. OSHA 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : Pellets, slabs Specific Gravity : Not determined Color : NO PIGMENT Bulk density : Not established Odor : Very faint Vapor pressure : Not applicable Melting point/range : Not determined Vapor density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble : Stable.	Quartz			rage	Respirable	dust.	ACGIH
9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : Pellets, slabs Specific Gravity : Not determined Color : NO PIGMENT Bulk density : Not established Odor : Very faint Vapor pressure : Not applicable Melting point/range : Not determined Vapor density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable.		0.1 mg/m3	PEL:		Respirable	e dust.	OSHA
Form : Solid Evaporation rate : Not applicable Appearance : Pellets, slabs Specific Gravity : Not determined Color : NO PIGMENT Bulk density : Not established Odor : Very faint Vapor pressure : Not applicable Melting point/range : Not determined Vapor density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable.		0.3 mg/m3	PEL:		Total du	ıst.	OSHA
Appearance : Pellets, slabs Specific Gravity : Not determined Color : NO PIGMENT Bulk density : Not established Odor : Very faint Vapor pressure : Not applicable Melting point/range : Not determined Vapor density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable.		9. PHYSIC	CAL AND CHEMICA	L PROP	ERTIES		
Appearance : Pellets, slabs Specific Gravity : Not determined Color : NO PIGMENT Bulk density : Not established Odor : Very faint Vapor pressure : Not applicable Melting point/range : Not determined Vapor density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable.	Form	: Solid		Evaporat	tion rate	: Not	applicable.
Color : NO PIGMENT Bulk density : Not established Odor : Very faint Vapor pressure : Not applicable Melting point/range : Not determined Vapor density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable.							
Melting point/range : Not determined Vapor density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable.		: NO I	PIGMENT	Bulk der	sity	: Not	established
Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable.	Odor	: Very	faint	Vapor pi	ressure	: Not	applicable
Water solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable.				Vapor de	ensity	: Not	applicable
10. STABILITY AND REACTIVITY Stability : Stable.				pН		: Not	applicable
Stability : Stable.	Water solubility	: Insol	uble				
		10. S	TABILITY AND REA	ACTIVI	ГҮ		
Hazardous Polymerization : Will not occur.	Stability	: S	table.				
	Hazardous Polymerization	ı : W	/ill not occur.				



MATERIAL SAFETY DATA SHEET

IT39-044 NATURAL

Version Number 1.0 Revision Date 02/17/2002		Page 4 of 6 Print Date <i>11/3/2011</i>
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
14808-60-7	Quartz	no	1	1

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation, and possibly silicosis which is a scarring of the lungs.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the matrix of the polymer.



IT39-044 NATURAL



Vers	sion Number 1.0 rision Date 02/17/2002		Page 5 of e Print Date 11/3/201
	Additional advice	:	Not applicable
		1.	3. DISPOSAL CONSIDERATIONS
	Product	:	Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
		1	4. TRANSPORT INFORMATION
	U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	:	Not regulated for transportation.
	ICAO/IATA	:	Not regulated for transportation.
	IMO / IMDG	:	Not regulated for transportation.
		15	5. REGULATORY INFORMATION
	US Regulations:		
	OSHA Status	:	Classified as hazardous based on components.
	TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
	California Proposition 65	:	WARNING! This product contains a chemical known in the State of California to cause cancer.
	Canadian Regulations:		
	WHMIS Classification	:	D2A
	WHMIS Ingredient Discl	losu	ire List
	CAS-No. 14808-60-7		
	DSL	:	Listed.
	National Inventories:		



MATERIAL SAFETY DATA SHEET

IT39-044 NATURAL

Version Number 1.0 Page 6 of Revision Date 02/17/2002 Print Date 11/3/201				
Australia AICS	: Not	determined.		
China IECS	: Not	determined.		
Europe EINECS	: Not	determined.		
Japan ENCS	: Not	determined.		
Korea KECI	: List	ed.		
Philippines PICCS	: Not	determined.		
	16	OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.