

MATERIAL SAFETY DATA SHEET

NN-43GF/10T BLACK

Version Number 1.0 Revision Date 12/17/2001 Page 1 of 5 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NN-43GF/10T BLACK
Product code	:	EM10000335
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Polytetrafluoroethylene	9002-84-0	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

NN-43GF/10T BLACK

Version Number 1.0 Revision Date 12/17/2001 Page 2 of 5 Print Date 11/2/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	:::::::::::::::::::::::::::::::::::::::	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	:	contaminants. None
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



Page 3 of 5

MATERIAL SAFETY DATA SHEET

NN-43GF/10T BLACK

Version Number 1.0 Revision Date 12/17/2001

		Print Date 11/2/20
	and contamination	. Keep in a dry, cool place.
8. EXP	OSURE CONTROLS / F	PERSONAL PROTECTION
Respiratory protection	: No personal respir	atory protective equipment normally required.
Eye/Face Protection	: Safety glasses with	h side-shields.
Hand protection	: Protective gloves.	
Skin and body protection	: Long sleeved cloth	ning.
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations		nce with good industrial hygiene and safety practice. e breaks and at the end of workday.
Engineering measures		with appropriate exhaust ventilation. Provide st ventilation at machinery.
Exposure limit(s)		
9.	PHYSICAL AND CHEN	MICAL PROPERTIES
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEN Solid Pellets, slabs BLACK Very faint Not determined Not applicable Insoluble 	MICAL PROPERTIESEvaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
Form Appearance Color Odor Melting point/range Boiling Point:	 Solid Pellets, slabs BLACK Very faint Not determined Not applicable 	Evaporation rate:Not applicable.Specific Gravity:Not determinedBulk density:Not establishedVapor pressure:Not applicableVapor density:Not applicablepH:Not applicable
Form Appearance Color Odor Melting point/range Boiling Point:	 Solid Pellets, slabs BLACK Very faint Not determined Not applicable Insoluble 	Evaporation rate:Not applicable.Specific Gravity:Not determinedBulk density:Not establishedVapor pressure:Not applicableVapor density:Not applicablepH:Not applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets, slabs BLACK Very faint Not determined Not applicable Insoluble 10. STABILITY ANSISTED Sector 10. STABILITY ANSISTED Sector 10. STABILITY ANSISTED Sector 10. STABILITY ANSISTED Sector 10. STABILITY AND Sector 10. STABILITY AND Sector 10. Stable	Evaporation rate:Not applicable.Specific Gravity:Not determinedBulk density:Not establishedVapor pressure:Not applicableVapor density:Not applicablepH:Not applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 Solid Pellets, slabs BLACK Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. 	Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY vaticizing agents and open flame. To avoid thermal
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Solid Pellets, slabs BLACK Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. Keep away from o decomposition, do 	Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY vaticizing agents and open flame. To avoid thermal
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 Solid Pellets, slabs BLACK Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. Keep away from of decomposition, do Incompatible with Carbon dioxide (C 	Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY



MATERIAL SAFETY DATA SHEET

NN-43GF/10T BLACK

Version Number 1.0	
Revision Date 12/17/2001	

Page 4 of 5 Print Date 11/2/2011

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
9002-84-0	Polytetrafluoroethylene	LC50	45 mgm330	rat

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.

4/5



MATERIAL SAFETY DATA SHEET

NN-43GF/10T BLACK

Version Number 1.0 Revision Date 12/17/2001 Page 5 of 5 Print Date 11/2/2011

	15.1	REGULATORY INFORMATION
US Regulations:		
OSHA Status	: (Classified as hazardous based on components.
TSCA Status		All components of this product are listed on the TSCA inventory or are exempt.
California Proposi 65	tion : T	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classific	ation : N	Not controlled.
DSL	: I	Listed.
National Inventories:		
Australia AICS	: I	Listed.
China IECS	: I	Listed.
Europe EINECS	: 1	Not determined.
Japan ENCS	: 1	Not determined.
Korea KECI	: I	Listed.
Philippines PICCS	S : I	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.