MATERIAL SAFETY DATA SHEET WHITE 277N CONC (25-1)

Version Number 1.1 Revision Date 06/01/2007

Page 1 of 6 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE 277N CONC (25-1)
Product code	:	EM10000338
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET WHITE 277N CONC (25-1)

Version Number 1.1 Revision Date 06/01/2007 Page 2 of 6 Print Date 11/29/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET WHITE 277N CONC (25-1)

Version Number 1.1 Revision Date 06/01/2007 Page 3 of 6 Print Date 11/29/2011

8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally r	equired.	
Eye/Face Protection	: S	: Safety glasses with side-shields			
Hand protection	: P	: Protective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and a		afety practice	
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Erro e crone dine e	F	1	
componentis	value	Exposure time	Exposure type	List:	
Silica, amorphous	0.8 mg/m3	Time Weighted Average (TWA):	Exposure type	List: Z3	
*		Time Weighted Average	Inhalable particulate.	Z3	
*	0.8 mg/m3	Time Weighted Average (TWA): Time Weighted Average		Z3 MX OEL	
*	0.8 mg/m3 10 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average	Inhalable particulate.	Z3 MX OEL	
Silica, amorphous	0.8 mg/m3 10 mg/m3 3 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	Inhalable particulate.	Z3 MX OEL MX OEL ACGIH	
Silica, amorphous	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	Inhalable particulate. Respirable dust.	Z3 MX OEL MX OEL ACGIH OSHA Z1	
Silica, amorphous	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average	Inhalable particulate. Respirable dust. Total dust.	Z3 MX OEL MX OEL	
Silica, amorphous	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti	Z3 MX OEL MX OEL ACGIH OSHA Z1 MX OEL	
Silica, amorphous Titanium dioxide	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL):	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti PPERTIES	Z3 MX OEL MX OEL ACGIH OSHA Z1 MX OEL MX OEL	
Silica, amorphous Titanium dioxide	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti PERTIES ration rate : Not	Z3 MX OEL MX OEL ACGIH OSHA Z1 MX OEL MX OEL	
Silica, amorphous Titanium dioxide Form Appearance	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti DPERTIES ration rate : Not ic Gravity : Not	Z3 MX OEL MX OEL ACGIH OSHA Z1 MX OEL MX OEL applicable determined	
Silica, amorphous Titanium dioxide Form Appearance Color	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : WHI	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti DPERTIES ration rate : Not ic Gravity : Not ensity : Not	Z3 MX OEL MX OEL ACGIH OSHA Z1 MX OEL MX OEL MX OEL	
Silica, amorphous Titanium dioxide Form Appearance	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : WHI : Very	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti DPERTIES ration rate : Not ic Gravity : Not ensity : Not r pressure : Not	Z3 MX OEL MX OEL ACGIH OSHA Z1 MX OEL MX OEL applicable determined	

10. STABILITY AND REACTIVITY

MATERIAL SAFETY DATA SHEET WHITE 277N CONC (25-1)

Version Number 1.1 Revision Date 06/01/2007

Page 4 of 6 Print Date 11/29/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7631-86-9	Silica, amorphous	Oral LD50Oral	15,000 mg/kg22,500	mouserat
		LD50	mg/kg	

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET WHITE 277N CONC (25-1)

sion Number 1.1 ision Date 06/01/2007	Page 5 Print Date 11/29/2
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	 All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	
Not applicable	
California Proposition 65	: Not applicable

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET WHITE 277N CONC (25-1)

Version Number 1.1 Revision Date 06/01/2007 Page 6 of 6 Print Date 11/29/2011

SADA THE III Section 202 For	tornale. Harandaria Cichatan an		
SARA Title III Section 302 Extremely Hazardous Substance			
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation			
SARA Title III Section 313 To	xic Chemicals:		
Unless specific chemicals are i	dentified under this section, this product is Not Applicable under this regulation		
Canadian Regulations:			
National Pollutant Relea	ase Inventory (NPRI)		
Not applicable			
WHMIS Classification	: D2A		
WHMIS Ingredient Dise	closure List		
CAS-No.			
7631-86-9			
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:			
Australia AICS	: Listed		
China IECS	: Listed		
Europe EINECS	: Listed		
Japan ENCS	: Not determined		
Korea KECI	: Listed		
Philippines PICCS	: Listed		

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.