

MATERIAL SAFETY DATA SHEET

PP 554CS NAT

Version Number 1.0 Revision Date 12/18/2001 Page 1 of 6 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PP 554CS NAT
Product code	:	EM10000387
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact		
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	



MATERIAL SAFETY DATA SHEET

PP 554CS NAT

ion Number 1.0 sion Date 12/18/2001	Page 2 Print Date 11/2/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PP 554CS NAT

			Print	Page Date 11/2
	ar	nd contamination. Keep in	a dry, cool place.	
8. E	XPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection	: N	o personal respiratory prote	ective equipment normally	required.
Eye/Face Protection	: Sa	afety glasses with side-shiel	lds.	
Hand protection	: P1	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations		landle in accordance with go Vash hands before breaks an		safety praction
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide
Components Antimony trioxide	Value 0.5 mg/m3	Exposure time PEL:	Exposure type as Sb	List: OSHA Z
	9. PHYSI(CAL AND CHEMICAL P	ROPERTIES	
	: Solid	I Eva		t applicable.
Form Appearance Color Odor Melting point/range Boiling Point:	: Peller : NO F : Very : Not d	PIGMENT Bull faint Vap determined Vap	k density : Not oor pressure : Not oor density : Not	t determined t established t applicable t applicable
Appearance Color Odor	: Peller : NO F : Very : Not d	PIGMENT Bull faint Vap determined Vap applicable pH	k density: Notoor pressure: Notoor density: Not	t determined t established t applicable
Appearance Color Odor Melting point/range Boiling Point:	: Peller : NO F : Very : Not d : Not a : Insolu	PIGMENT Bull faint Vap determined Vap applicable pH	k density : Not oor pressure : Not oor density : Not : Not	t determined t established t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point:	: Peller : NO F : Very : Not d : Not a : Insolu	PIGMENT Bull faint Vap determined Vap applicable pH uble	k density : Not oor pressure : Not oor density : Not : Not	t determined t established t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pellet : NO F : Very : Not d : Not a : Insolution 10. S : St	PIGMENT Bull faint Vap determined Vap applicable pH uble	k density : Not oor pressure : Not oor density : Not : Not	t determined t established t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pellet : NO F : Very : Not d : Not a : Insolu 10. S : St n : W : K	PIGMENT Bull faint Vap determined Vap applicable pH uble STABILITY AND REACT table.	k density : Not oor pressure : Not oor density : Not : Not : Not	t determined t established t applicable t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Pellet : NO F : Very : Not d : Not a : Insolu 10. S : St n : W : K de	PIGMENT Bull faint Vap determined Vap applicable pH uble STABILITY AND REACT table. Vill not occur.	k density : Not bor pressure : Not bor density : Not : Not : Not : TIVITY gents and open flame. To a eat.	t determined t established t applicable t applicable t applicable



MATERIAL SAFETY DATA SHEET

PP 554CS NAT

Version Number 1.0 Revision Date 12/18/2001 Page 4 of 6 Print Date 11/2/2011

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the matrix of the polymer.



MATERIAL SAFETY DATA SHEET

PP	554CS	NAT
----	-------	-----

			Print Date 11/2
Additional advice	: Not applicat	ble	
	13. DISPOSAI	L CONSIDERATION	NS
Product	recycling is waste mater transportatio	preferred to disposal o ial has the responsibili	uct can be recycled. Where possil r incineration. The generator of ty for proper waste classification, rdance with applicable federal, ns.
Contaminated packaging	has the respo	onsibility for proper w in accordance with ap	ble. The generator of waste mater aste classification, transportation oplicable federal, state/provincial
	14. TRANSPO	ORT INFORMATIO	N
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulate	ed for transportation.	
ICAO/IATA	: Not regulate	ed for transportation.	
IMO / IMDG	: Not regulate	ed for transportation.	
	15. REGULAT	ORY INFORMATIO	DN
US Regulations:			
OSHA Status	: Classified as	s hazardous based on c	components.
TSCA Status	: All compone exempt.	ents of this product are	listed on the TSCA inventory or a
US. EPA CERCLA Hazardou	is Substances (40 Cl	FR 302)	
	CAS-No. 1309-64-4	RQ for M 49,505 L1	lixture/Product B
California Propositior 65		! This product contain cause cancer.	as a chemical known in the State
SARA Title III Section 313 T	oxic Chemicals:		
Chemical Nan		CAS-No.	Weight %
ANTIMONY	COMPOUNDS	1309-64-4	2.02
Canadian Regulations:			
WHMIS Classificatio	n : D2A		

MATERIAL SAFETY DATA SHEET

PP 554CS NAT

Version Number 1.0 Revision Date 12/18/2001 Page 6 of 6 Print Date 11/2/2011

WINALS In gradient Di	
WHMIS Ingredient Dis CAS-No. 1309-64-4 78-04-6	
DSL	: Listed.
National Inventories:	
Australia AICS	: Not determined.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Listed.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

