

MATERIAL SAFETY DATA SHEET

# NN-000/13T 2S BLACK

Version Number 1.0 Revision Date 12/22/2001 Page 1 of 5 Print Date 11/2/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NN-000/13T 2S BLACK
Product code	:	EM10000668
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Polytetrafluoroethylene	9002-84-0	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# NN-000/13T 2S BLACK

Version Number 1.0 Revision Date 12/22/2001 Page 2 of 5 Print Date 11/2/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	: :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	:	contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage		Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

# NN-000/13T 2S BLACK

Version Number 1.0 Revision Date 12/22/2001 Page 3 of 5 Print Date 11/2/2011

	and contamination	. Keep in a dry, cool place.
8. EXP	POSURE CONTROLS / ]	PERSONAL PROTECTION
Respiratory protection	: No personal respin	atory protective equipment normally required.
Eye/Face Protection	: Safety glasses with	h side-shields.
Hand protection	: Protective gloves.	
Skin and body protection	: Long sleeved cloth	ning.
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations		nce with good industrial hygiene and safety practic e breaks and at the end of workday.
Engineering measures		with appropriate exhaust ventilation. Provide st ventilation at machinery.
Exposure limit(s)		
9.	PHYSICAL AND CHE	MICAL PROPERTIES
Form	• PHYSICAL AND CHE : Solid : Pellets, slabs	Evaporation rate : Not applicable.
Form Appearance Color	: Solid : Pellets, slabs : BLACK	Evaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not established
Form Appearance Color Odor	: Solid : Pellets, slabs : BLACK : Very faint	Evaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicable
Form Appearance Color Odor Melting point/range	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>BLACK</li> <li>Very faint</li> <li>Not determined</li> </ul>	Evaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicable
Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>BLACK</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	Evaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicable
Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>BLACK</li> <li>Very faint</li> <li>Not determined</li> </ul>	Evaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicable
Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>BLACK</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	Evaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>BLACK</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>BLACK</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AN	Evaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>BLACK</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Evaporation rate       :       Not applicable.         Specific Gravity       :       Not determined         Bulk density       :       Not established         Vapor pressure       :       Not applicable         Vapor density       :       Not applicable         pH       :       Not applicable         D REACTIVITY           pxidizing agents and open flame.       To avoid thermatical statements
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>BLACK</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from or decomposition, doe</li> </ul>	Evaporation rate       :       Not applicable.         Specific Gravity       :       Not determined         Bulk density       :       Not established         Vapor pressure       :       Not applicable         Vapor density       :       Not applicable         pH       :       Not applicable         D REACTIVITY           pxidizing agents and open flame.       To avoid thermatical statements
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>BLACK</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from of decomposition, doing the stable of the stable of</li></ul>	Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable <b>D REACTIVITY</b>



MATERIAL SAFETY DATA SHEET

# NN-000/13T 2S BLACK

Version Number 1.0 Revision Date 12/22/2001 Page 4 of 5 Print Date 11/2/2011

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
		•	

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
9002-84-0	Polytetrafluoroethylene	LC50	45 mg/m3	rat

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.

4/5



MATERIAL SAFETY DATA SHEET

# NN-000/13T 2S BLACK

Version Number 1.0 Revision Date 12/22/2001 Page 5 of 5 Print Date 11/2/2011

	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	: Not controlled.
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Listed.

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.