## MATERIAL SAFETY DATA SHEET

## ST6250 NATURAL

Version Number 1.1 Revision Date 11/02/2005 Page 1 of 5 Print Date 8/22/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ST6250 NATURAL
Product code	:	EM10001122
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>		Inhalation, Ingestion, Skin contact	
Acute exposure			
Inhalation Ingestion Eyes Skin	:	Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	:	Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	:	None known.	
		A FIDST AID MEASUDES	Т

#### 4. FIRST AID MEASURES



## MATERIAL SAFETY DATA SHEET ST6250 NATURAL

sion Number 1.1 rision Date 11/02/2005	Page 2 Print Date 8/22/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPC	OSURE CONTROLS / PERSONAL PROTECTION

**POLYONE CORPORATION** 

PolyOne

## MATERIAL SAFETY DATA SHEET **ST6250 NATURAL**

Version Number 1.1 Revision Date 11/02/2005 Page 3 of 5 Print Date 8/22/2012

						L
Respiratory protection	:	No personal respiratory	protective equipment r	norn	nally required.	
Eye/Face Protection	:	Safety glasses with side	-shields.			
Hand protection	:	Protective gloves.				
Skin and body protection	:	Long sleeved clothing.				
Additional Protective Measures	:	Safety shoes.				
General Hygiene Considerations	:	Handle in accordance w Wash hands before brea				
Engineering measures	:	Heat only in areas with appropriate exhaust ver		ntila	tion. Provide	
Exposure limit(s)						
There are no known hazardous of	om	ponents above regulatory	thresholds in this prod	uct.		
9. Pl	IY	SICAL AND CHEMIC	AL PROPERTIES			F
Appearance:Color:Odor:Melting point/range:Boiling Point::	Pe N V N N	blid Ellets, Slabs O PIGMENT ery faint ot determined ot applicable soluble	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	::	Not applicable Not determined Not established Not applicable Not applicable Not applicable	
	1	). STABILITY AND RI	EACTIVITY			ſ
		G. 11				

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

There are no known hazardous components above regulatory thresholds in this product.

### **12. ECOLOGICAL INFORMATION**



# MATERIAL SAFETY DATA SHEET **ST6250 NATURAL**

Page 4 Print Date <i>8/22/2</i>			
: Not readily biodegradable.			
Environmental Toxicity : Chemicals are not readily available as they are bound within the polymer matrix.			
: Chemicals are not readily available as they are bound within the polymer matrix.			
: Not applicable			
13. DISPOSAL CONSIDERATIONS			
: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
14. TRANSPORT INFORMATION			
: Not regulated for transportation.			
: Refer to specific regulation.			
: Refer to specific regulation.			
15. REGULATORY INFORMATION			
: There are no known hazardous components above regulatory thresholds in this product.			
: All components of this product are listed on or exempt from the TSCA Inventory.			
Substances (40 CFR 302)			

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET **ST6250 NATURAL**

Version Number 1.1 Revision Date 11/02/2005		Page 5 of 5 Print Date 8/22/2012				
California Proposition 65	: Not applicable					
SARA Title III Section 302 Extremely Hazardous Substance Not applicable						
SARA Title III Section 313 Tox	SARA Title III Section 313 Toxic Chemicals:					
Not applicable Canadian Regulations:						
National Pollutant Release	e Inventory (NPRI)					
Not applicable						
WHMIS Classification	: Not controlled.					
DSL	: All components of this product are on the C Substances List (DSL) or are exempt.	Canadian Domestic				
National Inventories:						
Australia AICS	: Not determined					
China IECS	: Not determined					
Europe EINECS	: Listed					
Japan ENCS	: Not determined					
Korea KECI	: Not determined					
Philippines PICCS	: Not determined					
	16. OTHER INFORMATION					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.