

MATERIAL SAFETY DATA SHEET

# IT51-015 GREY 6324

Version Number 1.0 Revision Date 03/07/2002 Page 1 of 6 Print Date 11/3/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	IT51-015 GREY 6324
Product code	:	EM10001125
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Decabromodiphenyl oxide	1163-19-5	10 - 30
Antimony trioxide	1309-64-4	5 - 10

# **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# IT51-015 GREY 6324

Version Number 1.0 Page 2 of 6 Revision Date 03/07/2002 Print Date 11/3/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist or in all cases of doubt seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Carbon dioxide blanket, Water spray, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption ·



MATERIAL SAFETY DATA SHEET

# IT51-015 GREY 6324

/ersion Number 1.0 Revision Date 03/07/2002		Page 3 of 6 Print Date 11/3/2011			
	and contamination. Keep in a dry, cool place.				
8. E	XPOSURE CONTROLS / I	ERSONAL PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with	side-shields.			
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved cloth	ing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	ng measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value Exposure	time Exposure type List:			
Antimony trioxide	0.5 mg/m3 PEL				
	9. PHYSICAL AND CHEN	MICAL PROPERTIES			
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>Pellets, slabs</li> <li>GREY</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate:Not applicable.Specific Gravity:Not determinedBulk density:Not establishedVapor pressure:Not applicableVapor density:Not applicablepH:Not applicable			
10. STABILITY AND REACTIVITY					
Stability	: Stable.				
Hazardous Polymerization	Hazardous Polymerization : Will not occur.				
Conditions to avoid	Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.				
Incompatible Materials	: Incompatible with	strong acids and oxidizing agents.			
Hazardous decomposition products		O2), carbon monoxide (CO), oxides of nitrogen dous materials, and smoke are all possible.			



MATERIAL SAFETY DATA SHEET

# IT51-015 GREY 6324

Version Number 1.0

Page 4 of 6 Print Date 11/3/2011

Revision Date 03/07/2002

# 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1163-19-5	Decabromodiphenyl oxide	Systemic effects	Liver, Kidney.
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

#### LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1163-19-5	Decabromodiphenyl oxide	Oral LD50	> 5 gm/kg	rat
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Decabromodiphenyl oxide 1163-19-5 A halogenated aromatic with some potential for hazardous exposure via inhalation or ingestion. Acute toxicity is low - oral LD50 in rats >50 mg/L. Animal studies at high feeding levels indicate some potential for liver effects form chronic overexposure.

#### Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability

: Not readily biodegradable.



# MATERIAL SAFETY DATA SHEET

# IT51-015 GREY 6324

sion Number 1.0 ision Date 03/07/2002		Page 5 Print Date 11/3/2
Environmental Toxicity	: Chemicals are of the polymer	not readily available as they are bound within the matrix
Bioaccumulation Potential	: Chemicals are of the polymer	not readily available as they are bound within the matrix
Additional advice	: Not applicable	
	13. DISPOSAL	CONSIDERATIONS
Product	recycling is pr waste material transportation	moplastics the product can be recycled. Where possible eferred to disposal or incineration. The generator of has the responsibility for proper waste classification, and disposal in accordance with applicable federal, l and local regulations.
Contaminated packaging	has the respon	referred when possible. The generator of waste materia sibility for proper waste classification, transportation a accordance with applicable federal, state/provincial lations.
	14. TRANSPOI	<b>RT INFORMATION</b>
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated	for transportation.
ICAO/IATA	: Not regulated	for transportation.
IMO / IMDG	: Not regulated	for transportation.
	15. REGULATO	RY INFORMATION
US Regulations:		
OSHA Status	: Classified as h	azardous based on components.
TSCA Status		ts of this product are listed on the TSCA inventory or are
US. EPA CERCLA Hazardou	s Substances (40 CFF	302)
	CAS-No. 309-64-4	RQ for Mixture/Product 13,481 LB
California Proposition 65	: WARNING! California to c	This product contains a chemical known in the State of ause cancer.
SARA Title III Section 313 T	oxic Chemicals:	



MATERIAL SAFETY DATA SHEET

# IT51-015 GREY 6324

Version Number 1.0 Revision Date 03/07/2002

Page 6 of 6 Print Date 11/3/2011

Chemical Name	CAS-No.	Weight %
ANTIMONY COMPOUNDS	1309-64-4	7.41
DECABROMODIPHENYL OXIDE	1163-19-5	22.27

Canadian Regulations:

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
1309-64-4
1333-86-4

DSL

: Listed.

National Inventories:

Australia AICS	: Not determined.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.