MATERIAL SAFETY DATA SHEET

RT3960 Natural

Version Number 1.4 Revision Date 05/24/2013 Page 1 of 6 Print Date 5/24/2013

| POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 | | | |
|---|---|--|--|
| Telephone Emergency telephone number | : | 1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). | |
| Product name | : | RT3960 Natural | |
| Product code | : | EM10001148 | |
| Chemical Name | : | Mixture | |
| CAS-No. | : | Mixture | |
| Product Use | : | Industrial Applications | |

Components CAS-No. Weight percent

| Components | CAS-No. | Weight percent |
|-------------------|-----------|----------------|
| Calcium carbonate | 1317-65-3 | 5 - 10 |
| | | |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | |
|---|--|--|
| Acute exposure | | |
| Inhalation Ingestion Eyes Skin | Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | |
| Medical Conditions Aggravated by Exposure: | : None known. | |

PolyOne.

MATERIAL SAFETY DATA SHEET **RT3960 Natural**

Version Number 1.4 Revision Date 05/24/2013 Page 2 of 6 Print Date 5/24/2013

| | | 4. FIRST AID MEASURES |
|---|------|---|
| Inhalation | : | Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : | Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | | 5. FIREFIGHTING MEASURES |
| Flash point | : | not applicable |
| Flammable Limits | | |
| Upper explosion limit | : | not applicable |
| Lower explosion limit | : | not applicable |
| Auto-ignition temperature Suitable extinguishing media | : | not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. |
| Special Fire Fighting Procedures | : | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. A | CCIDENTAL RELEASE MEASURES |
| Personal precautions | : | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. |
| | | 7. HANDLING AND STORAGE |
| Handling | : | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : | Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. |

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **RT3960 Natural**

Version Number 1.4 Revision Date 05/24/2013 Page 3 of 6 Print Date 5/24/2013

| 8.1 | EXPOSURE | CONTROLS/PERS | UNAL I | PROTECTION | |
|-----------------------------------|---|---|----------|--|-----------------------|
| Respiratory protection | : N | : No personal respiratory protective equipment normally required. | | | |
| Eye/Face Protection | : S | afety glasses with side | -shields | | |
| Hand protection | : P | rotective gloves | | | |
| Skin and body protection | : L | ong sleeved clothing | | | |
| Additional Protective Measures | : S | afety shoes | | | |
| General Hygiene Considerations | | | | l industrial hygiene and eaks and at the end of w | |
| Engineering measures | | leat only in areas with ppropriate exhaust ven | | iate exhaust ventilation. at machinery. | Provide |
| Exposure limit(s) | | | | | |
| Components | Value | Exposure time | | Exposure type | List: |
| Calcium carbonate | 5 mg/m3 | PEL: | | Respirable fraction. | OSHA Z1 |
| | 15 mg/m3 | PEL: | | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Av (TWA): | erage | | MX OEL |
| | 20 mg/m3 | Short Term Exposure Limit (STEL): | | | MX OEL |
| | 9. PHYSIC | CAL AND CHEMICA | AL PRC | PERTIES | |
| P | 1' 1 | | F | N. | |
| Form Appearance | : solid | ts, Slabs | | | applicable determined |
| Colour | | PIGMENT | Bulk d | | established |
| Odour | : very | | | 2 | applicable |
| Melting point/range | | determined | | | applicable |
| Boiling Point: | | | | | |
| Water solubility | : not applicable pH : not applicable : insoluble | | | | applicable |
| | 10. 8 | STABILITY AND RE | ACTIV | TITY | |
| Stability | : T | The product is stable if | stored a | nd handled as prescribed | 1. |
| Hazardous Polymerization | n : W | Vill not occur. | | | |
| Conditions to avoid | : T | o avoid thermal decon | npositio | n, do not overheat. | |
| | | | | | |

PolvOne.

MATERIAL SAFETY DATA SHEET **RT3960 Natural**

Version Number 1.4 Revision Date 05/24/2013

Page 4 of 6 Print Date 5/24/2013

Hazardous decomposition:Carbon dioxproducts(NOx), other

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

_

_

_

This product contains the following components which in their pure form have the following characteristics:

| I I | C I | - | - | | |
|---|--|--|---------------------------------|--|--|
| CAS-No. | Chemical Name | Effect | Target Organ | | |
| 1317-65-3 | Calcium carbonate | Irritant | Eyes, Skin. | | |
| | | Systemic effects | Eyes, Skin, Respiratory system. | | |
| | 12. ECOLOG | GICAL INFORMATION | N | | |
| Persistence and degr | adability : Not readily | v biodegradable. | | | |
| Environmental Toxic | | : Chemicals are not readily available as they are bound within the polymer matrix. | | | |
| Bioaccumulation Po | | : Chemicals are not readily available as they are bound within the polymer matrix. | | | |
| Additional advice : not appli | | ot applicable | | | |
| | 13. DISPOSA | AL CONSIDERATIONS | 5 | | |
| Product | possible re generator o classificati | cycling is preferred to dis | | | |
| Contaminated packa | material ha transportat | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | | | |
| | 14. TRANSF | PORT INFORMATION | | | |
| U.S. DOT Classification : Not regulated | | ted for transportation. | | | |

ICAO/IATA

IMO/IMDG (maritime) : Refer to specific regulation.

: Refer to specific regulation.

Polv<u>One</u>

MATERIAL SAFETY DATA SHEET **RT3960 Natural**

Version Number 1.4 Revision Date 05/24/2013

Page 5 of 6 Print Date 5/24/2013

| 15. REGULATORY INFORMATI | ON |
|---------------------------------|----|
|---------------------------------|----|

US Regulations:

OSHA Status : Classified as hazardous based on components.

TSCA Status

: All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

 National Pollutant Release Inventory (NPRI)

 Chemical Name
 CAS-No.
 Weight percent
 NPRI ID#

 Zinc stearate
 557-05-1
 0.10 - 1.00
 Image: colspan="2">Colspan="2">CAS-No.

| WHMIS Classification | : | Not controlled. |
|-----------------------|---|--|
| DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| National Inventories: | | |
| Australia AICS | : | Not determined |
| China IECS | : | Not determined |
| | | |

PolyOne

MATERIAL SAFETY DATA SHEET **RT3960 Natural**

Version Number 1.4 Revision Date 05/24/2013 Page 6 of 6 Print Date 5/24/2013

| Europe EINECS | : Listed |
|-------------------|------------------|
| Japan ENCS | : Not determined |
| Korea KECI | : Not determined |
| Philippines PICCS | : Not determined |
| | |

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.