

MATERIAL SAFETY DATA SHEET

PGT-50-02-030-LTS NATURAL

Version Number 1.0 Revision Date 02/01/2002 Page 1 of 6 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PGT-50-02-030-LTS NATURAL
Product code	:	EM10001196
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Copper	7440-50-8	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PGT-50-02-030-LTS NATURAL

Version Number 1.0 Revision Date 02/01/2002 Page 2 of 6 Print Date 11/3/2011

	4. FIRST AID N	AEASURES	
Inhalation	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion		niting without medical advice. When symptoms ses of doubt seek medical advice.	
Eyes		with plenty of water, also under the eyelids, for at If eye irritation persists, seek medical attention.	
Skin	Wash off with soa medical attention.	p and plenty of water. If skin irritation persists seek	
	5. FIRE-FIGHTIN	IG MEASURES	
Flash point	Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	Not applicable Not applicable Not relevant Carbon dioxide bl	anket, Water spray, dry powder, foam.	
Special Fire Fighting Procedures	pressure mode sho contaminants.	ained breathing apparatus (SCBA) used in positive build be worn to prevent inhalation of airborne	
Unusual Fire/Explosion Hazards	None		
	CCIDENTAL REI	LEASE MEASURES	
Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions		ased into the environment. The product should not r drains, water courses or the soil.	
Methods for cleaning up	plastic, cardboard	y by sweeping or vacuum. Package all material in or metal containers for disposal. Refer to Section 13 proper disposal methods.	
	7. HANDLING A	ND STORAGE	
Handling		prevent the build up of electrostatic charge. Heat appropriate exhaust ventilation.	
Storage	Keep containers d	ry and tightly closed to avoid moisture absorption	



MATERIAL SAFETY DATA SHEET

PGT-50-02-030-LTS NATURAL

Version Number 1.0 Revision Date 02/01/2002 Page 3 of 6 Print Date 11/3/2011

8. E	XPOSURE	CONTROLS / H	PERSONAL	PROTECTION			
Respiratory protection	: N	No personal respir	atory protecti	ve equipment normally r	equired.		
Eye/Face Protection	: S	afety glasses with	n side-shields.	side-shields.			
Hand protection	: Protective gloves.						
Skin and body protection	: I	: Long sleeved clothing.					
Additional Protective Measures	: S	afety shoes.					
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practi Wash hands before breaks and at the end of workday.					
Engineering measures		Heat only in areas ppropriate exhaus		ate exhaust ventilation. at machinery.	Provide		
Exposure limit(s)							
Components	Value	Exposure	time	Exposure type	List:		
Copper	1 mg/m3	Time Weighte	d Average	Dust and mist. as Cu	ACGIH		
	1 mg/m3	PEL		Dust and mist. as Cu	OSHA Z1		
	9. PHYSI	CAL AND CHE	MICAL PRO	PERTIES			
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 		Specifi Bulk d Vapor	c Gravity : Not ensity : Not pressure : Not density : Not	applicable. determined established applicable applicable applicable		
	10.5	STABILITY AN	D REACTIV	TTY			
Stability	: S	stable.					
Hazardous Polymerization	n : V	Will not occur.					
Conditions to avoid		Keep away from o lecomposition, do		ts and open flame. To a	void thermal		
Incompatible Materials	: I	ncompatible with	strong acids a	and oxidizing agents.			



MATERIAL SAFETY DATA SHEET

PGT-50-02-030-LTS NATURAL

Version Number 1.0 Revision Date 02/01/2002

Page 4 of 6 Print Date 11/3/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-50-8	Copper	Irritant	Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system, Liver, Kidney.

 12. ECOLOGICAL INFORMATION Not readily biodegradable. Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. Not applicable 13. DISPOSAL CONSIDERATIONS Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
 Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. Not applicable 13. DISPOSAL CONSIDERATIONS Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,
 of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. Not applicable 13. DISPOSAL CONSIDERATIONS Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,
 of the polymer. Not applicable 13. DISPOSAL CONSIDERATIONS Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,
 13. DISPOSAL CONSIDERATIONS Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,
: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,
recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,
: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14. TRANSPORT INFORMATION
: Not regulated for transportation.
: Not regulated for transportation.
: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

PGT-50-02-030-LTS NATURAL

Version Number 1.0 Revision Date 02/01/2002 Page 5 of 6 Print Date 11/3/2011

	15. REGULAT	ORY INFORMATIO	N	
US Regulations:				
OSHA Status	: Classified as	hazardous based on co	omponents.	
TSCA Status : All con exempt		l components of this product are listed on the TSCA inventory or are empt.		
US. EPA CERCLA Hazardous	Substances (40 CF	TR 302)		
Chemical NameCAS-No.Copper7440-50-8		RQ for Mixture/Product 6,761 LB		
California Proposition 65	: This product	does not contain a sub	stance listed by California Pro	p 65.
SARA Title III Section 313 To	xic Chemicals:			
Chemical Name		CAS-No.	Weight %	
COPPER		7440-50-8	73.95	
WHMIS Ingredient Diso CAS-No. 7440-50-8 DSL	closure List			
National Inventories:				
Australia AICS	: Not determin	ed.		
China IECS	: Not determin	ed.		
Europe EINECS	: Not determin	ed.		
Japan ENCS	: Not determin	ed.		
Korea KECI	: Not determin	ed.		
	: Not determin	ed.		
Philippines PICCS				



MATERIAL SAFETY DATA SHEET

PGT-50-02-030-LTS NATURAL

Version Number 1.0 Revision Date 02/01/2002 Page 6 of 6 Print Date 11/3/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.