

MATERIAL SAFETY DATA SHEET

RT389MS VIPER RED 6230

Version Number 1.0 Revision Date 02/15/2002 Page 1 of 5 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RT389MS VIPER RED 6230
Product code	:	EM10001264
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact	
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

RT389MS VIPER RED 6230

Version Number 1.0 Revision Date 02/15/2002 Page 2 of 5 Print Date 11/3/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	4	5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:::::::::::::::::::::::::::::::::::::::	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage		Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

RT389MS VIPER RED 6230

Version Number 1.0 Rev

ersion Number 1.0 evision Date 02/15/2002				I	Print [Page 3 of 5 Date 11/3/2011
	ar	nd contamination. Kee	ep in a dı	ry, cool place.		
8. 1	EXPOSURE	CONTROLS / PERS	ONAL I	PROTECTION		
Respiratory protection	: N	o personal respiratory	protectiv	ve equipment norm	nally r	equired.
Eye/Face Protection	: Sa	: Safety glasses with side-shields.				
Hand protection	: P1	rotective gloves.				
Skin and body protection	: Lo	ong sleeved clothing.				
Additional Protective Measures	: Sa	afety shoes.				
General Hygiene Considerations		andle in accordance w /ash hands before brea				afety practice.
Engineering measures	s : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	e	List:
Silica, amorphous	20 mppcf	PEL:		Total dust.		OSHA 72
	20 mppcf	PEL:	I	Total dust.		Z3
	9. PHYSIC	CAL AND CHEMICA	AL PRO	PERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : RED : Very : Not d : Not a : Insolu	lid Evaporation rate : Not applicable llets, slabs Specific Gravity : Not determine		determined established applicable applicable		
	10. S	TABILITY AND RE	ACTIV	ITY		
Stability	: St	table.				
Hazardous Polymerizatio	n : W	/ill not occur.				
Conditions to avoid		eep away from oxidiz ecomposition, do not c		ts and open flame.	To a	void thermal
Incompatible Materials	: In	acompatible with stron	g acids a	nd oxidizing agen	ts.	
Hazardous decomposition	1 : C	arbon dioxide (CO2),	carbon n	ionoxide (CO), ox	ides o	f nitrogen



MATERIAL SAFETY DATA SHEET

RT389MS VIPER RED 6230

Version Number 1.0 Revision Date 02/15/2002

Page 4 of 5 Print Date 11/3/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.			
	12. ECOLOGI	CAL INFORMATIC	DN			
Persistence and degradal	oility : Not readily l	: Not readily biodegradable.				
Environmental Toxicity		Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potenti		Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: Not applicat	Not applicable				
	13. DISPOSAI	L CONSIDERATION	١S			
Product	recycling is waste materi transportatio	preferred to disposal of ial has the responsibili	uct can be recycled. Where possible r incineration. The generator of ty for proper waste classification, rdance with applicable federal, ms.			
Contaminated packaging	has the respo and disposal	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	ORT INFORMATIO	N			
U.S. D.O.T. / CA T.D.G Classification (Non-bulk ground)	e	Not regulated for transportation.				
ICAO/IATA	: Not regulate	d for transportation.				
IMO / IMDG	: Not regulate	d for transportation.				
	15 RECULAT	ORY INFORMATIO				



MATERIAL SAFETY DATA SHEET

RT389MS VIPER RED 6230

Version Number 1.0 Revision Date 02/15/2002		Page 5 of 5 Print Date <i>11/3/2011</i>			
US Regulations:					
OSHA Status	:	Classified as hazardous based on components.			
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.			
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.			
Canadian Regulations:	Canadian Regulations:				
WHMIS Classification	:	Not controlled.			
WHMIS Ingredient Discl	osu	re List			
CAS-No. 1344-28-1 7631-86-9 1314-23-4					
DSL	:	Listed.			
National Inventories:					
Australia AICS	:	Not determined.			
China IECS	:	Not determined.			
Europe EINECS	:	Not determined.			
Japan ENCS	:	Not determined.			
Korea KECI	:	Not determined.			
Philippines PICCS	:	Not determined.			
16. OTHER INFORMATION					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.