

### MATERIAL SAFETY DATA SHEET

# DP-9199-2-7001

Version Number 1.0 Revision Date 04/22/2002 Page 1 of 6 Print Date 11/4/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DP-9199-2-7001
Product code	:	EM10001730
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	0.1 - 1

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# DP-9199-2-7001

ion Number 1.0 sion Date 04/22/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
	7. FIKST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
-	
Flammable Limits	Not overlieght
Upper explosion limit Lower explosion limit	: Not applicable : Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET

# DP-9199-2-7001

8. EXP         Respiratory protection         Eye/Face Protection         Hand protection         Skin and body protection         Additional Protective         Measures         General Hygiene         Considerations         Engineering measures         Exposure limit(s)	•OSURE : N : S : P : L : S : H W : H	afety glasses with si rotective gloves. ong sleeved clothin afety shoes. andle in accordance Vash hands before b	RSONAL ory protecti ide-shields. g. e with good reaks and a th appropri	PROTECTION ve equipment normally r industrial hygiene and sa at the end of workday. iate exhaust ventilation.	afety practice
Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: N : S : P : L : S : H W : H	To personal respirate afety glasses with si rotective gloves. ong sleeved clothin afety shoes. Candle in accordance Vash hands before b	ory protecti ide-shields. g. e with good reaks and a th appropri	ve equipment normally r industrial hygiene and sa at the end of workday. iate exhaust ventilation.	afety practice
Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: S : P : L : S : H W : H	afety glasses with si rotective gloves. ong sleeved clothin afety shoes. (andle in accordance Vash hands before b	g. e with good reaks and a th appropri	industrial hygiene and sa at the end of workday. iate exhaust ventilation.	afety practic
Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: P. : L : S : H W : H	rotective gloves. ong sleeved clothin afety shoes. andle in accordance Vash hands before b	g. e with good reaks and a th appropri	industrial hygiene and sa at the end of workday. iate exhaust ventilation.	
Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: L : S : H W : H	ong sleeved clothin afety shoes. andle in accordance Vash hands before b feat only in areas wi	e with good reaks and a th appropri	at the end of workday.	
Additional Protective Measures General Hygiene Considerations Engineering measures	: Si : H W : H	afety shoes. andle in accordance Vash hands before b at only in areas wi	e with good reaks and a th appropri	at the end of workday.	
Measures General Hygiene Considerations Engineering measures	: H W : H	andle in accordance Vash hands before b leat only in areas wi	reaks and a th appropri	at the end of workday.	
Considerations Engineering measures	W : H	Vash hands before b leat only in areas wi	reaks and a th appropri	at the end of workday.	
					Provide
Exposure limit(s)				j·	
Components	Value	Exposure ti	me	Exposure type	List:
*	5 mg/m3	Time Weighted A (TWA):		Total dust. as carbon black	ACGIH
Carbon black 3.5	5 mg/m3	PEL:		Total dust. as carbon black	OSHA ZI
9.	. PHYSIC	CAL AND CHEMI	CAL PRC	PERTIES	
Form	: Solid	1	Evano	ration rate : Not	applicable.
Appearance	: Pellets, slabs				determined
Color	: GREY		Bulk d	•	established
Odor	: Very faint		Vapor	pressure : Not	applicable
Melting point/range	: Not determined		Vapor		applicable
Boiling Point:		applicable	pН	: Not	applicable
Water solubility	: Insoluble				
	<b>10.</b> S	STABILITY AND	REACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	: W	Vill not occur.			
Conditions to avoid		eep away from oxic ecomposition, do no		ts and open flame. To a	void thermal
Incompatible Materials	: Ir	ncompatible with str	ong acids a	and oxidizing agents.	



MATERIAL SAFETY DATA SHEET

# DP-9199-2-7001

Version Number 1.0 Revision Date 04/22/2002 Page 4 of 6 Print Date 11/4/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

#### LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.



# MATERIAL SAFETY DATA SHEET

# DP-9199-2-7001

sion Date 04/22/2002	Print Date 11/4
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matr of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matr of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste mater has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or a exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 6
Canadian Regulations:	



### MATERIAL SAFETY DATA SHEET

# DP-9199-2-7001

Version Number 1.0 Revision Date 04/22/2002

Page 6 of 6 Print Date 11/4/2011

WHMIS Classification : Not controlled. WHMIS Ingredient Disclosure List CAS-No. 1333-86-4 1309-37-1 7631-86-9 84-66-2 DSL : Listed. National Inventories: Australia AICS : Not determined. China IECS Listed. : **Europe EINECS** Not determined. : Japan ENCS Not determined. : Korea KECI Not determined. ÷ **Philippines PICCS** : Listed.

**16. OTHER INFORMATION** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.