

MATERIAL SAFETY DATA SHEET

DP-9229-1-1000

Version Number 1.0 Revision Date 05/23/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (440)-930-1395 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | DP-9229-1-1000 |
| Product code | : | EM10001878 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |
| | 4. FIRST AID MEASURES |

MATERIAL SAFETY DATA SHEET



DP-9229-1-1000

| ion Number 1.0 sion Date 05/23/2002 | Page 2 Print Date 11/4/2 |
|--|--|
| | |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | Not applicable Not applicable Not relevant water, dry powder, foam, carbon dioxide (CO2). |
| Special Fire Fighting Procedures | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : None |
| (| 5. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. |



MATERIAL SAFETY DATA SHEET

DP-9229-1-1000

Version Number 1.0 Revision Date 05/23/2002 Page 3 of 5 Print Date 11/4/2011

| | OSURE CONTRO | LS / PERSONAL PROTECTI | ON |
|--|---|--|--|
| Respiratory protection | : No personal | respiratory protective equipment | normally required. |
| Eye/Face Protection | : Safety glasse | es with side-shields. | |
| Hand protection | : Protective gl | oves. | |
| Skin and body protection | : Long sleeved | l clothing. | |
| Additional Protective Measures | : Safety shoes | | |
| General Hygiene Considerations | | cordance with good industrial hystefore breaks and at the end of w | |
| Engineering measures | | areas with appropriate exhaust v exhaust ventilation at machinery. | |
| Exposure limit(s) | | | |
| | - | regulatory thresholds in this pro | oduct. |
| Form | : Solid | Evaporation rate | : Not applicable. |
| | : Pellets, slabs | Specific Gravity | : Not determined |
| Appearance | . i enets, sittes | | |
| Appearance Color | NO PIGMENT | | Not established |
| Color | : NO PIGMENT · Very faint | Bulk density | : Not established : Not applicable |
| Color Odor | : Very faint | Bulk density Vapor pressure | : Not applicable |
| Color Odor Melting point/range | : Very faint: Not determined | Bulk density Vapor pressure Vapor density | Not applicableNot applicable |
| Color Odor | : Very faint | Bulk density Vapor pressure | : Not applicable |
| Color Odor Melting point/range Boiling Point: | : Very faint: Not determined: Not applicable: Insoluble | Bulk density Vapor pressure Vapor density | Not applicableNot applicable |
| Color Odor Melting point/range Boiling Point: Water solubility | : Very faint: Not determined: Not applicable: Insoluble | Bulk density Vapor pressure Vapor density pH | Not applicableNot applicable |
| Color Odor Melting point/range Boiling Point: Water solubility Stability | Very faint Not determined Not applicable Insoluble 10. STABILIT Stable. | Bulk density Vapor pressure Vapor density pH Y AND REACTIVITY | Not applicableNot applicable |
| Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization | Very faint Not determined Not applicable Insoluble 10. STABILIT Stable. Will not occ | Bulk density Vapor pressure Vapor density pH Y AND REACTIVITY | Not applicable Not applicable Not applicable |
| Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid | Very faint Not determined Not applicable Insoluble 10. STABILIT Stable. Will not occ To avoid the | Bulk density Vapor pressure Vapor density pH <u>Y AND REACTIVITY</u> ur. rmal decomposition, do not over | : Not applicable : Not applicable : Not applicable |
| Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid | Very faint Not determined Not applicable Insoluble 10. STABILIT Stable. Will not occ To avoid the | Bulk density Vapor pressure Vapor density pH Y AND REACTIVITY | : Not applicable : Not applicable : Not applicable |
| Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization | Very faint Not determined Not applicable Insoluble 10. STABILIT Stable. Will not occ To avoid the Very strong Carbon diox | Bulk density Vapor pressure Vapor density pH <u>Y AND REACTIVITY</u> ur. rmal decomposition, do not over | Not applicable Not applicable Not applicable |

There are no known hazardous components above regulatory thresholds in this product.



MATERIAL SAFETY DATA SHEET

DP-9229-1-1000

| ion Number 1.0 sion Date 05/23/2002 | Print Date 11/4 |
|--|--|
| | 12. ECOLOGICAL INFORMATION |
| Persistence and degradability | : Not readily biodegradable. |
| | |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the math of the polymer. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the math of the polymer. |
| Additional advice | : Not applicable |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste mater has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground) | : Not regulated for transportation. |
| ICAO/IATA | : Not regulated for transportation. |
| IMO / IMDG | : Not regulated for transportation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : There are no known hazardous components above regulatory thresholds in this product. |
| TSCA Status | : All components of this product are listed on the TSCA inventory or a exempt. |
| California Proposition 65 | : This product does not contain a substance listed by California Prop 6 |
| Canadian Regulations: | |
| | |



MATERIAL SAFETY DATA SHEET

DP-9229-1-1000

Page 5 of 5 Version Number 1.0 Revision Date 05/23/2002 Print Date 11/4/2011 WHMIS Classification : Not controlled. DSL : Listed. National Inventories: Australia AICS Not determined. : China IECS Listed. · Europe EINECS Not determined. : Japan ENCS Not determined. : Korea KECI Not determined. : **Philippines PICCS** : Listed. **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.