PolyOne

### MATERIAL SAFETY DATA SHEET **NT-818.G002-8000**

Version Number 1.4 Revision Date 03/12/2014

Page 1 of 6 Print Date 3/17/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	NT-818.G002-8000		
Product code	:	EM10002245		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

**POLYONE CORPORATION** 

PolyOne.

# MATERIAL SAFETY DATA SHEET **NT-818.G002-8000**

Version Number 1.4 Revision Date 03/12/2014 Page 2 of 6 Print Date 3/17/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET **NT-818.G002-8000**

Version Number 1.4 Revision Date 03/12/2014 Page 3 of 6 Print Date 3/17/2014

		RSONAL PROTECTIO			
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes	Safety shoes			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
9.	PHYSICAL AND CHEMI	CAL PROPERTIES			
<b>9.</b> Form	PHYSICAL AND CHEMI : solid	CAL PROPERTIES	: Not applicable		
Form	: solid : pellets, Slabs	Evapouration rate Specific Gravity	: Not applicable : Not determined		
Form Appearance Colour	: solid : pellets, Slabs : BLACK	Evapouration rate Specific Gravity Bulk density	: Not determined : Not established		
Form Appearance Colour Odour	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul><li>Not determined</li><li>Not established</li><li>not applicable</li></ul>		
Form Appearance Colour Odour Melting point/range	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul><li>Not determined</li><li>Not established</li><li>not applicable</li><li>not applicable</li></ul>		
Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul><li>Not determined</li><li>Not established</li><li>not applicable</li></ul>		
Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul><li>Not determined</li><li>Not established</li><li>not applicable</li><li>not applicable</li></ul>		
Form Appearance Colour Odour Melting point/range	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul><li>Not determined</li><li>Not established</li><li>not applicable</li><li>not applicable</li></ul>		
Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AND 1	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AND 1	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	<ul> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>The product is stable</li> <li>Will not occur.</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	: Not determined : Not established : not applicable : not applicable : not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>The product is stable</li> <li>Will not occur.</li> <li>To avoid thermal decomposition</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY if stored and handled as p	: Not determined : Not established : not applicable : not applicable : not applicable		

PolyOne

## MATERIAL SAFETY DATA SHEET **NT-818.G002-8000**

Version Number 1.4 Revision Date 03/12/2014 Page 4 of 6 Print Date 3/17/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
	12. ECOLOGIC	AL INFORMATIO	ON			
Persistence and degradabilit	: Not readily biodegradable.					
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: not applicable					
	13. DISPOSAL	CONSIDERATIO	NS			
Product	possible recyc generator of w classification,	ling is preferred to o vaste material has th transportation and o	he product can be recycled. Whe disposal or incineration. The e responsibility for proper waste lisposal in accordance with l and local regulations.			
Contaminated packaging	material has the transportation	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPOI	RT INFORMATIO	N			
U.S. DOT Classification	: Not regulated	for transportation.				
ICAO/IATA	: Refer to speci	fic regulation.				
IMO/IMDG (maritime)	: Refer to speci	fic regulation.				
	15. REGULATO	RY INFORMATI	ON			
US Regulations:						
OSHA Status	: Classified as h	azardous based on o	components.			
TSCA Status	TSCA Status : All components of this product are listed on or exempt fro TSCA Inventory.		re listed on or exempt from the			

PolyOne

# MATERIAL SAFETY DATA SHEET **NT-818.G002-8000**

Version Number 1.4 Revision Date 03/12/2014 Page 5 of 6 Print Date 3/17/2014

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne

# MATERIAL SAFETY DATA SHEET NT-818.G002-8000

Version Number 1.4 Revision Date 03/12/2014 Page 6 of 6 Print Date 3/17/2014

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.