## MATERIAL SAFETY DATA SHEET **DP 9239-1-1000**

Version Number 1.2 Revision Date 06/11/2007

Page 1 of 6 Print Date 11/29/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone <b>Emergency telephone</b>	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DP 9239-1-1000
Product code	:	EM10002363
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	Routes of Exposure: : Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



## MATERIAL SAFETY DATA SHEET **DP 9239-1-1000**

Version Number 1.2 Revision Date 06/11/2007 Page 2 of 6 Print Date 11/29/2011

	4. FIRST AID MEASURES	
Inhalation	Move to fresh air in case of accidental inha overheating or combustion. When sympto doubt seek medical advice.	
Ingestion	Do not induce vomiting without medical a persist or in all cases of doubt seek medica	
Eyes	Rinse immediately with plenty of water, al least 15 minutes. If eye irritation persists,	
Skin	Wash off with soap and plenty of water. If medical attention.	skin irritation persists seel
	5. FIRE-FIGHTING MEASURES	
Flash point	Not applicable	
Flammable Limits		
Upper explosion limit	Not applicable	
Lower explosion limit	Not applicable	
Autoignition temperature	Not applicable	
Suitable extinguishing media	Carbon dioxide blanket, Water spray, Dry	powder, Foam.
Special Fire Fighting Procedures	Fullface self-contained breathing apparatus pressure mode should be worn to prevent i contaminants.	
Unusual Fire/Explosion Hazards	Carbon dioxide (CO2), carbon monoxide ((NOx), other hazardous materials, and smo	
	CCIDENTAL RELEASE MEASURES	
Personal precautions	Wear appropriate personal protection durin impervious gloves, boots and coveralls.	ng cleanup, such as
Environmental precautions	Should not be released into the environment be allowed to enter drains, water courses of	1
Methods for cleaning up	Clean up promptly by sweeping or vacuum plastic, cardboard or metal containers for d of this MSDS for proper disposal methods	isposal. Refer to Section 13
	7. HANDLING AND STORAGE	
Handling	Take measures to prevent the build up of e only in areas with appropriate exhaust ven	
Storage	Keep containers dry and tightly closed to a	void moisture absorption

2/6

PolyOne.

## MATERIAL SAFETY DATA SHEET **DP 9239-1-1000**

Version Number 1.2 Revision Date 06/11/2007 Page 3 of 6 Print Date 11/29/2011

8. E	XPOSURE	<b>CONTROLS / PERSONAL</b>	PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: P	: Protective gloves			
Skin and body protection	: L	: Long sleeved clothing			
Additional Protective Measures	: S	: Safety shoes			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Calcium carbonate	5 mg/m3	PEL:	1 71		
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	10 mg/m3	Time Weighted Average		MX OEL	
	20 mg/m3	(TWA): Short Term Exposure Limit (STEL):		MX OEL	
		(SIEL):			
	9. PHYSIC	CAL AND CHEMICAL PRO	<b>DPERTIES</b>		
		_		a multipalita	
Form	: Solic	· · · · · · · · · · · · · · · · · · ·		applicable	
Appearance	: pelle	ts, Slabs Specif	ic Gravity : Not	determined	
Appearance Color	: pelle : NO l	ts, Slabs Specif PIGMENT Bulk c	ic Gravity : Not lensity : Not	determined established	
Appearance Color Odour	: pelle : NO l : Very	ts, Slabs Specif PIGMENT Bulk c faint Vapou	ïc Gravity: Notlensity: Notır pressure: Not	determined established applicable	
Appearance Color Odour Melting point/range	: pelle : NO I : Very : Not	ts, Slabs Specif PIGMENT Bulk of faint Vapou determined Vapou	ic Gravity: Notlensity: Notur pressure: Notur density: Not	determined established applicable applicable	
Appearance Color Odour Melting point/range Boiling Point:	: pelle : NO I : Very : Not c : Not c	ts, Slabs Specif PIGMENT Bulk c faint Vapou determined Vapou applicable pH	ic Gravity: Notlensity: Notur pressure: Notur density: Not	determined established applicable	
Appearance Color Odour Melting point/range	: pelle : NO I : Very : Not	ts, Slabs Specif PIGMENT Bulk c faint Vapou determined Vapou applicable pH	ic Gravity: Notlensity: Notur pressure: Notur density: Not	determined established applicable applicable	
Appearance Color Odour Melting point/range Boiling Point:	: pelle : NO I : Very : Not o : Not a : Insol	ts, Slabs Specif PIGMENT Bulk c faint Vapou determined Vapou applicable pH	ic Gravity : Not lensity : Not ir pressure : Not ir density : Not : Not	determined established applicable applicable	
Appearance Color Odour Melting point/range Boiling Point:	: pelle : NO I : Very : Not e : Not e : Insol	ts, Slabs Specif PIGMENT Bulk of faint Vapou determined Vapou applicable pH uble	ic Gravity : Not lensity : Not ir pressure : Not ir density : Not : Not	determined established applicable applicable	
Appearance Color Odour Melting point/range Boiling Point: Water solubility	: pelle : NO I : Very : Not ( : Not : : Insol 10. \$ : S	ts, Slabs Specif PIGMENT Bulk of faint Vapou determined Vapou applicable pH uble	ic Gravity : Not lensity : Not ir pressure : Not ir density : Not : Not	determined established applicable applicable	

PolyOne.

# MATERIAL SAFETY DATA SHEET **DP 9239-1-1000**

ion Number 1.2 sion Date 06/11/2007			Page 4 Print Date 11/29/2
Incompatible Materials	: Strong acids,	oxidizing and reducin	ng agents
Hazardous decomposition products			oxide (CO), oxides of nitrogen ad smoke are all possible.
	11. TOXICOLOG	ICAL INFORMATIO	ON
	en evaluated as a whole for idual components which co		ure effects listed are based on exi
<u>Toxicity Overview</u> This product contains th	e following components w	hich in their pure form	have the following characteristic
CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system
	12. ECOLOGIO	CAL INFORMATION	1
Environmental Toxicity Bioaccumulation Potent Additional advice Product Contaminated packaging	polymer matr ial : Chemicals are polymer matr : Not applicabl <b>13. DISPOSAL</b> : Like most the possible recyc generator of v classification, applicable fec g : Recycling is p has the respon	ix. e not readily available a ix. e <b>CONSIDERATIONS</b> rmoplastic plastics the cling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a preferred when possible asibility for proper was	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
U.S. DOT Classification	and local regundation and local regundation and local regundation and local regulated and the second	Ilations. <b>RT INFORMATION</b> for transportation.	
	Refer to speci	fic regulation.	
ICAO/IATA (air)	. Refer to speen	ine regulation.	

PolyOne.

## MATERIAL SAFETY DATA SHEET **DP 9239-1-1000**

Version Number 1.2 Revision Date 06/11/2007

\_\_\_\_\_

Page 5 of 6 Print Date 11/29/2011

	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ext	remely Hazardous Substance
Unless specific chemicals are ic	lentified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	kic Chemicals:
Unless specific chemicals are ic	lentified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Relea	se Inventory (NPRI)
Not applicable	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic
	Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Listed

P	bly	On	e.
	_		

## MATERIAL SAFETY DATA SHEET **DP 9239-1-1000**

Version Number 1.2 Revision Date 06/11/2007

Page 6 of 6 Print Date 11/29/2011

Korea KECI : Listed

Philippines PICCS : Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.