

### MATERIAL SAFETY DATA SHEET

## DP-9237-3-7001

Version Number 1.2 Revision Date 06/04/2004 Page 1 of 7 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	DP-9237-3-7001
Product code :	EM10002807
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	1 - 5
Titanium dioxide	13463-67-7	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure Medical Conditions Aggravated by Exposure:	<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>



# MATERIAL SAFETY DATA SHEET

# DP-9237-3-7001

Version Number 1.2 Revision Date 06/04/2004 Page 2 of 7 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
sower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/7



# MATERIAL SAFETY DATA SHEET **DP-9237-3-7001**

Version Number 1.2 Revision Date 06/04/2004 Page 3 of 7 Print Date 11/14/2011

8. I	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protectiv	ve equipment normally	required.	
Eye/Face Protection	: Sa	: Safety glasses with side-shields.			
Hand protection	: Pr	rotective gloves.			
Skin and body protection	: Lo	ong sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.			
General Hygiene Considerations		andle in accordance with good /ash hands before breaks and a		safety practice.	
Engineering measures		eat only in areas with appropri ppropriate exhaust ventilation a		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Antimony trioxide	0.5 mg/m3	PEL:	as Sb	OSHA Z1	
ž	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	0 DIIVCIC	NAT AND CHEMICAL DDO	DEDTHES		
	<b>9. PHYSIC</b>	CAL AND CHEMICAL PRO	PERTIES		
Form	: Solid	Evapor		t applicable	
Appearance	: Solid : Pellet	ts, slabs Specifi	c Gravity: : Not	t determined	
Appearance Color	: Solid : Pellet : GRE	ts, slabs Specifi Y Bulk de	c Gravity: : Not ensity : Not	t determined t established	
Appearance Color Odor	: Solid : Pellet : GRE : Very	ts, slabs Specifi Y Bulk de faint Vapor	c Gravity: : Not ensity : Not pressure : Not	t determined t established t applicable	
Form Appearance Color Odor Melting point/range	: Solid : Pellet : GRE : Very : Not d	ts, slabs Specifi Y Bulk de faint Vapor letermined Vapou	c Gravity: : Not ensity : Not pressure : Not r density : Not	t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pellet : GRE : Very : Not d : Not a	ts, slabs Specifi Y Bulk de faint Vapor letermined Vapour pplicable pH	c Gravity: : Not ensity : Not pressure : Not r density : Not	t determined t established t applicable	
Appearance Color Odor Melting point/range	: Solid : Pellet : GRE : Very : Not d	ts, slabs Specifi Y Bulk de faint Vapor letermined Vapour pplicable pH	c Gravity: : Not ensity : Not pressure : Not r density : Not	t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pellet : GRE : Very : Not d : Not a : Insolu	ts, slabs Specifi Y Bulk de faint Vapor letermined Vapour pplicable pH	c Gravity: : Not ensity : Not pressure : Not r density : Not : Not	t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pellet : GRE : Very : Not d : Not a : Insolu <b>10. S</b>	ts, slabs Specifi Y Bulk de faint Vapor letermined Vapour applicable pH uble	c Gravity: : Not ensity : Not pressure : Not r density : Not : Not	t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pellet : GRE : Very : Not d : Not a : Insolu <b>10. S</b> : St	ts, slabs Specifi Y Bulk de faint Vapor letermined Vapour upplicable pH uble TABILITY AND REACTIV	c Gravity: : Not ensity : Not pressure : Not r density : Not : Not	t determined t established t applicable t applicable	



## MATERIAL SAFETY DATA SHEET

## DP-9237-3-7001

#### Version Number 1.2 Revision Date 06/04/2004

Page 4 of 7 Print Date 11/14/2011

Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability

Environmental Toxicity

: Not readily biodegradable.

4/7

: Chemicals are not readily available as they are bound within the matrix



# MATERIAL SAFETY DATA SHEET

MATERIAL SAFETY DATA SH	EET
DP-9237-3-7001	
Version Number 1.2 Revision Date 06/04/2004	Page 5 of 2 Print Date 11/14/201
	of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	Substances (40 CFR 302)

Chemical Name	CAS-No.	% in Product	RQ for component	RQ for
				Mixture/Product
Arsenic	7440-38-2	0.0050	001 lbs	20,000 LB

65

California Proposition : WARNING! This product contains a chemical known to the State of California to cause cancer.

## MATERIAL SAFETY DATA SHEET

## DP-9237-3-7001

Version Number 1.2 Revision Date 06/04/2004 Page 6 of 7 Print Date 11/14/2011

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
ANTIMONY COMPOUNDS	1309-64-4	4.99

Canadian Regulations:

National	Pollutant	Release	Inventory	v (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Antimony trioxide	1309-64-4	4.99	17

WHMIS	Classification	:	D2A

WHMIS Ingredient Disclosure List

CAS-No.
1309-64-4

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Listed
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Listed

:

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.



MATERIAL SAFETY DATA SHEET

## DP-9237-3-7001

Version Number 1.2 Revision Date 06/04/2004 Page 7 of 7 Print Date 11/14/2011