

MATERIAL SAFETY DATA SHEET

TAN BARK

Version Number 1.1 Revision Date 09/24/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TAN BARK
Product code	:	EM10003107
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

TAN BARK

Version Number 1.1 Revision Date 09/24/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

TAN BARK

Version Number	er 1.1
Revision Date	09/24/2003

 Storage
 : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves. Refer to equipment supplier to ensure protection.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: TAN	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	
Melting point/range	: Not determined	Vapour density	
Boiling Point:	: Not applicable	pН	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	ND KEAC HVII I	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from decomposition, d	oxidizing agents and open f	lame. To avoid thermal



MATERIAL SAFETY DATA SHEET

TAN BARK

Version Number 1.1 Revision Date 09/24/2003	3		Page 4 of 6 Print Date 11/12/2011
Incompatible Materials Hazardous decompositi products	on : Carbon dioxi		oxidizing agents. oxide (CO), oxides of nitrogen nd smoke are all possible.
		CICAL INFORMATIO)N
health data for the indiv Toxicity Overview	en evaluated as a whole fo vidual components which c	comprise the mixture.	The effects listed are based on existing have the following characteristics:
CAS-No. 13463-67-7	Chemical Name Titanium dioxide	Effect Systemic effects	Target OrganRespiratory system.
15405-07-7	I ftailluill dioxide	Systemic effects	Respiratory system.
	12. ECOLOGI	CAL INFORMATION	
Persistence and degrada	ability : Not readily b	biodegradable.	
Environmental Toxicity	Chemicals ar of the polym		s they are bound within the matrix
Bioaccumulation Poten	tial : Chemicals ar of the polym		s they are bound within the matrix
Additional advice	: No data avai	lable.	
	13. DISPOSAL	CONSIDERATIONS	
Product Contaminated packagin	possible recy generator of classification applicable fe ng : Recycling is	veling is preferred to disp waste material has the r n, transportation and disp deral, state/provincial and preferred when possible	. The generator of waste material
	and disposal and local reg	in accordance with appluations.	te classification, transportation licable federal, state/provincial
	14. TRANSPO	ORT INFORMATION	
U.S. DOT Classification	n : Not regulated	d for transportation.	
ICAO/IATA (air)	: Refer to spec	cific regulation.	
IMO / IMDG (maritime	e) : Refer to spec	cific regulation.	



MATERIAL SAFETY DATA SHEET

TAN BARK

Version Number 1.1 Revision Date 09/24/2003 Page 5 of 6 Print Date 11/12/2011

US Regulations:					
OSHA Status	: Cla	assified as hazardo	ous based on com	ponents.	
TSCA Status		ll components of the ventory.	his product are lis	ted on or exemp	pt from the TSC
JS. EPA CERCLA Hazardous	Substand	ces (40 CFR 302)			
Not applicable					
California Proposition 65	: Th	is product does no	ot contain a substa	nce listed by C	alifornia Prop 6
SARA Title III Section 302 Ext	remely I	Hazardous Substa	nce		
Not applicable					
"PP					
SARA Title III Section 313 Toy Not applicable	xic Chen	nicals:			
SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Relea			CAS-No	Weight %	NPRI ID#
SARA Title III Section 313 To Not applicable Canadian Regulations:			CAS-No. 1308-38-9	Weight % 0.22	NPRI ID# 68
SARA Title III Section 313 Toy Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name	se Inven : D2 : Al	tory (NPRI)	1308-38-9	0.22	68
SARA Title III Section 313 Too Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Chromium (III) oxide WHMIS Classification DSL	se Inven : D2 : Al	ttory (NPRI)	1308-38-9	0.22	68
SARA Title III Section 313 Too Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Chromium (III) oxide WHMIS Classification DSL	se Inven : D2 : Al Su	ttory (NPRI)	1308-38-9	0.22	68
SARA Title III Section 313 Too Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Chromium (III) oxide</u> WHMIS Classification DSL National Inventories:	se Inven : D2 : Al Su : Lis	ttory (NPRI) 2B 11 components of t bstances List (DS)	1308-38-9	0.22	68
SARA Title III Section 313 Too Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Chromium (III) oxide</u> WHMIS Classification DSL National Inventories: Australia AICS	se Inven : D2 : Al Su : Lis : Lis	ttory (NPRI) 2B 11 components of t bstances List (DSI sted	1308-38-9	0.22	68

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET

TAN BARK

Version Number 1.1

Revision Date 09/24/2003

Page 6 of 6 Print Date 11/12/2011

Korea KECI : Not determined

: Listed

Philippines PICCS

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.