

MATERIAL SAFETY DATA SHEET

EXP CP 15502105203 WHITE 1000

Version Number 1.0 Revision Date 02/13/2003 Page 1 of 6 Print Date *11/10/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	EXP CP 15502105203 WHITE 1000
Product code	:	EM10003429
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

EXP CP 15502105203 WHITE 1000

Version Number 1.0 Revision Date 02/13/2003 Page 2 of 6 Print Date 11/10/2011

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists s medical attention.	eek
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant water, dry powder, foam, carbon dioxide (CO2). 	
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. None 	7e
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	ıot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	ıt
Storage	: Keep containers dry and tightly closed to avoid moisture absorptio	n



MATERIAL SAFETY DATA SHEET

EXP CP 15502105203 WHITE 1000

Version Number 1.0 Revision Date 02/13/2003 Page 3 of 6 Print Date 11/10/2011

	Safety glasses with Protective gloves. Long sleeved cloth Safety shoes. Handle in accordan	ttory protecti side-shields. ing. ce with good	ve equipment normally			
	Safety glasses with Protective gloves. Long sleeved cloth Safety shoes. Handle in accordan	side-shields. ing. ce with good				
: 1 : 1 : 1 : 1 : 1	Protective gloves. Long sleeved cloth Safety shoes. Handle in accordan	ing. ce with good		safety practice		
:] : ; :]	Long sleeved cloth Safety shoes. Handle in accordan	ce with good	industrial hygiene and	safety practice		
: 1	Safety shoes. Handle in accordan	ce with good	industrial hygiene and	safety practice		
: 1	Handle in accordan		industrial hygiene and	safety practice		
: 1			industrial hygiene and	safety practice		
		oreans and a	General Hygiene:Handle in accordance with good industrial hygiene and safety pract Wash hands before breaks and at the end of workday.			
:	Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
⁷ alue	Exposure	time	Exposure type	List:		
	3 Time Weighted Average		Dust.	ACGIH		
mg/m3			Total dust.	OSHA Z1		
PHYSI	ICAL AND CHEN	IICAL PRO	PERTIES			
Appearance: PelColor: WFOdor: VerMelting point/range: NoBoiling Point:: No			Ic Gravity: Not determineddensity: Not establishedpressure: Not applicable			
10.	STABILITY ANI	D REACTIV	ITY			
: :	Stable.					
: `	Will not occur.					
: ′	To avoid thermal d	ecomposition	n, do not overheat.			
: :	Strong acids, oxidi	zing and red	ducing agents.			
: (Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen					
	7alue mg/m3 mg/m3 PHYSI : Sol: : Pell : WF : Ver : Not : Not : Insc 10. :	T T Value Exposure mg/m3 Time Weighted (TWA mg/m3 PEL: PHYSICAL AND CHEM : Solid : Pellets, slabs : WHITE : Very faint : Not determined : Insoluble 10. STABILITY ANI : Stable. : Will not occur. : To avoid thermal d : Strong acids, oxidi	Table Exposure time mg/m3 Time Weighted Average (TWA): mg/m3 mg/m3 PEL: PHYSICAL AND CHEMICAL PRO : Solid Evapor Not PEL: WHITE Bulk di Vapor Not determined Vapor Insoluble 10. STABILITY AND REACTIV : Stable. Will not occur. : To avoid thermal decomposition : Strong acids, oxidizing and ready	/alue Exposure time Exposure type mg/m3 Time Weighted Average Dust. (TWA): mg/m3 PEL: mg/m3 PEL: Total dust. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : PHYSICAL AND CHEMICAL PROPERTIES : Not : Solid Evaporation rate : Not : Pellets, slabs Specific Gravity : Not : WHITE Bulk density : Not : WHITE Bulk density : Not : Very faint Vapor pressure : Not : Not applicable pH : Not : Insoluble . . Not : Stable. : To avoid thermal decomposition, do not overheat. . . . : Strong acids, oxidizing and reducing agents. . .		



MATERIAL SAFETY DATA SHEET

EXP CP 15502105203 WHITE 1000

Version Number 1.0 Revision Date 02/13/2003

Page 4 of 6 Print Date 11/10/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.			Effect	Target Organ			
13463-67-7	Titanium dioxide		Systemic effects	Respiratory system.			
				1			
12. ECOLOGICAL INFORMATION							
Persistence and degrade	ability :	: Not readily biodegradable.					
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.					
Bioaccumulation Potential		Chemicals are not readily available as they are bound within the matrix of the polymer.					
Additional advice		: Not applicable					
	1	3. DISPOSAL C	ONSIDERATIONS				
Product Contaminated packaging		 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 					
 14. TRANSPORT INFORMATION							
U.S. DOT Classificatio	on : :	-	or transportation.				
IMO / IMDG	:	Not regulated for	or transportation.				
	15	. REGULATOR	RY INFORMATION				
US Regulations:							



MATERIAL SAFETY DATA SHEET

EXP CP 15502105203 WHITE 1000

ersion Number 1.0 evision Date 02/13/2003		Page 5 of Print Date 11/10/20
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer., WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
SARA Title III Section 302 Extra	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic C	Chemicals:
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION
		5/6



MATERIAL SAFETY DATA SHEET

EXP CP 15502105203 WHITE 1000

Version Number 1.0 Revision Date 02/13/2003 Page 6 of 6 Print Date 11/10/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.