

MATERIAL SAFETY DATA SHEET

GRAY

Version Number 1.0 Revision Date 02/20/2003 Page 1 of 6 Print Date *11/10/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE Emergency telephone number	:	Product Stewardship (440)-930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code Chemical Name CAS-No. Product Use	::	GRAY EM10003473 Mixture Mixture Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Talc	14807-96-6	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact				
Acute exposure				
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET

GRAY

ision Date 02/20/2003	Print Date 11/10/2
	4. FIRST AID MEASURES
	4. FIKST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

GRAY

ion Number 1.0 sion Date 02/20/2003				Print D	Page 3 Date 11/10/2	
	a	nd contamination.	Keep in a d	ry, cool place.		
8. 1	EXPOSURE	CONTROLS / PE	RSONAL	PROTECTION		
Respiratory protection	: N	lo personal respirate	ory protecti	ve equipment normally	required.	
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothin	g.			
Additional Protective Measures	: S	: Safety shoes.				
General Hygiene Considerations				industrial hygiene and s at the end of workday.	safety practic	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure ti		Exposure type	List:	
Talc	2 mg/m3	Time Weighted (TWA):	-	Dust.	ACGIH	
Talc	2 mg/m3	Time Weighted (TWA):		Dust.	ACGIH	
	9. PHYSI(CAL AND CHEM	ICAL PRO	PERTIES		
Form	: Solid	1	Evapor	ration rate : Not	t applicable.	
Appearance	: Pelle	ets, slabs	Specifi	ic Gravity : Not	t determined	
Color	: GRE		Bulk density : Not e		t established	
Odor	: Very		Vapor pressure : Not applicab			
Melting point/range		determined	-	•	t applicable	
Boiling Point:		applicable	pН	: Not	t applicable	
Water solubility	: Insol	uble				
	10. 8	STABILITY AND	REACTIV	TTY		
	: S	table.				
Stability						
		Vill not occur.				
Stability Hazardous Polymerizatio Conditions to avoid	on : W	Vill not occur. 'o avoid thermal dec	compositior	n, do not overheat.		



MATERIAL SAFETY DATA SHEET

GRAY

Version Number 1.0 Revision Date 02/20/2003 Page 4 of 6 Print Date *11/10/2011*

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOG	ICAL INFORMATION	1			
Persistence and degrada	bility : Not readily	biodegradable.				
Environmental Toxicity		Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice : Not applicable						
	13. DISPOSA	L CONSIDERATIONS	5			
Product Contaminated packaging	g : Recycling i has the resp and disposa	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14. TRANSP	ORT INFORMATION				
U.S. DOT Classification	n : Not regulat	ed for transportation.				
ICAO/IATA	: Not regulat	regulated for transportation.				
IMO / IMDG	: Not regulat	: Not regulated for transportation.				
	15. REGULAT	FORY INFORMATION	N			

MATERIAL SAFETY DATA SHEET



GRAY						
Version Number 1.0 Revision Date 02/20/2003			Print Date	Page 5 of 6 11/10/2011		
US Regulations:						
OSHA Status : C	Classified as hazardous ba	ased on component	s.			
	All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardous Substa	ances (40 CFR 302)					
Not applicable						
California Proposition : 7 65	This product does not con	tain a substance lis	ted by California	a Prop 65.		
SARA Title III Section 302 Extremely	y Hazardous Substance					
Not applicable						
SARA Title III Section 313 Toxic Che	emicals:					
Chemical Name		CAS-No.	Weight %			
ZINC COMPOUNDS		1314-98-3	02.52			
Canadian Regulations: WHMIS Classification : I	D2A					
WHMIS Ingredient Disclosure	e List					
CAS-No. 14807-96-6						
	All components of this pr Substances List (DSL) or		anadian Domest	ic		
National Inventories:						
Australia AICS : I	Listed.					
China IECS : I	Listed.					
Europe EINECS : N	Not determined.					
Japan ENCS : N	Not determined.					

MATERIAL SAFETY DATA SHEET

GRAY

Version Number 1.0 Revision Date 02/20/2003 PolyOne

Korea KECI : Listed.

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Page 6 of 6 Print Date *11/10/2011*