

MATERIAL SAFETY DATA SHEET

RT3880ES NATURAL

Version Number 1.0 Revision Date 05/06/2003 Page 1 of 5 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RT3880ES NATURAL
Product code	:	EM10003758
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling. 	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	



MATERIAL SAFETY DATA SHEET

RT3880ES NATURAL

sion Date 05/06/2003	Page Print Date 11/11
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards	
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

RT3880ES NATURAL

Version Number 1.0 Revision Date 05/06/2003 Page 3 of 5 Print Date 11/11/2011

ð. EAF	OSUR	RE CONTROLS / I	PERSONAL PROTECTION	
Respiratory protection	:	No personal respir	atory protective equipment normally required.	
Eye/Face Protection : Safety glasses with side-shi			n side-shields.	
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved cloth	ning.	
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:		nce with good industrial hygiene and safety prace e breaks and at the end of workday.	tice
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)				
<u> </u>				
There are no known hazardou	is com	ponents above regul	atory thresholds in this product.	
9.	PHYS	SICAL AND CHE	MICAL PROPERTIES	
Form	: So	did	Evaporation rate : Not applicable	-
Appearance		ellets, slabs	Specific Gravity : Not determine	
Color		O PIGMENT	Bulk density : Not establishe	
Odor		ery faint	Vapor pressure : Not applicabl	e
Melting point/range		ot determined	Vapor density : Not applicabl	
moning point/range				
Boiling Point:	: No	ot applicable	pH : Not applicabl	
		ot applicable soluble	pH : Not applicabl	
Boiling Point:	: In			
Boiling Point:	: In	soluble		
Boiling Point: Water solubility	: In	soluble		
Boiling Point: Water solubility Stability	: In	soluble D. STABILITY AN Stable. Will not occur.		
Boiling Point: Water solubility Stability Hazardous Polymerization	: In	Soluble D. STABILITY AN Stable. Will not occur. To avoid thermal o	D REACTIVITY	
Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: In: 10 : :	Soluble D. STABILITY AN Stable. Will not occur. To avoid thermal of Strong acids, oxid Carbon dioxide (C	D REACTIVITY decomposition, do not overheat.	



MATERIAL SAFETY DATA SHEET

RT3880ES NATURAL

sion Number 1.0 ision Date 05/06/2003	Page Print Date 11/11/
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matr of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matr of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste mater has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET

RT3880ES NATURAL

Version Number 1.0		Page 5 of 5 Print Date 11/11/2011
Revision Date 05/06/2003		Print Date 11/11/2011
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extr	rem	nely Hazardous Substance
Not applicable		
Not applicable		
SARA Title III Section 313 Tox	ic (Chemicals:
Not applicable		
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.