

MATERIAL SAFETY DATA SHEET

MSDS 150-258-001

Version Number 1.0 Revision Date 07/11/2003

Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MSDS 150-258-001
Product code	:	EM10004312
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Quartz	14808-60-7	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET MSDS 150-258-001

Version Number 1.0 Revision Date 07/11/2003 Page 2 of 6 Print Date 11/11/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all ca doubt seek medical advice.	ses of
Ingestion	: Do not induce vomiting without medical advice. When sympton persist or in all cases of doubt seek medical advice.	ns
Eyes	: Rinse immediately with plenty of water, also under the eyelids, a least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persist medical attention.	s seek
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant water, dry powder, foam, carbon dioxide (CO2). 	
Special Fire Fighting Procedures	 Fullface self-contained breathing apparatus (SCBA) used in post pressure mode should be worn to prevent inhalation of airborne contaminants. 	itive
Unusual Fire/Explosion Hazards	: None	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product shoul be allowed to enter drains, water courses or the soil.	d not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all materia plastic, cardboard or metal containers for disposal. Refer to Sect of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. H only in areas with appropriate exhaust ventilation.	leat
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	tion



MATERIAL SAFETY DATA SHEET MSDS 150-258-001

Version Number 1.0 Revision Date 07/11/2003 Page 3 of 6 Print Date 11/11/2011

8. EXPOSURE CONTROLS / PERSONAL PROTECTION				
Respiratory protection				required
Respiratory protection	: No personal respiratory protective equipment normally required.			equirea.
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene:Handle in accordance with good industrial hygiene and safety practice.ConsiderationsWash hands before breaks and at the end of workday.				
Engineering measures	easures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Quartz	0.05	Time Weighted Average	Respirable dust.	ACGIH
	mg/m3	(TWA):	1	
Quartz	0.05	Time Weighted Average		ACGIH
Z	1 -	• •		
-	mg/m3	(TWA):	Descion11. Constitution	
Quartz	5 mg/m3	(TWA): PEL:	Respirable fraction.	OSHA Z1
-	-	(TWA):	Respirable fraction. Total dust.	OSHA Z1 OSHA Z1
-	5 mg/m3 15 mg/m3	(TWA): PEL:	Total dust.	
Quartz	5 mg/m3 15 mg/m3 9. PHYSIC	(TWA): PEL: PEL: CAL AND CHEMICAL PRO	Total dust.	OSHA Z1
Quartz	5 mg/m3 15 mg/m3 9. PHYSIC : Solid	(TWA): PEL: PEL: CAL AND CHEMICAL PRO	Total dust. DPERTIES ration rate : Not	OSHA Z1
Quartz Form Appearance	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	(TWA): PEL: PEL: CAL AND CHEMICAL PRO I Evapor ts, slabs Specifi	Total dust. PERTIES ration rate : Not ic Gravity : Not	OSHA Z1 applicable. determined
Quartz Form Appearance Color	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : NO F	(TWA): PEL: PEL: CAL AND CHEMICAL PRO L Evapor ts, slabs Specifi PIGMENT Bulk d	Total dust. DPERTIES ration rate : Not ic Gravity : Not ensity : Not	OSHA Z1 applicable. determined established
Quartz Form Appearance Color Odor	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : NO F : Very	(TWA): PEL: PEL: CAL AND CHEMICAL PRO L Evapor ts, slabs Specific PIGMENT Bulk d faint Vapor	Total dust. OPERTIES ration rate : Not ic Gravity : Not ensity : Not pressure : Not	OSHA Z1 applicable. determined established applicable
Quartz Form Appearance Color Odor Melting point/range	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : NO F : Very : Not c	(TWA): PEL: PEL: CAL AND CHEMICAL PRO I Evapor ts, slabs Specific PIGMENT Bulk d faint Vapor determined Vapor	Total dust. OPERTIES ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	OSHA Z1 applicable. determined established applicable applicable
-	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : NO F : Very : Not c	(TWA): PEL: PEL: CAL AND CHEMICAL PRO I Evapor ts, slabs Specific PIGMENT Bulk d faint Vapor determined Vapor applicable pH	Total dust. OPERTIES ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	OSHA Z1 applicable. determined established applicable
Quartz Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : NO F : Very : Not c : Not a : Insol	(TWA): PEL: PEL: CAL AND CHEMICAL PRO I Evapor ts, slabs Specific PIGMENT Bulk d faint Vapor determined Vapor applicable pH	Total dust. OPERTIES ration rate : Not ic Gravity : Not ensity : Not density : Not : Not	OSHA Z1 applicable. determined established applicable applicable
Quartz Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : NO F : Very : Not c : Not a : Insol 10. S	(TWA): PEL: PEL: CAL AND CHEMICAL PRO I Evapor ts, slabs Specific PIGMENT Bulk d faint Vapor determined Vapor applicable pH uble Uble	Total dust. OPERTIES ration rate : Not ic Gravity : Not ensity : Not density : Not : Not	OSHA Z1 applicable. determined established applicable applicable
Quartz Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : NO F : Very : Not c : Not z : Insol 10. S : St	(TWA): PEL: PEL: CAL AND CHEMICAL PRO I Evapor ts, slabs Specific PIGMENT Bulk d faint Vapor determined Vapor applicable pH uble STABILITY AND REACTIV	Total dust. OPERTIES ration rate : Not ic Gravity : Not ensity : Not density : Not : Not	OSHA Z1 applicable. determined established applicable applicable



MATERIAL SAFETY DATA SHEET

Λ

SDS 150-258-001				
rsion Number 1.0 vision Date 07/11/2003			Print Da	Page 4 of 6 ate 11/11/2011
Incompatible Materials	: Strong acids,	oxidizing and reduci	ng agents.	
Hazardous decomposition products		de (CO2), carbon mono hazardous materials, a		
	11. TOXICOLOG	ICAL INFORMATIO	ON	
This mixture has not been eva health data for the individual			ure effects listed are	based on existing
<u>Toxicity Overview</u> This product contains the folle	owing components w	hich in their pure form	have the following o	characteristics:
CAS-No.	Chemical Name	Effect	Target O	rgan
14808-60-7 Quar	tz	Systemic effects	Eyes, Respiratory	system.
IARC Carcinogen Classificati 1 - The component is carcinog 2A - The component is probal 2B - The component is possible NTP Carcinogen Classification 1 - The component is known to 2 - The component is reasonal	genic to humans. bly carcinogenic to hu ly carcinogenic to hu ns: to be a human carcino	imans. Ogen.		
Additional Health Hazard I Quartz 14808-60-7 This n possibly silicosis which is a	naterial in its free re scarring of the lung	eleasable form may ca s. CAL INFORMATION		ct irritation, and
	12. ECOLOGIC	AL INFORMATION	N	
Persistence and degradability	: Not readily bi	iodegradable.		
Environmental Toxicity	: Chemicals are of the polyme	e not readily available a er.	as they are bound with	hin the matrix
Bioaccumulation Potential : Chemicals are not readily available as they are bound within the matrix of the polymer.				hin the matrix
Additional advice	: Not applicabl	e		

13. DISPOSAL CONSIDERATIONS

Product

: Like most thermoplastics the product can be recycled. Where



MATERIAL SAFETY DATA SHEET **MSDS 150-258-001**

ersion Number 1.0	Page 5 (
evision Date 07/11/2003	Print Date 11/11/20
Contaminated packaging	 possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material
Containinated packaging	has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
Not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 E	stremely Hazardous Substance
Not applicable	
SARA Title III Section 313 T	oxic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Rele	ase Inventory (NPRI)



MATERIAL SAFETY DATA SHEET **MSDS 150-258-001**

Version Number 1.0 Revision Date 07/11/2003

Page 6 of 6 Print Date 11/11/2011

	WHMIS Classification	:	D2A
	DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Natio	onal Inventories:		
	Australia AICS	:	Listed.
	China IECS	:	Listed.
	Europe EINECS	:	Not determined.
	Japan ENCS	:	Not determined.
	Korea KECI	:	Not determined.
	Philippines PICCS	:	Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.