PolvOne

MATERIAL SAFETY DATA SHEET X1502440655

Version Number 1.2 Revision Date 12/04/2009

Page 1 of 6 Print Date 1/10/2012

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X1502440655
Product code	:	EM10004482
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Quartz	14808-60-7	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X1502440655

Version Number 1.2 Revision Date 12/04/2009 Page 2 of 6 Print Date 1/10/2012

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	·	(NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET X1502440655

Version Number 1.2 Revision Date 12/04/2009

Page 3 of 6 Print Date 1/10/2012

0.	EXPOSURE	CONTROLS/PERSONAL I	PROTECTION				
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.			
Eye/Face Protection	: Sa	: Safety glasses with side-shields					
Hand protection	: P	: Protective gloves					
Skin and body protection	: L	ong sleeved clothing					
Additional Protective Measures	: S	: Safety shoes					
General Hygiene Considerations		andle in accordance with good ractice. Wash hands before br					
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide			
Exposure limit(s)							
Components	Value	Exposure time	Exposure type	List:			
Quartz	0.025	Time Weighted Average	Respirable fraction.	ACGIH			
	mg/m3	(TWA):	Deeninghle doot				
		Decomposition of a discovery second					
	0.05	Recommended exposure	Respirable dust.	NIOSH			
	mg/m3	limit (REL):	-				
		limit (REL): Time Weighted Average	Respirable dust.				
	mg/m3	limit (REL):	-				
	mg/m3 0.1 mg/m3	limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable dust.	OSHA Z1A			
	mg/m3 0.1 mg/m3 0.1 mg/m3	limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average	Respirable dust. Respirable.	OSHA Z1A Z3			
	mg/m3 0.1 mg/m3 0.1 mg/m3 0.3 mg/m3 0.1 mg/m3	limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable dust. Respirable. Total dust.	OSHA Z1A Z3 Z3			
	mg/m3 0.1 mg/m3 0.1 mg/m3 0.3 mg/m3 0.1 mg/m3	limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average	Respirable dust. Respirable. Total dust.	OSHA Z1A Z3 Z3			
Form	mg/m3 0.1 mg/m3 0.1 mg/m3 0.3 mg/m3 0.1 mg/m3	limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Respirable dust. Respirable. Total dust. DPERTIES	OSHA Z1A Z3 Z3 MX OEL			
Form	mg/m3 0.1 mg/m3 0.1 mg/m3 0.3 mg/m3 0.1 mg/m3 9. PHYSIC : solid	limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Respirable dust. Respirable. Total dust. DPERTIES ration rate : Not	OSHA Z1A Z3 Z3			
	mg/m3 0.1 mg/m3 0.1 mg/m3 0.3 mg/m3 0.1 mg/m3 9. PHYSIC : solid : pellet	limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Respirable dust. Respirable. Total dust. DPERTIES ration rate : Not ic Gravity : Not	OSHA Z1A Z3 Z3 MX OEL			
Appearance Colour Odour	mg/m3 0.1 mg/m3 0.1 mg/m3 0.3 mg/m3 0.1 mg/m3 9. PHYSIC : solid : pelle : NO H : very	limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapor ts, Slabs Specifi PIGMENT Bulk d faint Vapou	Respirable dust. Respirable. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not r pressure : not	OSHA Z1A Z3 Z3 MX OEL eapplicable determined established applicable			
Appearance Colour Odour Melting point/range	mg/m3 0.1 mg/m3 0.1 mg/m3 0.3 mg/m3 0.1 mg/m3 9. PHYSIC : solid : pellet : NO F : very : Not c	limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapor ts, Slabs Specific PIGMENT Bulk d faint Vapou letermined Vapou	Respirable dust. Respirable. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not r pressure : not r density : not	A contract of the second secon			
Appearance Colour Odour	mg/m3 0.1 mg/m3 0.1 mg/m3 0.3 mg/m3 0.1 mg/m3 9. PHYSIC : solid : pellet : NO F : very : Not c	limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapor ts, Slabs Specific PIGMENT Bulk d faint Vapou letermined Vapou pplicable pH	Respirable dust. Respirable. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not r pressure : not r density : not	applicable established applicable			

MATERIAL SAFETY DATA SHEET X1502440655

Version Number 1.2 Revision Date 12/04/2009

Page 4 of 6 Print Date 1/10/2012

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.	

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	Chemical Name OSHA		NTP
14808-60-7	Quartz	no	1	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation. Long-term exposure may cause coughing, chest pain, diminished chest expansion and possibly silicosis, which is a scarring of the lungs.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.



MATERIAL SAFETY DATA SHEET X1502440655

ion Number 1.2 sion Date 12/04/2009	Page Print Date 1/10
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 E	xtremely Hazardous Substance
TT.1	identified under this section, this product is Not Applicable under this regu



MATERIAL SAFETY DATA SHEET X1502440655

Version Number 1.2 Revision Date 12/04/2009		Page 6 of Print Date 1/10/20
Cevision Date 12/04/2009		
SARA Title III Section 313 Tox	ic (Chemicals:
Unless specific chemicals are id	enti	ified under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Release	se I	nventory (NPRI)
not applicable		
WHMIS Classification	:	D2A
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.